R3850-1.5 U
11/86

LENGTH OF STAY

CPHA PUBLICATIONS

Length of Stay by Diagnosis, Northeastern Region, 1985

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1986

LENGTH OF STAY

Copyright 1986 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1985
. . . by Diagnosis, United States, North Central Region, 1985
. . . by Diagnosis, United States, Northeastern Region, 1985
. . . by Diagnosis, United States, Southern Region, 1985
. . . by Diagnosis, United States, Western Region, 1985
. . . by Diagnosis, Canada, 1985

. . . by Operation, United States, 1985
. . . by Operation, United States, North Central Region, 1985
. . . by Operation, United States, Northeastern Region, 1985
. . . by Operation, United States, Southern Region, 1985
. . . by Operation, United States, Western Region, 1985
. . . by Operation, Canada, 1985

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1985
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1985

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1985 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1985 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1985 LENGTH OF STAY BOOKS

Peg Eby, Research Assistant, Research Services
Carol A. Prevost, Research Associate
Jeanine DeLay, Assistant Director
Edward J. Kobrinski, Director

CONTENTS

Preface iii

Discussion of the Data 1

Source of the Data. 1

Data Quality. 2

Coverage 3

Organization of Length of Stay Tables. 5

Definition of Multiple Diagnosis Patients 5

Definition of Operated Patients 5

Explanation of Statistics. 6

Defining the Extended Stay Case 7

Length of Stay Tables 17

Summary of All Patients. 18

Summary of All Patients Except Newborn 19

Diagnosis Groups 1-398 20

Appendix: ***ICD-9-CM*** **Codes for Selected Diagnosis Groups** 219

Index to Length of Stay Tables 223

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, non-federal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Alabama Hospital Association, Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.


Northeast
West
North Central
Pacific **
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South
** Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S.

January-December 1985

	Short-Term Nonfederal Hospitals			Short-Term Nonfederal Hospital Beds		
Hospital Category	U.S. Total[2]	Number in Books	Percent in Books	U.S. Total[2]	Number in Books	Percent in Books
Bedsize						
6-24	332	44	13.3	6,138	880	14.3
25-49	1,161	226	19.5	42,908	8,735	20.3
50-99	1,283	383	29.9	92,066	27,587	30.0
100-199	1,221	393	32.2	172,860	56,242	32.5
200-299	703	232	33.0	170,564	57,368	33.6
300-399	415	142	34.2	141,454	48,545	34.3
400-499	265	90	34.0	117,253	39,787	33.9
500+	307	73	23.8	212,299	47,783	22.5
Total	5,687	1,583	27.8	955,542	286,927	30.0
Region and Census Division						
Northeast	814	342	42.0	205,568	67,158	32.7
New England	241	131	54.4	48,426	20,234	41.8
Middle Atlantic	573	211	36.8	157,142	46,924	29.9
North Central	1,673	515	30.8	267,603	105,699	39.5
East North Central	880	418	47.5	182,843	90,510	49.5
West North Central	793	97	12.2	84,760	15,189	17.9
South	2,139	366	17.1	338,647	61,836	18.3
South Atlantic	810	186	23.0	158,360	34,351	21.7
East South Central	496	89	17.9	71,653	13,196	18.4
West South Central	833	91	10.9	108,634	14,289	13.2
West	1,061	360	33.9	143,724	52,234	36.3
Mountain	370	153	41.4	40,264	19,940	49.5
Pacific	691	207	30.0	103,460	32,294	31.2
Total	5,687	1,583	27.8	955,542	286,927	30.0

The Pediatric book was compiled from the data of 1,569 hospitals. The Geriatric book was compiled from the data of 1,559 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1984 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, operation status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[2])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

Definition of Operated Patients

Operated patients are patients who had at least one UHDDS[3] Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] Additional information regarding classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Explanation of Statistics

The *List A* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in that *List A* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N-1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[1]) that contains the admission diagnosis in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

b. Diagnoses can also be found in the Alphabetic Index at the back of the length of stay books.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[1] That code can then be located in *List A* or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 47-year-old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening.* The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g.			
a. acute myocardial infarction			
b. dissecting aortic aneurysm			
c. acute pericarditis			
2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	2		215
Cholesteatoma, ear	2		134

b. The Alphabetic Index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.



DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	**Cholelithiasis**
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



Cholangitis **INDEX TO DISEASES**

- **Cholangitis** (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  - chronic nonsuppurative destructive 571.6
  - nonsuppurative destructive (chronic) 571.6
- **Cholecystdocholithiasis** — *see* Choledocholithiasis
- **Cholecystitis** (chronic) 575.1

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

- with
  - calculus, stones in
    - bile duct (common) (hepatic) 574.4
    - gallbladder 574.1
  - choledocholithiasis 574.4
  - cholelithiasis 574.1
- acute 575.0
  - with
    - calculus, stones in
      - bile duct (common) (hepatic) 574.3
      - gallbladder 574.0
    - choledocholithiasis 574.3
    - cholelithiasis 574.0
- emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
- gangrenous *(see also* Cholecystitis, acute) 575.0
- paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
- suppurative *(see also* cholecystitis, acute) 575.0
- typhoidal 002.0
- **Choledochitis** (suppurative) 576.1
- **Choledocholith** — *see* Choledocholithiasis
- **Choledocholithiasis** 574.5

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

- with cholecystitis (chronic) 574.4
  - acute 574.3
- **Cholelithiasis** (impacted) (multiple) 574.2

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

- with cholecystitis (chronic) 574.1
  - acute 574.0
- **Cholemia** *(see also* Jaundice) 782.4
  - familial 277.4
  - Gilbert's (familial nonhemolytic) 277.4
- **Cholemic gallstone** — *see* Cholelithiasis
- **Choleperitoneum, choleperitonitis** *(see also* Disease, gallbladder) 567.8
- **Cholera** (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  - antimonial 985.4
  - carrier (suspected) of V02.0
  - classical 001.0
  - contact V01.0
  - due to
    - Vibrio
      - cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
        - El Tor 001.1
  - El Tor 001.1
  - exposure to V01.0
  - vaccination, prophylactic (against) V03.0
- **Cholerine** *(see also* Cholera) 001.9
- **Cholestasis** *(see also* Disease, gallbladder) 575.8
- **Cholesteatoma** (ear) 385.30
  - attic (primary) 385.31
  - diffuse 385.35
  - external ear (canal) 380.21
  - marginal (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
    - secondary (with middle ear involvement) 385.33
  - mastoid cavity 385.30
  - middle ear 385.30
    - secondary 385.32
      - with involvement of mastoid cavity 385.33
  - postmastoidectomy cavity (recurrent) 383.32
  - primary 385.31
  - recurrent, postmastoidectomy cavity 383.32
  - secondary (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
- **Cholesteatosis** (middle ear) *(see also* Cholesteatoma) 385.30
  - diffuse 385.35

Step 2. Find the table for group 215 in the length of stay book.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	4.7	10	1	2	4	6	9	11	15
20-34	1472	4.4	10	1	1	4	6	8	10	16
35-49	1964	5.2	14	1	2	4	7	9	12	17
50-64	3826	5.8	15	2	2	5	7	10	13	19
65+	7503	7.6	32	2	3	6	10	14	17	28
B. *Operated*										
0-19 YRS	671	9.6	30	5	5	8	11	15	17	32
20-34	9073	9.2	24	5	5	8	11	14	17	27
35-49	11544	9.9	27	5	6	8	12	16	19	30
50-64	17699	11.4	41	5	6	10	13	18	23	35
65+	18538	15.1	82	6	7	13	18	25	32	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6693	4.1	9	1	1	3	5	8	9	14
B. *Operated*	50291	8.3	14	5	5	7	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	14921	6.5	24	2	2	5	8	12	15	25
B. *Operated*	57525	11.9	54	5	6	10	14	20	25	41
1. SINGLE DX	56984	7.8	15	3	4	7	9	12	14	21
2. MULTIPLE DX	72446	10.8	53	3	5	9	13	19	24	39
A. NOT OPERATED	21614	5.7	21	1	2	5	7	11	14	22
B. OPERATED	107816	10.2	38	5	6	8	12	17	21	34
TOTAL 0-19 YRS	2325	7.5	19	2	3	7	9	12	14	22
20-34	27293	7.6	16	3	4	7	9	12	14	21
35-49	28151	8.3	21	3	4	7	10	13	16	24
50-64	36761	9.4	31	3	5	8	11	16	19	30
65+	34900	12.1	68	3	5	10	15	21	27	44
GRAND TOTAL	**129430**	**9.5**	**38**	**3**	**4**	**8**	**11**	**16**	**20**	**33**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	**1267**	**7.5**	**10**	**4**	**5**	**7**	**9**	**11**	**13**	**18**
20-34	**15024**	**7.4**	**8**	**4**	**5**	**7**	**8**	**11**	**13**	**17**
35-49	**13018**	**7.9**	**11**	**5**	**5**	**7**	**9**	**11**	**13**	**18**
50-64	**13588**	**8.6**	**13**	**5**	**5**	**8**	**10**	**13**	**15**	**21**
65+	**7394**	**10.4**	**24**	**5**	**6**	**9**	**12**	**16**	**19**	**28**

Step 5. The patient is 47-years-old and therefore falls in the age group 35-49.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay
Tables

342 Hospitals, Northeastern Region, January-December 1985

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	129178	3.3	12	1	1	3	4	5	6	15
20-34	104787	3.7	22	<1	1	3	4	6	9	25
35-49	36720	5.1	36	1	1	3	6	10	15	30
50-64	25785	5.7	39	1	1	4	7	11	16	32
65+	23583	6.4	46	1	1	5	8	13	17	37
B. *Operated*										
0-19 YRS	61470	2.7	11	<1	<1	2	3	5	8	16
20-34	124762	3.2	8	<1	<1	3	4	6	7	13
35-49	58311	3.9	15	<1	<1	3	5	8	10	19
50-64	46411	4.6	20	<1	1	3	6	10	13	21
65+	41353	5.7	39	<1	1	3	8	13	17	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	116531	4.6	39	1	1	3	5	8	12	37
20-34	83580	5.9	55	1	1	4	7	13	20	38
35-49	81629	6.6	49	1	1	5	8	13	19	36
50-64	140269	7.3	51	1	2	5	9	14	19	38
65+	322129	9.4	85	2	3	7	11	18	25	61
B. *Operated*										
0-19 YRS	46552	5.5	80	<1	1	3	6	12	20	56
20-34	127978	5.3	42	<1	1	4	6	9	14	36
35-49	94718	6.8	65	1	1	5	8	14	20	45
50-64	122206	9.1	101	1	2	6	11	19	28	58
65+	209086	12.6	164	2	2	9	16	28	40	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	320053	4.0	24	1	1	3	4	7	11	25
B. *Operated*	332307	3.8	16	<1	<1	3	5	8	11	19
2. MULTIPLE DX										
A. *Not Operated*	744138	7.5	67	1	2	5	9	15	22	48
B. *Operated*	600540	8.9	112	1	1	6	11	20	29	66
1. SINGLE DX	652360	3.9	20	<1	1	3	4	7	11	22
2. MULTIPLE DX	1344678	8.1	88	1	2	5	10	17	25	57
A. NOT OPERATED	1064191	6.5	57	1	1	4	8	13	19	42
B. OPERATED	932847	7.0	84	<1	1	4	8	16	23	54
TOTAL 0-19 YRS	353731	3.9	30	<1	1	3	4	7	10	29
20-34	441107	4.5	31	<1	1	3	5	8	12	29
35-49	271378	5.9	47	<1	1	4	7	12	17	36
50-64	334671	7.5	67	1	1	5	9	15	21	45
65+	596151	10.1	112	1	2	7	13	21	30	71
GRAND TOTAL	**1997038**	**6.7**	**69**	**1**	**1**	**4**	**8**	**14**	**21**	**48**

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	65881	3.4	21	<1	1	2	4	6	8	23
20-34	104787	3.7	22	<1	1	3	4	6	9	25
35-49	36720	5.1	36	1	1	3	6	10	15	30
50-64	25785	5.7	39	1	1	4	7	11	16	32
65+	23583	6.4	46	1	1	5	8	13	17	37
B. *Operated*										
0-19 YRS	61455	2.7	11	<1	<1	2	3	5	8	16
20-34	124762	3.2	8	<1	<1	3	4	6	7	13
35-49	58311	3.9	15	<1	<1	3	5	8	10	19
50-64	46411	4.6	20	<1	1	3	6	10	13	21
65+	41353	5.7	39	<1	1	3	8	13	17	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71725	4.7	51	1	1	3	5	9	14	49
20-34	83580	5.9	55	1	1	4	7	13	20	38
35-49	81629	6.6	49	1	1	5	8	13	19	36
50-64	140269	7.3	51	1	2	5	9	14	19	38
65+	322129	9.4	85	2	3	7	11	18	25	61
B. *Operated*										
0-19 YRS	45262	5.1	61	<1	1	3	6	11	18	46
20-34	127978	5.3	42	<1	1	4	6	9	14	36
35-49	94718	6.8	65	1	1	5	8	14	20	45
50-64	122206	9.1	101	1	2	6	11	19	28	58
65+	209086	12.6	164	2	2	9	16	28	40	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	256756	4.3	29	1	1	3	4	8	12	28
B. *Operated*	332292	3.8	16	<1	<1	3	5	8	11	19
2. MULTIPLE DX										
A. *Not Operated*	699332	7.7	70	1	2	5	9	15	22	49
B. *Operated*	599250	8.8	111	1	1	6	11	20	29	66
1. SINGLE DX	589048	4.0	22	<1	1	3	5	8	11	23
2. MULTIPLE DX	1298582	8.2	89	1	2	6	10	17	25	58
A. NOT OPERATED	956088	6.8	61	1	1	4	8	14	20	44
B. OPERATED	931542	7.0	83	<1	1	4	8	16	23	53
TOTAL 0-19 YRS	244323	3.9	36	<1	1	2	4	7	11	32
20-34	441107	4.5	31	<1	1	3	5	8	12	29
35-49	271378	5.9	47	<1	1	4	7	12	17	36
50-64	334671	7.5	67	1	1	5	9	15	21	45
65+	596151	10.1	112	1	2	7	13	21	30	71
GRAND TOTAL	**1887630**	**6.9**	**72**	**1**	**1**	**4**	**8**	**15**	**22**	**49**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1429	3.0	4	1	1	2	4	5	7	11
20-34	628	2.9	3	1	1	3	4	5	7	8
35-49	242	3.2	3	1	1	3	4	6	7	8
50-64	147	3.8	5	1	1	3	5	6	7	10
65+	106	4.3	15	1	1	3	5	8	12	24
B. *Operated*										
0-19 YRS	29	4.9	8	2	3	4	5	9	11	15
20-34	52	4.8	4	2	3	4	6	8	9	9
35-49	21	6.5	9	2	3	6	8	11	12	12
50-64	9	5.9	8	3	3	6	8	10	11	11
65+	6	7.7	17	3	3	7	11	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2146	3.5	7	1	1	3	4	6	8	15
20-34	834	3.4	6	1	1	3	4	6	8	14
35-49	580	4.3	12	1	1	3	5	8	10	20
50-64	675	4.6	19	1	2	4	6	8	10	17
65+	1305	6.3	29	2	2	5	8	11	15	30
B. *Operated*										
0-19 YRS	41	6.4	42	2	2	5	6	11	23	32
20-34	107	7.4	41	2	3	6	8	15	18	38
35-49	66	10.4	108	2	3	7	12	23	30	62
50-64	76	10.4	79	3	4	8	13	18	20	55
65+	133	13.9	124	4	4	11	17	32	43	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2552	3.1	5	1	1	3	4	5	7	11
B. *Operated*	117	5.4	7	2	3	5	7	9	11	14
2. MULTIPLE DX										
A. *Not Operated*	5540	4.3	16	1	1	3	5	8	11	20
B. *Operated*	423	10.3	91	3	3	7	12	20	32	61
1. SINGLE DX	2669	3.2	5	1	1	3	4	6	7	11
2. MULTIPLE DX	5963	4.8	23	1	1	3	6	9	12	26
A. NOT OPERATED	8092	3.9	12	1	1	3	5	7	10	18
B. OPERATED	540	9.3	77	3	3	7	11	18	29	46
TOTAL 0-19 YRS	3645	3.3	7	1	1	3	4	6	8	14
20-34	1621	3.5	8	1	1	3	4	7	8	15
35-49	909	4.5	19	1	1	3	5	8	11	25
50-64	907	5.0	24	1	2	4	6	8	12	19
65+	1550	6.8	41	2	2	5	8	13	18	40
GRAND TOTAL	**8632**	**4.3**	**18**	**1**	**1**	**3**	**5**	**8**	**11**	**21**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	5.8	25	2	3	4	7	14	17	24
20-34	40	12.7	82	4	5	11	15	23	33	48
35-49	34	12.1	39	3	4	12	15	18	25	31
50-64	25	18.0	494	3	3	11	17	57	77	91
65+	6	24.5	508	2	2	21	39	58	60	60
B. *Operated*										
0-19 YRS	3	8.3		8	8	8	9	9	9	9
20-34	20	10.2	121	1	3	7	11	17	35	53
35-49	19	12.3	92	1	2	8	17	29	30	30
50-64	19	10.3	44	1	2	9	14	20	24	26
65+	13	10.8	112	<1	1	7	14	32	34	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	6.8	13	3	3	7	11	11	12	12
20-34	60	14.0	114	4	5	12	16	29	42	49
35-49	66	18.0	245	4	4	13	27	39	44	88
50-64	61	17.4	239	5	6	15	20	28	75	98
65+	67	18.0	301	5	6	12	19	39	59	88
B. *Operated*										
0-19 YRS	2	25.5	545	9	9	25	42	42	42	42
20-34	42	17.5	104	4	6	15	24	33	37	38
35-49	60	23.8	310	2	5	19	39	53	70	99+
50-64	61	19.1	243	4	6	15	21	45	57	77
65+	87	17.2	177	3	4	13	22	39	50	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	139	12.3	165	3	3	9	15	23	34	74
B. *Operated*	74	10.8	84	1	2	8	14	25	30	48
2. MULTIPLE DX										
A. *Not Operated*	267	16.4	222	4	5	12	19	32	46	90
B. *Operated*	252	19.4	218	3	5	15	25	43	55	99
1. SINGLE DX	213	11.8	137	2	3	9	14	23	31	64
2. MULTIPLE DX	519	17.8	222	4	5	14	22	39	52	92
A. NOT OPERATED	406	15.0	206	3	4	11	17	29	44	86
B. OPERATED	326	17.4	200	2	4	13	22	39	52	83
TOTAL 0-19 YRS	52	6.9	44	3	3	4	9	13	18	42
20-34	162	14.1	108	4	5	12	17	30	37	49
35-49	179	18.2	230	3	4	14	26	41	51	98
50-64	166	17.3	259	3	5	14	20	30	58	90
65+	173	17.3	232	3	5	12	20	39	54	87
GRAND TOTAL	**732**	**16.1**	**205**	**3**	**4**	**12**	**20**	**34**	**49**	**84**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	27.9	1243	<1	1	9	62	80	81	81
20-34	5	8.4	40	2	2	7	13	18	18	18
35-49	3	14.3	21	9	9	17	17	17	17	17
50-64	1	15.0		15	15	15	15	15	15	15
65+	2	19.5	685	1	1	19	38	38	38	38
B. *Operated*										
0-19 YRS	8	5.4	52	<1	<1	2	9	17	18	18
20-34	5	6.8	22	1	1	8	10	12	12	12
35-49	9	8.3	58	3	4	5	8	20	28	28
50-64	2	6.5	13	4	4	6	9	9	9	9
65+	2	5.0	32	1	1	5	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	15.0	50	10	10	15	20	20	20	20
20-34	8	12.6	68	3	3	15	19	22	23	23
35-49	6	12.3	20	7	7	13	16	17	17	17
50-64	11	8.5	34	2	2	8	11	18	20	20
65+	8	26.3	880	4	5	18	50	98	99+	99+
B. *Operated*										
0-19 YRS	6	9.0	221	1	1	3	7	36	39	39
20-34	14	30.2	651	2	6	22	40	78	85	87
35-49	20	21.0	229	3	4	19	30	41	54	59
50-64	15	27.7	446	6	8	20	43	62	64	65
65+	29	26.5	684	3	3	22	27	77	92	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	18.6	561	<1	1	10	17	65	79	81
B. *Operated*	26	6.7	40	<1	1	5	9	16	20	28
2. MULTIPLE DX										
A. *Not Operated*	35	14.5	256	2	3	11	18	23	78	99+
B. *Operated*	84	24.8	503	2	3	19	33	59	79	95
1. SINGLE DX	44	11.6	280	<1	1	7	13	19	50	81
2. MULTIPLE DX	119	21.7	449	2	3	17	27	52	80	97
A. NOT OPERATED	53	15.9	354	2	3	11	18	35	80	99+
B. OPERATED	110	20.5	451	1	2	14	27	48	69	94
TOTAL 0-19 YRS	23	14.0	503	<1	<1	5	16	47	78	81
20-34	32	18.8	406	1	2	14	22	42	74	87
35-49	38	16.1	164	3	5	13	22	32	43	59
50-64	29	18.5	331	2	3	10	22	52	62	65
65+	41	25.1	674	1	3	18	28	86	96	99+
GRAND TOTAL	**163**	**19.0**	**422**	**1**	**2**	**12**	**24**	**45**	**77**	**96**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	168	2.4	1	1	1	2	3	4	4	6
20-34	65	2.5	1	1	1	2	3	4	5	6
35-49	20	3.5	2	2	2	3	4	6	6	7
50-64	8	3.1	5	1	1	2	4	7	7	7
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	38	1.6	1	1	1	1	2	3	4	7
20-34	8	1.3		1	1	1	2	2	2	2
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	410	2.9	3	1	1	3	4	5	6	9
20-34	129	3.5	4	1	2	3	4	6	7	11
35-49	48	4.0	4	2	2	4	5	6	8	11
50-64	28	5.3	51	1	2	3	6	8	13	40
65+	28	6.4	18	2	2	5	8	12	16	21
B. *Operated*										
0-19 YRS	24	2.6	14	1	1	1	3	5	9	19
20-34	7	4.7	39	1	1	2	6	16	18	18
35-49	3	13.7	80	8	8	9	20	24	24	24
50-64	2	9.0	8	7	7	9	11	11	11	11
65+	1	32.0		32	32	32	32	32	32	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	262	2.5	2	1	1	2	3	4	5	6
B. *Operated*	46	1.5	1	1	1	1	2	2	3	7
2. MULTIPLE DX										
A. *Not Operated*	643	3.4	6	1	1	3	4	6	7	11
B. *Operated*	37	5.1	51	1	1	2	6	17	22	32
1. SINGLE DX	308	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX	680	3.5	9	1	1	3	4	6	7	15
A. NOT OPERATED	905	3.1	5	1	1	3	4	5	7	10
B. OPERATED	83	3.1	26	1	1	1	2	7	13	29
TOTAL 0-19 YRS	640	2.7	3	1	1	2	3	5	6	8
20-34	209	3.2	5	1	1	3	4	6	7	12
35-49	71	4.2	9	2	2	3	5	7	9	21
50-64	38	5.0	40	1	2	3	6	8	11	40
65+	30	7.2	39	2	2	6	8	13	21	32
GRAND TOTAL	**988**	**3.1**	**7**	**1**	**1**	**3**	**4**	**5**	**7**	**11**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	360	4.9	10	1	2	4	6	9	11	16
20-34	24	6.1	9	1	2	6	9	10	11	11
35-49	19	6.3	16	1	1	7	8	12	14	15
50-64	16	6.6	14	1	2	6	9	13	14	14
65+	53	9.3	40	2	3	8	12	16	22	36
B. *Operated*										
0-19 YRS	9	7.7	41	3	3	5	9	19	21	21
20-34	1	7.0		7	7	7	7	7	7	7
35-49										
50-64	2	7.5	1	7	7	7	8	8	8	8
65+	3	13.0	16	9	9	13	16	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	541	6.3	23	2	2	5	8	12	14	25
20-34	184	10.4	73	3	4	8	12	20	30	45
35-49	240	10.6	101	3	3	8	12	21	30	46
50-64	577	11.7	64	4	5	10	14	20	26	47
65+	2756	13.1	91	4	6	11	16	23	30	61
B. *Operated*										
0-19 YRS	46	14.1	62	3	6	12	21	28	32	99+
20-34	49	16.8	163	3	4	13	23	32	47	54
35-49	97	19.7	224	4	6	15	28	41	59	89
50-64	215	19.5	193	5	7	16	27	43	61	99+
65+	767	22.4	250	7	8	18	29	44	61	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	472	5.5	15	1	2	4	7	11	13	20
B. *Operated*	15	8.7	31	3	4	7	12	17	20	21
2. MULTIPLE DX										
A. *Not Operated*	4298	11.8	83	3	4	10	14	21	28	55
B. *Operated*	1174	21.1	230	6	8	17	28	43	60	99+
1. SINGLE DX	487	5.6	16	1	2	5	7	11	13	21
2. MULTIPLE DX	5472	13.8	129	3	4	11	17	27	36	72
A. NOT OPERATED	4770	11.2	80	3	3	9	14	20	27	52
B. OPERATED	1189	20.9	230	6	7	16	28	43	59	99+
TOTAL 0-19 YRS	956	6.2	24	2	2	5	8	12	15	28
20-34	258	11.2	92	2	4	8	13	24	32	51
35-49	356	12.8	148	3	4	9	15	28	36	77
50-64	810	13.7	109	4	5	11	16	27	37	71
65+	3579	15.1	139	5	6	12	18	29	39	75
GRAND TOTAL	**5959**	**13.1**	**125**	**3**	**4**	**10**	**16**	**26**	**35**	**70**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	223	7.5	19	2	3	7	11	12	14	17
20-34	34	6.3	13	1	3	6	10	12	12	13
35-49	23	5.1	7	2	2	5	6	9	11	12
50-64	30	5.4	7	3	3	5	7	8	12	13
65+	17	7.5	18	2	4	8	9	13	17	19
B. *Operated*										
0-19 YRS	8	4.3	10	<1	<1	4	7	8	8	8
20-34	4	6.5	70	2	2	3	11	19	19	19
35-49	9	12.3	147	<1	1	11	14	32	40	40
50-64	2	24.5	841	4	4	24	45	45	45	45
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	184	7.5	27	2	2	6	10	13	15	29
20-34	79	9.0	102	2	2	7	11	14	18	68
35-49	65	8.9	119	2	3	7	10	15	18	77
50-64	114	9.2	76	3	3	7	11	16	24	54
65+	211	10.8	104	3	4	8	13	19	28	58
B. *Operated*										
0-19 YRS	12	13.8	98	3	3	13	17	26	38	40
20-34	28	20.6	423	3	4	11	29	53	68	84
35-49	29	20.7	286	4	5	16	32	54	63	99+
50-64	50	21.7	261	4	6	18	24	43	51	91
65+	70	21.9	273	4	7	16	32	47	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	327	7.0	17	2	3	6	10	12	13	17
B. *Operated*	23	9.6	140	<1	1	6	12	25	42	45
2. MULTIPLE DX										
A. *Not Operated*	653	9.2	80	2	3	7	11	16	22	51
B. *Operated*	189	20.9	281	4	6	16	29	45	63	99+
1. SINGLE DX	350	7.2	25	2	3	6	10	12	13	21
2. MULTIPLE DX	842	11.8	149	2	3	8	14	24	37	78
A. NOT OPERATED	980	8.5	60	2	3	7	11	14	18	38
B. OPERATED	212	19.7	278	3	4	15	28	44	61	99+
TOTAL 0-19 YRS	427	7.6	26	2	2	7	11	13	15	27
20-34	145	10.6	165	2	3	7	12	19	32	74
35-49	126	11.2	166	2	3	7	12	25	40	90
50-64	196	12.0	152	3	4	7	15	24	38	58
65+	298	13.2	162	3	4	9	16	28	39	89
GRAND TOTAL	**1192**	**10.5**	**117**	**2**	**3**	**8**	**12**	**20**	**32**	**65**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	759	3.6	6	1	2	3	4	6	8	13
20-34	478	3.8	6	1	1	3	5	7	8	12
35-49	109	4.3	6	2	2	4	5	7	11	13
50-64	17	4.6	4	2	2	4	6	8	8	8
65+	6	6.3	33	1	1	4	10	15	16	16
B. *Operated*										
0-19 YRS	12	6.3	18	2	3	5	9	13	14	14
20-34	3	5.7	16	2	2	5	9	10	10	10
35-49	1	16.0		16	16	16	16	16	16	16
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	339	4.7	12	1	2	4	5	9	12	18
20-34	213	5.0	11	2	2	4	6	10	11	17
35-49	69	5.0	7	2	2	4	6	9	11	13
50-64	27	5.9	14	2	2	5	7	13	14	14
65+	21	9.5	32	3	4	8	13	19	21	22
B. *Operated*										
0-19 YRS	12	7.3	19	2	3	6	10	13	16	17
20-34	8	10.0	11	6	6	10	12	15	16	16
35-49	10	10.8	33	4	5	10	14	19	24	24
50-64	3	16.0	79	9	9	13	23	26	26	26
65+	5	16.8	123	7	7	15	22	35	35	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1369	3.8	6	1	2	3	5	6	8	13
B. *Operated*	16	6.8	21	2	2	5	11	14	15	16
2. MULTIPLE DX										
A. *Not Operated*	669	5.0	12	2	2	4	6	10	12	18
B. *Operated*	38	10.7	44	3	4	10	13	18	25	35
1. SINGLE DX	1385	3.8	7	1	2	3	5	6	9	13
2. MULTIPLE DX	707	5.3	16	2	2	4	6	10	13	20
A. NOT OPERATED	2038	4.2	9	1	2	3	5	8	10	14
B. OPERATED	54	9.6	40	2	3	8	12	16	23	35
TOTAL 0-19 YRS	1122	4.0	9	1	2	3	5	7	10	15
20-34	702	4.3	8	1	2	4	5	8	10	13
35-49	189	5.0	10	2	2	4	6	9	11	16
50-64	47	6.1	20	2	2	5	7	13	14	26
65+	32	10.0	52	2	3	8	14	19	22	35
GRAND TOTAL	**2092**	**4.3**	**10**	**1**	**2**	**3**	**5**	**8**	**11**	**16**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	222	3.3	5	1	1	3	4	5	7	11
20-34	52	5.8	141	1	1	4	6	8	10	86
35-49	34	6.9	33	1	1	6	9	15	18	25
50-64	36	4.7	12	<1	1	4	6	9	13	17
65+	77	6.4	28	1	2	5	7	14	17	28
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	2	7.0	32	3	3	7	11	11	11	11
35-49	7	6.1	34	<1	<1	4	8	16	18	18
50-64	1	1.0		1	1	1	1	1	1	1
65+	3	1.7	1	1	1	1	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	436	4.1	7	1	2	3	5	7	9	13
20-34	110	6.2	19	2	2	5	7	11	14	26
35-49	84	6.6	20	2	2	5	8	12	15	26
50-64	172	7.4	26	2	3	6	9	14	17	28
65+	603	9.7	70	2	3	7	11	20	25	41
B. *Operated*										
0-19 YRS	10	15.4	621	<1	1	8	12	51	85	85
20-34	15	18.2	495	3	4	9	16	51	77	86
35-49	15	12.7	55	3	4	17	18	19	25	27
50-64	28	16.5	169	2	5	13	24	44	51	99+
65+	72	20.7	300	4	5	14	30	49	53	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	421	4.6	30	1	1	3	5	8	13	21
B. *Operated*	14	5.1	25	<1	1	3	9	12	17	18
2. MULTIPLE DX										
A. *Not Operated*	1405	7.2	44	2	2	5	9	14	20	33
B. *Operated*	140	18.4	290	3	4	13	25	47	52	87
1. SINGLE DX	435	4.6	30	1	1	3	5	8	13	21
2. MULTIPLE DX	1545	8.2	76	2	2	6	9	16	24	50
A. NOT OPERATED	1826	6.6	42	1	2	5	8	13	18	31
B. OPERATED	154	17.2	280	2	3	11	23	45	51	86
TOTAL 0-19 YRS	669	4.0	16	1	1	3	5	7	9	14
20-34	179	7.1	102	1	2	5	7	11	16	76
35-49	140	7.3	30	1	2	6	9	16	18	27
50-64	237	8.0	51	2	2	6	10	16	23	48
65+	755	10.3	100	2	3	7	12	22	29	54
GRAND TOTAL	**1980**	**7.4**	**68**	**1**	**2**	**5**	**8**	**15**	**22**	**47**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	4.5	9	1	2	3	6	9	11	13
20-34	196	5.5	9	2	2	5	7	9	11	15
35-49	59	7.6	30	2	3	6	10	15	19	29
50-64	28	8.2	72	3	3	5	8	18	25	44
65+	9	7.9	31	3	3	6	9	18	20	20
B. *Operated*										
0-19 YRS										
20-34	8	4.0	15	1	1	2	7	10	11	11
35-49	9	10.6	99	1	1	7	18	26	28	28
50-64	3	16.7	9	14	14	16	19	20	20	20
65+	3	11.0	21	6	6	12	14	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	9.1	249	2	2	5	9	15	22	88
20-34	222	7.9	54	2	3	6	9	15	17	28
35-49	96	8.4	56	2	3	7	9	14	22	46
50-64	82	10.3	43	3	4	9	13	19	22	36
65+	78	10.5	55	3	4	9	13	19	25	43
B. *Operated*										
0-19 YRS	3	12.3	6	10	10	12	14	15	15	15
20-34	22	7.7	19	2	3	7	9	14	18	19
35-49	19	14.6	340	2	2	9	14	33	62	81
50-64	14	14.0	60	3	3	13	18	25	27	28
65+	17	13.1	37	6	7	12	15	18	28	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	331	6.0	20	2	2	5	7	10	13	22
B. *Operated*	23	9.1	62	1	1	7	15	21	25	28
2. MULTIPLE DX										
A. *Not Operated*	507	8.9	64	2	3	7	10	16	22	42
B. *Operated*	75	12.0	115	2	3	9	15	23	27	70
1. SINGLE DX	354	6.2	23	1	2	5	7	11	15	23
2. MULTIPLE DX	582	9.3	72	2	3	7	11	17	23	43
A. NOT OPERATED	838	7.7	48	2	3	6	9	14	19	30
B. OPERATED	98	11.4	103	1	2	9	15	22	27	61
TOTAL 0-19 YRS	71	6.7	111	1	2	4	7	12	15	73
20-34	448	6.8	33	2	2	6	8	12	16	27
35-49	183	8.9	81	2	3	7	10	16	24	47
50-64	127	10.4	53	3	3	8	13	20	24	42
65+	107	10.7	50	3	4	9	13	18	24	40
GRAND TOTAL	**936**	**8.1**	**55**	**2**	**3**	**6**	**10**	**15**	**20**	**34**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	344	3.7	4	1	2	3	5	6	7	11
20-34	121	4.1	6	1	2	3	6	8	9	12
35-49	19	5.1	19	2	2	4	6	7	15	22
50-64	2	8.0	18	5	5	8	11	11	11	11
65+	4	8.5	26	4	4	7	12	15	15	15
B. *Operated*										
0-19 YRS	3	6.3	4	4	4	7	8	8	8	8
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49	3	8.3	17	5	5	7	11	13	13	13
50-64	1	19.0		19	19	19	19	19	19	19
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	658	4.2	6	2	2	4	5	7	9	13
20-34	212	4.9	9	2	2	4	6	8	10	18
35-49	44	5.5	11	1	2	4	8	11	12	14
50-64	9	6.6	36	2	2	5	6	16	22	22
65+	5	9.8	35	4	4	8	14	19	19	19
B. *Operated*										
0-19 YRS	19	12.8	226	2	2	7	14	28	51	66
20-34	12	6.7	11	2	2	6	7	12	14	14
35-49	7	8.0	7	5	5	8	9	12	13	13
50-64	2	12.0		12	12	12	12	12	12	12
65+	1	20.0		20	20	20	20	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	490	3.9	6	1	2	3	5	7	8	12
B. *Operated*	9	7.9	27	2	3	7	9	17	19	19
2. MULTIPLE DX										
A. *Not Operated*	928	4.4	8	2	2	4	5	8	10	14
B. *Operated*	41	10.3	116	2	2	7	12	18	26	66
1. SINGLE DX	499	4.0	6	1	2	3	5	7	8	13
2. MULTIPLE DX	969	4.7	14	2	2	4	6	8	11	18
A. NOT OPERATED	1418	4.3	7	2	2	4	5	7	9	13
B. OPERATED	50	9.9	100	2	2	7	12	18	21	66
TOTAL 0-19 YRS	1024	4.2	11	2	2	3	5	7	9	14
20-34	347	4.7	8	2	2	4	6	8	9	14
35-49	73	5.7	14	2	2	5	8	11	13	20
50-64	14	8.4	37	2	3	6	12	19	21	22
65+	10	10.3	36	4	4	9	15	19	20	20
GRAND TOTAL	**1468**	**4.4**	**11**	**2**	**2**	**4**	**5**	**8**	**10**	**17**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	5.7	41	<1	<1	3	10	13	13	13
20-34	3	1.3		<1	<1	<1	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	136	1.5	1	<1	<1	1	2	3	3	7
20-34	508	1.7	1	<1	<1	1	2	3	4	7
35-49	117	1.8	2	<1	<1	1	2	3	4	10
50-64	34	2.0	2	<1	<1	1	3	4	6	6
65+	6	1.7	1	<1	<1	1	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	4	<1	<1	3	4	5	5	5
20-34	8	1.0		<1	<1	<1	1	1	1	1
35-49	2	2.5	5	<1	<1	2	4	4	4	4
50-64	2	3.5	13	1	1	3	6	6	6	6
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	28	4.4	63	1	1	3	4	6	12	44
20-34	172	2.2	3	<1	<1	2	2	4	5	9
35-49	83	3.2	17	<1	<1	2	3	5	8	27
50-64	28	3.0	4	<1	<1	3	4	5	6	11
65+	12	4.4	18	<1	<1	3	6	10	14	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	3.5	22	<1	<1	1	3	12	13	13
B. *Operated*	801	1.7	1	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	16	1.9	3	<1	<1	1	2	5	6	6
B. *Operated*	323	2.8	13	<1	<1	2	3	5	7	18
1. SINGLE DX	807	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	339	2.7	12	<1	<1	2	3	5	7	16
A. NOT OPERATED	22	2.3	8	<1	<1	1	3	5	9	13
B. OPERATED	1124	2.0	5	<1	<1	1	2	4	5	9
TOTAL 0-19 YRS	170	2.1	13	<1	<1	1	2	3	5	12
20-34	691	1.8	2	<1	<1	1	2	3	5	8
35-49	202	2.4	9	<1	<1	2	3	4	6	18
50-64	64	2.5	3	<1	<1	2	3	5	6	10
65+	19	3.4	13	<1	<1	2	5	8	12	15
GRAND TOTAL	**1146**	**2.0**	**5**	**<1**	**<1**	**1**	**2**	**4**	**5**	**9**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1650	2.8	3	1	1	3	4	5	6	9
20-34	238	3.2	8	<1	1	3	4	6	7	15
35-49	108	3.8	8	1	1	3	5	7	9	15
50-64	58	4.0	6	2	2	4	5	7	10	13
65+	39	4.1	6	1	2	4	6	7	8	13
B. *Operated*										
0-19 YRS	47	3.6	15	<1	<1	3	4	6	7	26
20-34	21	4.3	16	<1	<1	3	6	10	13	15
35-49	6	2.5	2	1	1	2	4	4	4	4
50-64	7	9.3	60	<1	1	8	19	77	99+	99+
65+	2	12.5	13	10	10	12	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1823	3.1	7	1	1	3	4	5	6	10
20-34	543	4.0	12	1	1	3	5	7	9	18
35-49	363	4.6	12	1	2	4	6	8	11	18
50-64	415	5.1	38	2	2	4	6	8	11	17
65+	679	5.9	20	2	2	5	7	11	13	26
B. *Operated*										
0-19 YRS	63	4.5	18	1	1	4	5	8	14	21
20-34	45	11.3	192	1	2	7	11	26	41	75
35-49	39	13.4	191	1	2	9	17	34	46	61
50-64	43	11.4	71	2	2	9	17	23	34	99+
65+	50	15.5	302	4	5	11	15	29	41	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2093	3.0	4	1	1	3	4	5	6	10
B. *Operated*	83	4.4	21	<1	1	3	5	10	16	75
2. MULTIPLE DX										
A. *Not Operated*	3823	4.1	15	1	1	3	5	7	10	16
B. *Operated*	240	10.7	161	1	2	7	13	22	35	87
1. SINGLE DX	2176	3.0	5	1	1	3	4	5	6	11
2. MULTIPLE DX	4063	4.5	26	1	1	3	5	8	11	25
A. NOT OPERATED	5916	3.7	11	1	1	3	4	7	9	14
B. OPERATED	323	9.1	133	1	1	5	11	21	32	88
TOTAL 0-19 YRS	3583	3.0	5	1	1	3	4	5	6	10
20-34	847	4.2	23	1	1	3	5	8	10	27
35-49	516	5.1	30	1	2	4	6	9	13	28
50-64	523	5.6	40	2	2	4	6	11	14	34
65+	770	6.4	43	2	2	5	8	12	14	32
GRAND TOTAL	**6239**	**4.0**	**19**	**1**	**1**	**3**	**5**	**7**	**10**	**20**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	4.4	7	1	2	3	6	9	10	10
20-34	34	4.4	9	1	2	4	6	8	10	15
35-49	14	5.9	11	3	3	4	8	12	12	12
50-64	7	3.7	2	2	2	4	5	6	6	6
65+	5	6.0	16	3	3	4	9	12	12	12
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	8.0		8	8	8	8	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	7.9	13	2	3	8	10	13	15	16
20-34	22	5.1	7	1	2	5	7	9	10	11
35-49	16	6.4	13	2	3	5	8	11	14	16
50-64	10	8.7	24	3	3	8	12	16	17	17
65+	12	6.8	11	3	4	6	9	11	14	14
B. *Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34										
35-49	2	6.5	25	3	3	6	10	10	10	10
50-64	3	12.3	20	8	8	12	16	17	17	17
65+	2	23.0	162	14	14	23	32	32	32	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	90	4.7	9	1	2	4	6	9	10	14
B. *Operated*	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	78	6.8	13	2	3	6	9	11	15	17
B. *Operated*	9	11.4	85	2	2	10	15	26	32	32
1. SINGLE DX	91	4.7	9	1	2	4	6	9	10	14
2. MULTIPLE DX	87	7.2	22	2	3	6	10	13	16	27
A. NOT OPERATED	168	5.6	12	2	2	5	7	10	12	16
B. OPERATED	10	11.1	76	2	2	9	14	24	32	32
TOTAL 0-19 YRS	50	5.6	12	2	2	5	9	10	10	16
20-34	56	4.7	8	1	2	4	6	9	10	15
35-49	33	6.2	12	3	3	5	8	11	12	16
50-64	20	7.5	24	2	2	6	11	16	17	17
65+	19	8.3	46	3	3	6	10	14	24	32
GRAND TOTAL	**178**	**5.9**	**17**	**2**	**2**	**5**	**8**	**10**	**14**	**17**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	80	5.7	12	1	2	5	7	10	11	18
20-34	103	4.9	12	2	2	5	6	7	10	23
35-49	19	5.2	31	<1	<1	3	6	12	18	23
50-64	7	2.9	11	1	1	1	3	9	10	10
65+	4	4.5	19	1	1	4	8	10	10	10
B. *Operated*										
0-19 YRS	10	2.0	2	<1	<1	1	2	4	5	5
20-34	47	2.0	3	<1	<1	1	2	4	4	12
35-49	13	2.5	10	<1	<1	2	2	5	12	13
50-64	5	1.8	1	1	1	2	2	3	3	3
65+	4	7.8	95	1	1	4	14	22	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	6.5	14	2	3	6	8	12	13	19
20-34	86	6.3	11	2	2	6	8	11	13	17
35-49	35	8.1	29	<1	2	7	11	15	20	22
50-64	13	9.2	117	1	1	6	12	24	36	39
65+	25	9.8	81	1	2	7	13	20	26	41
B. *Operated*										
0-19 YRS	8	4.8	6	1	1	6	6	8	8	8
20-34	38	5.1	18	<1	1	3	6	10	16	17
35-49	17	8.2	187	<1	1	3	8	19	43	56
50-64	12	20.0	750	2	3	9	21	67	88	92
65+	9	5.8	40	<1	1	3	6	17	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	213	5.1	14	1	2	5	6	10	11	20
B. *Operated*	79	2.4	9	<1	<1	1	2	4	6	19
2. MULTIPLE DX										
A. *Not Operated*	233	7.2	29	1	2	6	9	13	17	25
B. *Operated*	84	7.9	174	1	1	4	7	17	22	80
1. SINGLE DX	292	4.4	14	<1	1	4	6	8	11	20
2. MULTIPLE DX	317	7.4	67	1	2	5	9	14	18	46
A. NOT OPERATED	446	6.2	23	1	2	5	8	11	15	22
B. OPERATED	163	5.2	101	<1	<1	2	5	11	18	57
TOTAL 0-19 YRS	172	5.8	13	1	2	5	7	11	13	18
20-34	274	4.9	13	<1	1	4	6	9	12	17
35-49	84	6.6	61	<1	<1	4	9	15	21	45
50-64	37	10.5	323	1	1	4	10	24	51	92
65+	42	8.2	68	<1	1	5	11	20	22	41
GRAND TOTAL	**609**	**5.9**	**44**	**<1**	**1**	**5**	**7**	**11**	**16**	**27**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	3.5	7	<1	<1	3	5	8	8	8
20-34	7	3.4	11	1	1	1	7	8	8	8
35-49	3	18.7	786	1	1	4	39	51	51	51
50-64	1	7.0		7	7	7	7	7	7	7
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	8	16.6	348	4	4	7	23	48	58	58
35-49	4	5.5	23	<1	<1	5	9	11	11	11
50-64	7	6.3	51	1	1	2	10	18	20	20
65+	4	4.8	31	<1	<1	2	8	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	5.4	132	<1	<1	3	5	8	12	81
20-34	42	9.0	157	1	1	6	8	16	45	58
35-49	55	6.1	108	1	1	3	6	11	16	66
50-64	34	12.5	317	1	2	7	14	27	44	98
65+	77	12.8	162	2	3	9	15	25	38	74
B. *Operated*										
0-19 YRS	5	12.8	87	2	2	9	20	26	26	26
20-34	27	27.4	411	7	9	23	41	72	99+	99+
35-49	38	23.3	591	1	3	13	44	77	98	99+
50-64	27	16.6	358	2	2	10	27	69	99+	99+
65+	35	17.8	384	2	4	13	18	42	63	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	5.3	91	<1	1	3	6	8	15	51
B. *Operated*	26	8.5	149	<1	<1	4	11	22	32	58
2. MULTIPLE DX										
A. *Not Operated*	259	9.3	172	1	1	5	10	18	31	77
B. *Operated*	132	20.9	441	2	3	14	31	67	96	99+
1. SINGLE DX	53	6.9	119	<1	1	3	8	14	25	58
2. MULTIPLE DX	391	13.2	292	1	2	7	15	39	65	99+
A. NOT OPERATED	286	8.9	165	1	1	5	9	18	30	74
B. OPERATED	158	18.9	413	1	2	12	27	61	87	99+
TOTAL 0-19 YRS	74	5.4	102	<1	<1	3	5	9	17	69
20-34	84	15.2	316	1	1	8	19	54	67	99+
35-49	100	13.0	367	1	1	6	14	47	69	99+
50-64	69	13.4	305	1	2	7	17	37	71	99+
65+	117	14.0	229	2	3	10	16	28	45	84
GRAND TOTAL	**444**	**12.4**	**275**	**1**	**1**	**7**	**14**	**37**	**60**	**99+**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	6.3	126	<1	<1	3	4	23	36	36
20-34	1	3.0		3	3	3	3	3	3	3
35-49	4	8.8	25	2	2	10	12	13	13	13
50-64	2	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	4	3.5	3	2	2	3	5	6	6	6
20-34	4	3.3	3	1	1	3	4	5	5	5
35-49	3	6.0	61	<1	<1	2	12	15	15	15
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	5.7	16	2	2	5	8	12	12	12
20-34	5	3.8	7	1	1	4	5	8	8	8
35-49	4	9.8	71	2	2	9	17	18	18	18
50-64	2	9.0	2	8	8	9	10	10	10	10
65+	6	9.2	39	1	1	9	15	16	16	16
B. *Operated*										
0-19 YRS	6	6.0	38	1	1	4	8	16	17	17
20-34	6	5.2	9	2	2	5	8	9	9	9
35-49	6	7.2	52	<1	<1	5	14	17	17	17
50-64	1	27.0		27	27	27	27	27	27	27
65+	5	7.0	12	3	3	8	9	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	6.4	75	<1	1	4	6	13	29	36
B. *Operated*	13	4.6	17	<1	1	3	5	12	14	15
2. MULTIPLE DX										
A. *Not Operated*	23	7.2	30	1	2	5	11	16	17	18
B. *Operated*	24	7.2	42	<1	1	6	9	17	20	27
1. SINGLE DX	29	5.6	48	<1	1	4	5	13	16	36
2. MULTIPLE DX	47	7.2	35	1	1	6	10	16	17	27
A. NOT OPERATED	39	6.9	47	1	1	4	10	15	17	36
B. OPERATED	37	6.3	34	<1	1	4	9	15	17	27
TOTAL 0-19 YRS	25	5.6	55	<1	1	3	7	12	22	36
20-34	16	4.1	6	1	1	4	5	8	9	9
35-49	17	7.9	44	<1	<1	8	14	17	18	18
50-64	6	9.5	80	4	4	6	10	25	27	27
65+	12	8.4	24	1	2	8	12	15	16	16
GRAND TOTAL	**76**	**6.6**	**40**	**1**	**1**	**4**	**9**	**15**	**17**	**34**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	4.8	12	<1	1	4	6	11	13	13
20-34	16	8.9	92	1	2	5	7	27	31	33
35-49	18	6.4	31	1	1	6	7	13	20	24
50-64	10	6.7	16	2	2	6	8	13	15	15
65+	3	16.3	574	2	2	3	34	44	44	44
B. *Operated*										
0-19 YRS	6	10.8	141	<1	<1	8	12	31	33	33
20-34	108	4.2	15	1	1	2	5	9	13	18
35-49	81	4.6	35	<1	1	2	5	11	22	25
50-64	28	4.6	20	1	1	3	6	12	14	19
65+	8	7.5	99	1	1	3	8	25	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	5.2	8	2	2	4	7	9	11	14
20-34	71	10.9	73	2	3	9	15	24	30	37
35-49	94	10.1	53	1	2	9	14	21	24	28
50-64	43	11.2	105	2	3	9	15	17	25	61
65+	42	8.8	83	2	3	7	9	13	37	43
B. *Operated*										
0-19 YRS	4	18.0	135	<1	<1	22	25	26	26	26
20-34	219	17.9	234	2	2	16	23	36	45	84
35-49	215	17.3	164	2	3	15	23	36	46	58
50-64	87	14.2	187	1	2	10	21	31	46	67
65+	34	19.8	318	3	5	14	27	42	48	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	7.3	63	1	1	5	7	15	25	43
B. *Operated*	231	4.7	29	1	1	2	5	11	17	26
2. MULTIPLE DX										
A. *Not Operated*	281	9.7	68	1	2	7	13	20	26	39
B. *Operated*	559	17.2	204	1	2	15	23	36	45	77
1. SINGLE DX	291	5.2	37	1	1	3	6	12	19	32
2. MULTIPLE DX	840	14.7	171	1	2	12	20	31	40	61
A. NOT OPERATED	341	9.3	68	1	2	7	12	20	26	40
B. OPERATED	790	13.5	185	1	2	10	20	31	39	62
TOTAL 0-19 YRS	54	6.6	42	<1	2	5	7	13	24	33
20-34	414	12.8	177	1	2	8	19	28	37	67
35-49	408	12.6	134	1	1	10	18	27	37	55
50-64	168	11.4	140	1	2	8	16	23	35	63
65+	87	13.2	213	2	3	8	14	32	43	76
GRAND TOTAL	**1131**	**12.2**	**154**	**1**	**2**	**8**	**17**	**27**	**36**	**60**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34										
35-49	3	6.3	26	2	2	5	10	12	12	12
50-64	1	5.0		5	5	5	5	5	5	5
65+	3	4.7	14	2	2	3	7	9	9	9
B. *Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	4	4.3	4	2	2	4	6	7	7	7
35-49										
50-64	1	10.0		10	10	10	10	10	10	10
65+	2	7.0	72	1	1	7	13	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	9	4.8	13	1	1	4	6	11	12	12
B. *Operated*	8	6.9	25	1	1	6	11	14	14	14
1. SINGLE DX	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX	17	5.8	18	1	1	4	9	13	14	14
A. NOT OPERATED	10	4.6	12	1	1	4	5	10	12	12
B. OPERATED	8	6.9	25	1	1	6	11	14	14	14
TOTAL 0-19 YRS	4	5.5	34	1	1	3	9	14	14	14
20-34	4	4.3	4	2	2	4	6	7	7	7
35-49	3	6.3	26	2	2	5	10	12	12	12
50-64	2	7.5	13	5	5	7	10	10	10	10
65+	5	5.6	27	1	1	3	10	13	13	13
GRAND TOTAL	**18**	**5.6**	**18**	**1**	**1**	**4**	**9**	**13**	**14**	**14**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	5	7.0	126	<1	<1	2	9	27	27	27
50-64	21	9.1	218	1	2	7	8	11	39	72
65+	10	5.0	14	<1	<1	4	8	10	12	12
B. *Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	13	3.5	5	<1	1	3	5	7	8	8
35-49	67	6.3	66	1	1	3	8	12	24	48
50-64	164	5.2	33	<1	1	3	6	12	16	31
65+	173	5.3	36	1	1	3	5	13	19	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	4.3	6	1	1	4	6	7	7	7
35-49	28	9.3	82	1	2	7	10	23	33	38
50-64	123	10.0	149	1	2	7	10	19	33	71
65+	133	12.6	217	1	3	8	14	28	51	87
B. *Operated*										
0-19 YRS										
20-34	19	10.5	152	<1	1	5	14	33	40	42
35-49	95	14.9	189	1	2	11	21	30	41	63
50-64	453	13.2	198	1	2	9	18	33	44	96
65+	519	12.0	192	1	2	7	15	30	46	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	7.6	142	<1	1	5	8	12	22	72
B. *Operated*	419	5.3	39	<1	1	3	6	12	18	31
2. MULTIPLE DX										
A. *Not Operated*	289	11.0	173	1	2	7	11	23	37	80
B. *Operated*	1086	12.7	194	1	2	8	17	31	44	95
1. SINGLE DX	456	5.5	47	<1	1	3	7	12	18	32
2. MULTIPLE DX	1375	12.4	190	1	2	8	16	30	43	87
A. NOT OPERATED	326	10.6	170	1	2	7	11	23	36	79
B. OPERATED	1505	10.7	162	1	1	6	14	27	38	77
TOTAL 0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	37	7.2	90	<1	1	4	7	19	34	42
35-49	195	10.9	144	1	2	7	15	26	36	62
50-64	761	10.9	165	1	1	6	14	27	37	80
65+	835	10.6	169	1	2	6	13	25	39	85
GRAND TOTAL	**1831**	**10.7**	**163**	**1**	**2**	**6**	**14**	**26**	**38**	**78**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	9.3	36	3	3	10	14	15	15	15
50-64	6	19.2	681	<1	<1	10	22	65	70	70
65+	7	11.4	123	2	2	8	15	31	34	34
B. *Operated*										
0-19 YRS										
20-34										
35-49	11	13.2	139	1	2	10	18	32	39	40
50-64	34	13.2	319	<1	1	7	17	31	48	90
65+	39	7.5	39	<1	1	5	11	17	20	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	18	12.0	95	3	4	11	13	19	37	47
50-64	79	8.4	46	1	2	6	11	15	22	34
65+	93	11.4	149	2	3	7	14	25	42	89
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34										
35-49	53	18.6	191	4	4	16	26	37	51	65
50-64	166	19.2	231	2	4	16	26	39	52	99+
65+	272	19.0	279	3	4	14	25	41	57	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	13.9	299	<1	1	9	16	33	59	70
B. *Operated*	84	10.5	170	1	1	7	15	22	32	77
2. MULTIPLE DX										
A. *Not Operated*	190	10.2	103	2	2	8	13	20	34	67
B. *Operated*	492	19.0	252	3	4	15	26	40	56	93
1. SINGLE DX	100	11.1	189	<1	1	7	15	23	36	80
2. MULTIPLE DX	682	16.6	226	2	3	12	22	37	50	88
A. NOT OPERATED	206	10.5	118	2	2	8	13	21	34	72
B. OPERATED	576	17.8	249	2	3	14	24	39	53	89
TOTAL 0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34										
35-49	85	16.2	165	3	4	13	24	29	42	61
50-64	285	15.5	219	1	2	12	22	34	46	96
65+	411	16.1	242	2	3	11	21	37	53	81
GRAND TOTAL	**782**	**15.9**	**224**	**2**	**3**	**12**	**22**	**35**	**49**	**88**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	7	7.0	78	<1	<1	4	10	22	25	25
65+	14	8.9	53	<1	<1	7	16	21	21	21
B. *Operated*										
0-19 YRS										
20-34	1	10.0		10	10	10	10	10	10	10
35-49	10	10.1	89	<1	1	7	14	25	31	31
50-64	44	11.1	46	1	1	11	14	23	24	29
65+	60	13.2	99	1	3	11	16	24	33	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	13.0	147	5	5	8	20	31	31	31
35-49	12	8.1	28	2	2	8	11	15	18	19
50-64	82	9.7	96	1	2	7	12	20	26	59
65+	241	10.1	100	1	2	7	12	22	29	57
B. *Operated*										
0-19 YRS	3	20.7	134	13	13	15	29	34	34	34
20-34	17	16.5	112	2	4	15	19	35	40	41
35-49	56	14.0	94	2	3	12	19	25	31	54
50-64	304	17.5	155	4	6	15	21	29	39	78
65+	771	19.7	196	5	7	17	24	36	47	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	7.8	56	<1	<1	5	12	21	23	25
B. *Operated*	115	12.1	77	1	2	10	15	23	30	48
2. MULTIPLE DX										
A. *Not Operated*	339	9.9	96	1	2	7	12	21	29	57
B. *Operated*	1151	18.8	181	4	6	16	23	34	45	84
1. SINGLE DX	138	11.4	75	<1	1	10	15	22	28	47
2. MULTIPLE DX	1490	16.8	175	3	4	14	22	32	43	75
A. NOT OPERATED	362	9.8	94	1	2	7	12	21	29	56
B. OPERATED	1266	18.2	175	3	6	15	23	33	45	81
TOTAL 0-19 YRS	4	16.5	159	4	4	14	24	34	34	34
20-34	22	15.6	110	3	4	13	18	33	39	41
35-49	79	12.5	87	2	2	10	17	24	31	48
50-64	437	15.2	143	2	4	13	18	27	36	71
65+	1086	17.1	185	3	4	14	22	33	45	76
GRAND TOTAL	**1628**	**16.3**	**169**	**2**	**4**	**13**	**21**	**31**	**42**	**73**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	11.0		11	11	11	11	11	11	11
50-64	1	12.0		12	12	12	12	12	12	12
65+	6	18.5	117	7	7	14	31	33	33	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	6	2.8	9	1	1	2	2	8	9	9
50-64	17	7.9	85	1	2	4	11	17	31	38
65+	12	12.1	141	3	3	8	15	27	43	46
B. *Operated*										
0-19 YRS										
20-34	4	14.0	45	7	7	13	18	23	23	23
35-49	15	19.7	306	8	8	12	24	34	65	76
50-64	60	20.9	213	6	8	15	27	43	53	66
65+	101	22.2	237	7	8	18	28	46	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	8	16.8	94	7	8	13	23	32	33	33
2. MULTIPLE DX										
A. *Not Operated*	35	8.5	98	1	2	5	10	17	33	46
B. *Operated*	180	21.4	229	7	8	17	28	45	59	94
1. SINGLE DX	9	15.1	106	2	4	12	19	32	33	33
2. MULTIPLE DX	215	19.3	230	2	6	15	25	41	56	87
A. NOT OPERATED	36	8.3	96	1	2	4	10	17	32	46
B. OPERATED	188	21.2	224	7	8	16	28	44	57	92
TOTAL 0-19 YRS										
20-34	4	14.0	45	7	7	13	18	23	23	23
35-49	22	14.7	265	1	2	11	17	30	51	76
50-64	79	17.8	211	2	3	12	25	38	50	65
65+	119	21.0	229	6	8	16	28	45	59	99+
GRAND TOTAL	**224**	**19.1**	**225**	**2**	**6**	**14**	**25**	**40**	**55**	**85**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	3	4.0	13	1	1	3	7	8	8	8
50-64	14	7.1	38	<1	1	4	12	18	18	18
65+	21	4.4	20	<1	<1	3	6	10	16	19
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	5	7.8	16	2	2	8	11	12	12	12
35-49	55	9.9	11	6	7	10	12	14	15	20
50-64	264	10.3	22	2	6	10	12	16	19	27
65+	482	11.7	33	2	7	11	13	18	22	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	6.3	47	<1	<1	4	11	16	16	16
35-49	28	5.8	16	1	1	4	9	12	13	16
50-64	160	6.9	29	1	1	5	9	14	19	23
65+	508	10.2	120	1	2	7	12	22	31	58
B. *Operated*										
0-19 YPS	5	8.4	29	<1	<1	9	11	16	16	16
20-34	26	19.6	240	<1	5	15	26	39	51	67
35-49	222	14.6	72	7	8	12	18	24	30	48
50-64	1439	14.2	82	6	8	12	16	23	30	56
65+	4673	17.8	137	7	9	15	21	32	43	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	5.4	26	<1	1	3	8	14	18	19
B. *Operated*	807	11.1	28	2	7	10	13	17	21	30
2. MULTIPLE DX										
A. *Not Operated*	700	9.2	97	1	2	6	11	19	27	49
B. *Operated*	6365	16.9	125	7	8	14	20	30	40	74
1. SINGLE DX	846	10.8	30	2	5	10	13	17	20	30
2. MULTIPLE DX	7065	16.1	127	4	7	13	19	29	39	74
A. NOT OPERATED	739	9.0	94	1	2	6	11	19	27	48
B. OPERATED	7172	16.2	117	6	8	13	19	28	38	73
TOTAL 0-19 YRS	6	7.7	26	<1	<1	8	9	15	16	16
20-34	36	16.1	211	<1	2	11	20	37	45	67
35-49	308	12.9	65	3	6	11	16	22	26	44
50-64	1877	12.9	74	3	6	11	15	22	28	52
65+	5684	16.5	133	4	7	13	20	30	40	76
GRAND TOTAL	**7911**	**15.5**	**120**	**4**	**7**	**13**	**19**	**28**	**37**	**70**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	20.0		20	20	20	20	20	20	20
35-49	5	4.8	11	<1	<1	5	7	9	9	9
50-64	11	3.5	7	1	1	3	5	7	9	9
65+	19	4.8	17	<1	1	4	7	9	14	18
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	4	9.8	31	2	2	11	13	15	15	15
35-49	44	9.4	31	1	2	9	13	17	19	20
50-64	215	10.7	30	2	3	11	13	17	19	26
65+	335	11.7	58	1	2	12	15	21	26	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	3	7.7	69	1	1	5	14	17	17	17
35-49	25	6.1	21	1	2	5	8	13	16	20
50-64	133	9.0	73	1	2	6	12	20	25	50
65+	319	10.4	115	1	2	7	13	21	31	51
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	20	13.6	126	3	3	11	16	23	39	54
35-49	141	14.0	87	3	5	12	16	27	38	53
50-64	876	15.3	83	4	7	13	18	26	33	53
65+	2210	17.4	146	3	5	15	22	33	42	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	4.7	19	<1	1	3	6	9	15	20
B. *Operated*	599	11.2	46	1	2	11	14	19	22	32
2. MULTIPLE DX										
A. *Not Operated*	481	9.7	99	1	2	6	12	20	29	50
B. *Operated*	3248	16.7	127	3	5	14	20	31	40	73
1. SINGLE DX	636	10.8	47	1	2	11	14	18	22	31
2. MULTIPLE DX	3729	15.8	129	3	4	13	20	30	39	69
A. NOT OPERATED	518	9.4	95	1	2	6	12	20	28	50
B. OPERATED	3847	15.8	119	3	5	13	19	29	38	69
TOTAL 0-19 YRS	4	5.5	28	<1	<1	4	9	13	13	13
20-34	28	12.6	104	2	3	11	16	21	28	54
35-49	215	12.0	75	2	3	11	15	20	31	49
50-64	1235	13.7	79	3	4	12	17	23	31	50
65+	2883	15.9	139	2	4	14	20	30	40	72
GRAND TOTAL	**4365**	**15.1**	**120**	**2**	**4**	**13**	**19**	**28**	**38**	**65**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49	2	7.5	1	7	7	7	8	8	8	8
50-64	7	5.0	4	3	3	5	7	8	8	8
65+	17	4.9	27	<1	1	3	7	11	17	21
B. *Operated*										
0-19 YRS	4	9.8	18	7	7	8	12	16	16	16
20-34	2	5.0	18	2	2	5	8	8	8	8
35-49	16	5.7	18	1	1	5	7	10	16	18
50-64	33	12.1	90	2	2	11	14	28	32	41
65+	51	9.4	82	1	1	8	14	23	28	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	5.0	11	1	1	5	6	10	10	10
20-34	3	3.0	3	1	1	4	4	4	4	4
35-49	20	8.7	21	2	2	9	11	15	16	17
50-64	53	8.4	53	1	1	6	12	17	21	33
65+	144	10.6	113	2	3	8	13	21	28	70
B. *Operated*										
0-19 YRS	4	12.0	63	4	4	10	17	23	23	23
20-34	6	14.2	83	2	3	13	22	26	26	26
35-49	50	16.6	171	3	4	13	23	35	45	55
50-64	175	16.6	166	4	5	14	20	29	39	73
65+	467	18.6	150	4	6	16	23	34	41	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	5.1	18	1	1	3	7	9	12	21
B. *Operated*	106	9.6	74	1	1	8	13	22	28	39
2. MULTIPLE DX										
A. *Not Operated*	225	9.7	89	1	2	7	12	20	25	45
B. *Operated*	702	17.9	155	4	5	15	22	33	40	71
1. SINGLE DX	133	8.7	66	1	1	6	11	19	27	38
2. MULTIPLE DX	927	15.9	151	2	4	13	20	31	37	68
A. NOT OPERATED	252	9.2	83	1	2	7	12	19	24	37
B. OPERATED	808	16.8	152	2	4	15	22	32	38	66
TOTAL 0-19 YRS	14	8.2	33	1	3	7	10	17	22	23
20-34	11	9.5	73	1	1	8	15	24	26	26
35-49	88	12.6	126	2	3	9	17	30	36	53
50-64	268	14.1	143	2	3	11	18	27	34	65
65+	679	15.8	151	2	3	14	21	31	37	69
GRAND TOTAL	**1060**	**15.0**	**146**	**2**	**3**	**12**	**20**	**30**	**36**	**66**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	4.5	2	3	3	4	5	6	6	6
50-64	10	7.3	20	1	1	8	9	13	15	15
65+	20	7.3	39	1	2	6	9	13	22	28
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34										
35-49	1	9.0		9	9	9	9	9	9	9
50-64	31	9.1	38	1	2	8	13	16	21	27
65+	38	12.2	156	1	1	9	16	25	32	68
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49	28	9.9	113	1	2	6	14	21	25	53
50-64	139	9.8	83	2	2	7	12	22	27	58
65+	292	9.9	74	2	3	8	12	20	26	44
B. *Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	1	27.0		27	27	27	27	27	27	27
35-49	47	16.8	226	2	4	12	19	39	51	71
50-64	295	18.5	187	3	6	16	23	33	46	93
65+	722	20.1	192	4	7	17	26	38	48	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	6.9	29	1	2	6	9	12	16	28
B. *Operated*	71	10.7	101	1	2	9	15	21	27	61
2. MULTIPLE DX										
A. *Not Operated*	462	9.9	78	2	3	7	12	20	26	53
B. *Operated*	1067	19.5	192	4	6	16	25	37	47	82
1. SINGLE DX	105	9.5	80	1	2	8	13	18	26	49
2. MULTIPLE DX	1529	16.6	177	3	4	13	22	34	44	78
A. NOT OPERATED	496	9.7	76	2	3	7	12	20	26	52
B. OPERATED	1138	18.9	191	3	6	16	24	36	47	81
TOTAL 0-19 YRS	4	4.5	20	1	1	3	7	11	11	11
20-34	3	12.0	169	4	4	5	21	27	27	27
35-49	80	13.7	186	2	3	10	16	32	49	66
50-64	475	15.1	162	2	3	12	20	29	41	88
65+	1072	16.8	178	2	4	13	22	34	43	77
GRAND TOTAL	**1634**	**16.1**	**174**	**2**	**4**	**13**	**21**	**33**	**43**	**77**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	3.7	1	3	3	3	5	5	5	5
35-49	13	3.2	5	<1	1	2	5	7	7	7
50-64	98	6.2	92	1	1	4	6	13	18	58
65+	84	7.7	141	1	1	5	9	18	23	76
B. *Operated*										
0-19 YRS										
20-34	8	7.4	14	<1	1	8	9	12	14	14
35-49	78	8.5	60	1	1	7	11	18	23	42
50-64	387	8.6	45	1	2	8	12	18	22	30
65+	400	8.1	48	1	1	7	11	17	20	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	9.7	42	3	3	10	14	16	16	16
20-34	13	11.8	144	1	2	5	19	30	35	36
35-49	240	7.5	81	1	1	5	9	17	24	49
50-64	1142	9.2	96	1	2	6	11	20	27	55
65+	1713	10.6	106	2	2	8	14	22	31	62
B. *Operated*										
0-19 YRS	3	12.3	86	2	2	15	19	20	20	20
20-34	29	12.3	213	2	2	9	11	28	44	71
35-49	412	13.3	106	2	3	11	18	25	33	52
50-64	2444	13.1	111	2	3	11	16	25	32	55
65+	3474	14.5	135	2	3	12	18	28	37	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	198	6.6	107	1	1	4	7	14	21	58
B. *Operated*	873	8.3	47	1	1	7	11	17	21	32
2. MULTIPLE DX										
A. *Not Operated*	3111	9.9	101	1	2	7	13	21	29	59
B. *Operated*	6362	13.8	125	2	3	11	18	27	35	60
1. SINGLE DX	1071	8.0	59	1	1	6	11	17	21	35
2. MULTIPLE DX	9473	12.5	120	2	3	10	16	25	34	59
A. NOT OPERATED	3309	9.7	102	1	2	7	12	21	29	59
B. OPERATED	7235	13.2	118	2	3	11	17	26	34	57
TOTAL 0-19 YRS	6	11.0	54	2	2	12	16	20	20	20
20-34	53	11.0	156	1	2	8	12	27	35	70
35-49	743	10.7	99	1	2	8	14	22	31	48
50-64	4071	11.4	104	1	2	9	15	23	30	54
65+	5671	12.7	125	2	3	10	17	26	34	61
GRAND TOTAL	**10544**	**12.1**	**116**	**2**	**2**	**9**	**16**	**24**	**32**	**58**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	3	7.3		7	7	7	8	8	8	8
35-49	2	5.0	2	4	4	5	6	6	6	6
50-64	12	4.3	10	<1	1	3	7	9	10	10
65+	22	5.3	46	<1	1	2	7	14	23	27
B. *Operated*										
0-19 YRS	3	4.7	2	3	3	5	6	6	6	6
20-34	13	6.8	22	1	2	5	10	14	15	15
35-49	42	7.0	70	<1	1	4	9	16	19	47
50-64	164	7.4	68	<1	<1	2	13	19	24	39
65+	157	6.1	51	<1	1	2	10	16	21	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	8.8	108	<1	<1	5	15	24	24	24
20-34	7	3.9	2	2	2	4	5	5	5	5
35-49	19	6.3	16	1	1	7	8	13	14	14
50-64	74	8.7	100	1	1	5	11	21	30	49
65+	92	11.3	155	2	3	7	14	22	32	74
B. *Operated*										
0-19 YRS	6	6.2	16	3	3	4	9	13	13	13
20-34	7	15.1	373	1	1	8	19	49	56	56
35-49	63	14.0	110	1	2	12	20	30	35	40
50-64	318	14.0	136	1	2	12	19	28	36	56
65+	419	14.2	227	1	2	10	20	31	45	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	5.1	28	<1	1	3	7	10	16	27
B. *Operated*	379	6.8	59	<1	1	2	11	17	21	36
2. MULTIPLE DX										
A. *Not Operated*	196	9.5	117	1	1	6	12	22	30	47
B. *Operated*	813	14.1	182	1	2	11	19	30	39	75
1. SINGLE DX	419	6.6	56	<1	1	3	10	16	21	34
2. MULTIPLE DX	1009	13.2	172	1	2	10	18	29	38	70
A. NOT OPERATED	236	8.7	105	1	1	6	10	21	27	45
B. OPERATED	1192	11.8	154	1	1	9	17	26	36	63
TOTAL 0-19 YRS	14	6.4	35	1	2	4	6	14	22	24
20-34	30	8.1	104	1	2	5	9	15	20	56
35-49	126	10.4	93	1	1	8	14	24	31	42
50-64	568	11.2	119	1	1	9	16	26	32	51
65+	690	11.7	183	1	1	8	16	27	37	89
GRAND TOTAL	**1428**	**11.3**	**147**	**1**	**1**	**8**	**16**	**26**	**33**	**60**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	1.8	1	<1	<1	1	3	4	4	4
20-34	6	3.3	9	<1	<1	2	6	8	8	8
35-49	6	5.8	8	1	1	6	8	9	9	9
50-64	5	3.2	5	2	2	2	4	7	7	7
65+	6	9.0	117	1	1	6	9	28	30	30
B. *Operated*										
0-19 YRS	41	6.0	25	<1	1	5	9	14	16	19
20-34	32	5.1	20	1	1	3	7	13	15	16
35-49	52	5.0	15	<1	1	4	8	9	10	22
50-64	52	8.4	110	1	2	6	9	22	33	99
65+	84	6.7	49	<1	1	5	7	14	19	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	5.4	47	<1	<1	3	5	12	26	29
20-34	13	6.2	39	<1	<1	4	9	18	20	20
35-49	15	7.1	53	1	1	4	8	17	25	28
50-64	28	6.9	20	1	2	6	9	14	15	16
65+	56	11.2	117	1	3	8	15	29	37	97
B. *Operated*										
0-19 YRS	34	12.8	158	2	2	10	16	20	40	65
20-34	15	20.5	639	1	2	7	26	64	73	76
35-49	35	10.6	120	1	1	8	13	30	37	43
50-64	83	14.2	169	2	3	10	17	27	44	62
65+	168	16.5	257	2	2	11	22	44	58	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	4.0	26	<1	1	2	6	8	9	30
B. *Operated*	261	6.4	48	1	1	4	8	13	19	40
2. MULTIPLE DX										
A. *Not Operated*	142	8.2	74	1	1	6	11	18	28	61
B. *Operated*	335	15.1	229	1	2	10	19	38	53	71
1. SINGLE DX	299	6.1	46	1	1	4	8	13	18	38
2. MULTIPLE DX	477	13.1	193	1	2	8	17	33	47	70
A. NOT OPERATED	180	7.3	66	<1	1	5	9	17	28	52
B. OPERATED	596	11.3	168	1	2	7	14	27	43	68
TOTAL 0-19 YRS	120	7.3	77	<1	1	4	10	17	20	50
20-34	66	8.7	197	1	1	4	9	17	34	74
35-49	108	7.2	59	1	1	5	9	15	23	40
50-64	168	10.9	132	1	2	7	13	24	34	64
65+	314	12.8	190	1	2	7	16	36	48	80
GRAND TOTAL	**776**	**10.4**	**147**	**1**	**1**	**6**	**13**	**24**	**39**	**66**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	9	4.7	12	1	1	3	8	9	10	10
65+										
B. *Operated*										
0-19 YRS	3	7.3	10	5	5	6	10	11	11	11
20-34	49	4.0	6	<1	1	3	6	7	8	11
35-49	120	4.8	16	<1	1	4	7	9	12	21
50-64	126	4.5	12	<1	1	3	6	9	10	18
65+	96	5.1	28	<1	1	3	6	11	13	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	11.0	166	<1	<1	7	16	33	33	33
35-49	14	7.6	71	1	1	4	10	18	30	33
50-64	17	11.9	100	2	2	9	21	28	31	32
65+	17	5.5	21	1	2	4	8	14	16	16
B. *Operated*										
0-19 YRS	3	13.3	120	1	1	17	21	22	22	22
20-34	21	5.5	15	<1	1	6	9	11	11	12
35-49	66	6.1	49	1	1	4	7	11	18	44
50-64	110	6.9	48	1	1	6	9	14	17	37
65+	176	8.5	78	2	2	6	11	17	23	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	4.0	9	1	1	3	6	9	10	10
B. *Operated*	394	4.7	16	<1	1	3	6	9	11	22
2. MULTIPLE DX										
A. *Not Operated*	54	8.6	75	1	2	5	11	22	31	33
B. *Operated*	376	7.5	62	1	1	6	9	16	21	42
1. SINGLE DX	407	4.7	16	<1	1	3	6	9	11	21
2. MULTIPLE DX	430	7.6	63	1	1	6	10	16	21	38
A. NOT OPERATED	67	7.7	65	1	1	4	10	20	29	33
B. OPERATED	770	6.1	40	1	1	4	8	12	17	29
TOTAL 0-19 YRS	7	9.0	65	1	1	6	15	21	22	22
20-34	77	4.8	20	<1	1	4	7	10	11	27
35-49	202	5.4	31	<1	1	4	7	10	16	29
50-64	262	6.0	36	1	1	4	8	11	16	29
65+	289	7.2	60	1	2	5	9	15	20	38
GRAND TOTAL	**837**	**6.2**	**42**	**1**	**1**	**4**	**8**	**12**	**17**	**32**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+	8	8.9	198	<1	<1	4	7	33	43	43
B. *Operated*										
0-19 YRS	8	2.0	6	<1	<1	1	2	6	8	8
20-34	30	2.1	3	<1	<1	1	2	5	6	6
35-49	100	2.3	5	<1	<1	2	3	4	8	11
50-64	210	3.0	23	<1	<1	1	3	6	9	31
65+	408	2.7	9	<1	<1	2	3	6	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	15.0	557	2	2	6	8	57	63	63
35-49	11	11.3	117	1	3	8	13	27	39	40
50-64	12	7.2	48	<1	1	5	7	21	22	22
65+	45	9.3	78	<1	1	6	14	21	30	33
B. *Operated*										
0-19 YRS	5	7.8	78	2	2	4	12	23	23	23
20-34	24	11.1	146	1	1	4	17	32	36	38
35-49	60	5.3	49	<1	<1	2	6	15	21	36
50-64	216	5.0	65	<1	<1	2	6	10	18	43
65+	768	6.1	80	<1	1	3	7	14	21	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	8.2	177	<1	<1	4	7	29	43	43
B. *Operated*	756	2.7	12	<1	<1	2	3	6	9	15
2. MULTIPLE DX										
A. *Not Operated*	74	9.7	112	<1	1	6	13	21	31	57
B. *Operated*	1073	6.0	77	<1	1	3	7	14	22	48
1. SINGLE DX	765	2.8	14	<1	<1	2	3	6	9	15
2. MULTIPLE DX	1147	6.2	80	<1	1	3	7	15	23	48
A. NOT OPERATED	83	9.5	117	<1	1	6	13	21	32	56
B. OPERATED	1829	4.6	53	<1	<1	2	5	10	17	39
TOTAL 0-19 YRS	13	4.2	38	<1	<1	2	5	11	21	23
20-34	60	7.0	131	<1	<1	2	6	21	33	60
35-49	171	4.0	32	<1	<1	2	4	10	14	34
50-64	439	4.1	45	<1	<1	2	4	9	14	36
65+	1229	5.1	60	<1	<1	2	6	11	18	43
GRAND TOTAL	**1912**	**4.8**	**57**	**<1**	**<1**	**2**	**5**	**11**	**18**	**41**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.0	8	<1	<1	2	5	5	5	5
35-49	9	4.1	5	2	2	3	6	7	8	8
50-64	12	5.4	8	<1	1	6	7	9	11	11
65+	15	3.5	5	<1	1	3	5	7	8	8
B. *Operated*										
0-19 YRS	4	3.0	5	1	1	3	5	5	5	5
20-34	101	4.7	7	<1	1	5	7	8	9	12
35-49	672	4.9	7	<1	1	5	7	8	9	11
50-64	1038	5.5	8	1	2	6	7	9	10	14
65+	1170	5.9	9	1	2	6	7	9	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	5.4	13	1	1	4	9	10	10	10
35-49	75	8.7	81	1	1	7	10	22	29	42
50-64	201	10.7	118	1	2	7	14	21	32	56
65+	289	10.3	105	1	2	8	13	22	30	72
B. *Operated*										
0-19 YRS	5	8.8	13	6	6	8	10	15	15	15
20-34	114	6.1	18	1	2	6	7	9	11	27
35-49	902	6.8	27	2	2	6	8	10	13	27
50-64	2066	7.4	28	2	3	7	9	12	16	32
65+	3352	8.7	57	2	3	7	10	14	19	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	4.2	6	<1	1	4	6	8	8	11
B. *Operated*	2985	5.5	8	1	2	6	7	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	572	10.2	105	1	2	7	13	22	30	59
B. *Operated*	6439	8.0	44	2	3	7	9	13	17	38
1. SINGLE DX	3023	5.5	8	1	2	5	7	9	10	14
2. MULTIPLE DX	7011	8.2	49	2	3	7	9	13	19	42
A. NOT OPERATED	610	9.8	101	1	2	7	12	21	30	58
B. OPERATED	9424	7.2	34	2	2	6	8	11	15	32
TOTAL 0-19 YRS	9	6.2	18	1	1	6	8	12	15	15
20-34	224	5.4	13	1	1	5	7	9	10	22
35-49	1658	6.1	22	1	2	6	8	10	12	26
50-64	3317	7.0	29	1	2	6	8	11	15	31
65+	4826	8.1	50	2	3	7	9	13	18	42
GRAND TOTAL	**10034**	**7.4**	**38**	**2**	**2**	**6**	**9**	**12**	**16**	**35**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	3.5	3	1	1	3	5	6	6	6
35-49	8	3.6	1	3	3	4	4	5	5	5
50-64	24	3.5	2	1	2	3	4	5	6	6
65+	12	5.8	65	<1	1	4	5	13	28	31
B. *Operated*										
0-19 YRS	2	2.5	5	<1	<1	2	4	4	4	4
20-34	72	4.6	18	<1	1	3	6	13	15	15
35-49	83	5.0	14	1	2	4	7	9	12	21
50-64	74	4.3	10	1	1	3	5	9	11	14
65+	39	3.9	11	<1	<1	3	4	9	12	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.6	3	2	2	4	5	6	6	6
20-34	13	10.2	107	<1	1	6	13	30	33	34
35-49	29	6.7	81	1	1	4	7	15	19	48
50-64	64	7.5	52	1	1	5	9	17	23	39
65+	66	8.7	105	1	2	5	11	21	38	92
B. *Operated*										
0-19 YRS	3	8.3	16	4	4	9	11	12	12	12
20-34	73	9.9	124	1	2	7	12	17	41	59
35-49	159	9.1	71	1	2	7	12	21	28	44
50-64	181	8.3	78	1	2	6	10	17	26	61
65+	161	11.1	185	1	2	7	13	23	40	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	4.0	17	1	2	3	4	5	6	31
B. *Operated*	270	4.5	14	1	1	3	6	10	13	15
2. MULTIPLE DX										
A. *Not Operated*	177	7.9	79	1	2	5	9	18	29	53
B. *Operated*	577	9.5	112	1	2	7	11	21	30	63
1. SINGLE DX	320	4.4	14	1	1	3	5	9	12	16
2. MULTIPLE DX	754	9.1	105	1	2	6	11	20	30	62
A. NOT OPERATED	227	7.0	68	1	2	4	7	17	26	50
B. OPERATED	847	7.9	86	1	1	5	10	16	23	55
TOTAL 0-19 YRS	10	4.8	12	<1	1	4	6	10	12	12
20-34	164	7.3	78	1	1	4	10	14	21	47
35-49	279	7.5	56	1	2	5	9	16	23	43
50-64	343	6.9	57	1	1	4	9	15	22	47
65+	278	9.3	142	1	2	5	11	21	35	77
GRAND TOTAL	**1074**	**7.7**	**82**	**1**	**2**	**5**	**9**	**16**	**24**	**53**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	5	3.4	1	2	2	4	4	4	4	4
50-64	19	4.3	38	1	1	3	4	5	18	29
65+	21	4.1	12	1	1	3	5	8	12	16
B. *Operated*										
0-19 YRS	3	10.7	58	4	4	9	16	19	19	19
20-34	13	4.9	8	<1	<1	6	7	8	9	9
35-49	59	5.5	12	<1	<1	6	7	9	11	17
50-64	183	5.9	10	<1	1	6	8	9	10	15
65+	220	5.8	13	<1	1	6	8	9	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49	6	7.7	83	<1	<1	5	9	23	25	25
50-64	39	5.9	38	1	1	4	8	14	18	30
65+	90	9.0	100	1	1	5	11	29	35	99+
B. *Operated*										
0-19 YRS	4	6.0	17	<1	<1	6	9	11	11	11
20-34	25	6.8	7	2	2	7	8	10	11	12
35-49	158	7.3	22	1	2	7	9	12	17	26
50-64	659	8.0	50	1	2	7	9	13	19	37
65+	992	8.7	45	1	2	8	10	16	20	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	4.0	20	1	1	3	4	7	9	29
B. *Operated*	478	5.8	12	<1	1	6	8	9	10	17
2. MULTIPLE DX										
A. *Not Operated*	136	8.0	82	1	1	5	10	24	32	99+
B. *Operated*	1838	8.3	44	1	2	7	10	14	19	35
1. SINGLE DX	525	5.6	13	<1	1	6	8	9	10	17
2. MULTIPLE DX	1974	8.3	47	1	2	7	10	15	20	38
A. NOT OPERATED	183	7.0	69	1	1	4	8	19	30	82
B. OPERATED	2316	7.8	39	1	2	7	9	13	18	33
TOTAL 0-19 YRS	8	7.4	33	<1	1	6	10	17	19	19
20-34	40	6.0	9	<1	1	6	8	9	10	12
35-49	228	6.8	21	1	1	7	8	11	15	25
50-64	900	7.4	42	1	1	7	9	12	17	34
65+	1323	8.2	44	1	2	7	10	15	20	38
GRAND TOTAL	**2499**	**7.7**	**41**	**1**	**2**	**7**	**9**	**14**	**18**	**35**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	14	2.0	1	<1	1	2	3	3	4	4
50-64	38	2.1	2	1	1	2	2	3	5	7
65+	16	6.6	87	1	1	3	8	12	31	39
B. *Operated*										
0-19 YRS	5	7.0	8	4	4	7	9	11	11	11
20-34	19	7.0	10	3	4	6	8	11	15	16
35-49	32	8.3	25	4	5	7	9	14	15	30
50-64	49	7.1	13	1	2	7	8	11	14	21
65+	35	10.3	31	5	5	8	12	18	20	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	4	2.5	2	1	1	2	3	4	4	4
35-49	41	4.0	13	<1	1	2	5	9	12	15
50-64	137	5.7	60	<1	1	3	6	13	19	52
65+	199	7.9	71	1	1	5	10	21	27	48
B. *Operated*										
0-19 YRS	4	6.3	9	3	3	6	8	10	10	10
20-34	47	8.2	19	4	5	6	8	14	18	23
35-49	182	11.9	76	5	6	10	14	19	26	72
50-64	418	13.7	95	5	6	11	16	25	31	58
65+	425	17.4	162	7	7	14	20	31	44	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	3.1	24	1	1	2	3	5	10	34
B. *Operated*	140	8.2	21	2	4	7	9	14	17	30
2. MULTIPLE DX										
A. *Not Operated*	382	6.6	61	1	1	4	8	16	25	47
B. *Operated*	1076	14.6	121	5	6	11	18	26	34	70
1. SINGLE DX	210	6.5	27	1	1	6	8	12	15	30
2. MULTIPLE DX	1458	12.5	118	2	2	10	16	24	31	66
A. NOT OPERATED	452	6.1	57	1	1	3	7	14	23	39
B. OPERATED	1216	13.8	114	5	6	11	17	25	33	68
TOTAL 0-19 YRS	10	6.3	8	3	3	6	8	10	11	11
20-34	72	7.4	17	2	4	6	8	14	18	22
35-49	269	9.7	68	1	2	8	12	16	20	53
50-64	642	10.8	92	1	2	9	14	21	28	52
65+	675	14.0	146	2	3	11	18	28	36	71
GRAND TOTAL	**1668**	**11.7**	**110**	**2**	**2**	**9**	**15**	**23**	**31**	**62**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	7.0	50	2	2	7	12	12	12	12
50-64										
65+	7	5.9	22	2	2	6	8	14	15	15
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	2.3		2	2	2	3	3	3	3
35-49	6	6.0	30	<1	<1	4	8	15	16	16
50-64	15	8.4	28	1	3	8	11	17	17	17
65+	34	7.2	48	1	2	4	10	18	23	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	7.8	11	4	4	8	10	11	11	11
35-49	2	8.5	13	6	6	8	11	11	11	11
50-64	6	13.3	212	2	2	8	21	37	39	39
65+	29	12.7	263	1	2	5	18	41	53	59
B. *Operated*										
0-19 YRS										
20-34	9	7.0	57	<1	1	4	8	19	26	26
35-49	22	16.9	259	3	4	15	19	29	51	79
50-64	42	12.2	110	2	3	10	16	23	36	51
65+	164	15.5	241	2	3	11	20	38	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	5.7	22	2	2	4	8	13	15	15
B. *Operated*	59	7.1	39	1	2	4	10	17	19	25
2. MULTIPLE DX										
A. *Not Operated*	41	12.1	215	1	2	6	13	34	51	59
B. *Operated*	237	14.7	215	2	3	10	19	35	46	99+
1. SINGLE DX	69	6.9	36	1	2	4	10	17	18	25
2. MULTIPLE DX	278	14.3	215	2	3	10	18	35	49	98
A. NOT OPERATED	51	10.8	182	2	2	6	12	29	48	59
B. OPERATED	296	13.2	189	2	2	9	17	28	43	96
TOTAL 0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	17	6.1	35	1	2	4	8	11	21	26
35-49	32	13.7	206	2	2	10	17	27	32	79
50-64	63	11.4	99	2	3	10	16	22	34	50
65+	234	13.7	218	2	2	9	17	35	49	99+
GRAND TOTAL	**347**	**12.9**	**188**	**2**	**2**	**9**	**17**	**29**	**43**	**93**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	4	3.3	10	1	1	2	5	8	8	8
65+	23	4.9	14	1	1	4	7	11	13	14
B. *Operated*										
0-19 YRS	3	8.3	56	4	4	4	14	17	17	17
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	5	2.2	1	1	1	2	3	4	4	4
50-64	265	5.8	26	<1	1	4	7	12	16	25
65+	829	5.5	17	1	1	5	7	10	14	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	12.0	161	1	1	8	20	30	30	30
20-34										
35-49	3	8.3	44	4	4	5	13	16	16	16
50-64	124	7.8	41	1	2	6	10	16	19	36
65+	676	10.0	104	2	2	7	13	20	28	71
B. *Operated*										
0-19 YRS	6	4.3	4	2	2	4	6	7	7	7
20-34										
35-49	8	12.6	260	3	3	8	10	39	52	52
50-64	700	9.2	77	1	2	7	11	17	22	46
65+	4208	9.8	73	2	3	8	12	19	24	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	4.5	13	1	1	3	7	10	12	14
B. *Operated*	1104	5.6	19	1	1	5	7	11	14	23
2. MULTIPLE DX										
A. *Not Operated*	807	9.7	95	1	2	7	12	20	27	66
B. *Operated*	4922	9.7	74	2	3	7	12	18	24	50
1. SINGLE DX	1132	5.6	19	1	1	5	7	11	14	22
2. MULTIPLE DX	5729	9.7	77	2	3	7	12	19	24	52
A. NOT OPERATED	835	9.5	93	1	2	7	12	19	26	64
B. OPERATED	6026	8.9	67	2	2	7	11	17	23	43
TOTAL 0-19 YRS	13	7.6	63	1	2	5	8	20	28	30
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	17	8.1	144	1	1	4	9	15	39	52
50-64	1093	8.2	63	1	2	6	10	16	20	37
65+	5736	9.2	71	2	2	7	11	18	24	49
GRAND TOTAL	**6861**	**9.0**	**70**	**2**	**2**	**7**	**11**	**18**	**23**	**48**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	3	2.3	2	<1	<1	2	3	4	4	4
35-49	4	4.0	16	2	2	2	6	10	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	11	3.4	4	<1	1	3	4	6	7	7
20-34	139	3.7	6	1	1	3	5	7	9	14
35-49	35	3.0	2	<1	1	3	4	5	5	6
50-64	21	5.0	17	<1	1	4	5	10	14	19
65+	9	5.4	10	2	2	4	8	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	8.3	128	1	1	3	15	25	25	25
20-34	16	7.6	17	4	4	7	9	14	17	18
35-49	7	9.6	36	2	3	7	15	17	17	17
50-64	1	17.0		17	17	17	17	17	17	17
65+	4	8.8	22	4	4	8	12	15	15	15
B. *Operated*										
0-19 YRS	8	9.9	72	3	3	8	12	24	29	29
20-34	62	9.0	64	2	2	7	11	18	29	39
35-49	36	6.6	24	1	2	5	9	15	17	21
50-64	33	7.4	51	1	2	5	10	15	25	32
65+	48	10.7	109	1	2	6	17	24	29	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.4	8	<1	1	2	4	8	10	10
B. *Operated*	215	3.8	7	1	1	3	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	32	8.6	33	2	3	7	13	17	18	25
B. *Operated*	187	8.7	67	2	2	6	11	19	27	40
1. SINGLE DX	224	3.8	7	1	1	3	5	7	9	14
2. MULTIPLE DX	219	8.7	62	2	2	6	11	18	26	39
A. NOT OPERATED	41	7.4	31	1	2	6	9	16	18	25
B. OPERATED	402	6.1	41	1	1	4	7	13	19	33
TOTAL 0-19 YRS	25	6.3	48	1	1	4	6	13	26	29
20-34	220	5.5	29	1	1	4	7	10	14	33
35-49	82	5.2	19	1	1	4	6	13	16	20
50-64	55	6.7	40	1	2	4	9	15	18	32
65+	61	9.8	91	1	2	6	12	22	28	48
GRAND TOTAL	**443**	**6.2**	**40**	**1**	**2**	**4**	**7**	**13**	**18**	**33**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	—									
50-64	2	3.0	8	1	1	3	5	5	5	5
65+	15	5.5	24	1	1	3	9	14	14	14
B. *Operated*										
0-19 YRS	3	2.7		2	2	3	3	3	3	3
20-34	16	4.2	19	1	1	3	5	11	15	17
35-49	113	3.1	8	<1	1	2	4	6	8	16
50-64	630	4.0	14	1	1	3	5	8	12	18
65+	1127	4.3	16	1	1	3	5	8	12	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	4	2.8	1	2	2	3	3	4	4	4
50-64	34	6.3	49	1	1	4	9	12	17	38
65+	221	9.4	100	1	2	7	12	20	28	68
B. *Operated*										
0-19 YRS	3	4.3	33	1	1	1	9	11	11	11
20-34	15	6.1	146	1	2	2	3	10	39	49
35-49	110	6.6	58	1	1	4	8	17	19	39
50-64	978	6.5	51	1	2	4	8	15	20	38
65+	3853	8.0	74	1	2	5	10	18	24	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	5.2	22	1	1	3	8	13	14	14
B. *Operated*	1889	4.1	15	1	1	3	5	8	12	19
2. MULTIPLE DX										
A. *Not Operated*	260	8.9	93	1	2	6	11	19	27	62
B. *Operated*	4959	7.6	69	1	2	5	9	17	23	45
1. SINGLE DX	1906	4.1	15	1	1	3	5	8	12	19
2. MULTIPLE DX	5219	7.7	70	1	2	5	9	17	23	45
A. NOT OPERATED	277	8.7	89	1	2	6	11	19	27	60
B. OPERATED	6848	6.7	57	1	2	4	8	15	20	39
TOTAL 0-19 YRS	6	3.5	14	1	1	2	3	10	11	11
20-34	32	5.1	76	1	1	3	4	10	16	49
35-49	227	4.8	35	<1	1	3	5	11	17	25
50-64	1644	5.5	38	1	1	3	6	12	17	35
65+	5216	7.2	65	1	2	5	9	16	22	44
GRAND TOTAL	**7125**	**6.7**	**58**	**1**	**2**	**4**	**8**	**15**	**21**	**39**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	4	1	1	4	5	5	5	5
20-34	2	9.0	72	3	3	9	15	15	15	15
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	5	5.6	36	<1	<1	4	8	16	16	16
65+	8	4.3	7	<1	<1	5	6	8	8	8
B. *Operated*										
0-19 YRS	17	10.1	29	2	4	9	14	18	20	21
20-34	13	9.1	21	2	4	10	11	14	19	20
35-49	35	8.7	13	1	4	8	10	14	16	16
50-64	94	8.4	28	1	1	8	11	14	17	29
65+	121	10.6	29	2	4	10	13	17	22	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	6.8	14	2	2	7	9	12	13	13
20-34	1	2.0		2	2	2	2	2	2	2
35-49	12	7.8	42	2	2	6	10	15	24	26
50-64	86	9.1	85	1	2	7	11	21	30	87
65+	147	10.5	66	1	2	8	14	23	28	99+
B. *Operated*										
0-19 YRS	15	13.3	112	3	5	10	15	25	40	45
20-34	9	13.6	12	6	8	15	16	17	17	17
35-49	77	11.4	36	2	6	10	13	18	23	36
50-64	366	12.4	78	2	4	10	15	21	27	47
65+	662	14.7	96	3	5	12	18	27	33	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	4.8	18	<1	<1	4	5	11	15	16
B. *Operated*	280	9.5	27	1	2	9	12	16	19	27
2. MULTIPLE DX										
A. *Not Operated*	254	9.8	70	1	2	8	13	21	28	97
B. *Operated*	1129	13.7	87	2	5	11	17	24	32	56
1. SINGLE DX	300	9.2	28	1	2	9	12	15	18	27
2. MULTIPLE DX	1383	13.0	86	2	4	11	16	24	31	58
A. NOT OPERATED	274	9.4	68	1	2	7	13	21	27	90
B. OPERATED	1409	12.9	78	2	4	11	16	23	29	48
TOTAL 0-19 YRS	43	10.1	60	2	3	9	12	19	23	45
20-34	25	10.4	25	2	3	11	15	16	18	20
35-49	126	10.2	32	2	4	9	12	16	21	31
50-64	551	11.1	73	2	3	10	14	19	25	47
65+	938	13.4	86	2	4	11	17	25	32	57
GRAND TOTAL	**1683**	**12.3**	**78**	**2**	**3**	**10**	**16**	**22**	**29**	**52**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	8	1.5	1	1	1	1	2	3	3	3
20-34										
35-49	6	2.8	2	<1	<1	3	4	5	5	5
50-64	14	5.1	6	1	2	6	7	8	8	8
65+	21	3.9	3	2	2	3	5	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	37.0		37	37	37	37	37	37	37
35-49										
50-64	3	10.0	19	7	7	8	13	15	15	15
65+	8	4.5	14	<1	<1	4	9	64	99+	99+
B. *Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	8	8.6	125	<1	1	4	11	28	34	34
65+	25	8.0	288	1	2	4	6	11	32	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	49	3.7	5	1	1	3	5	7	8	8
2. MULTIPLE DX										
A. *Not Operated*	12	8.6	98	<1	1	7	11	50	90	99+
B. *Operated*	36	7.6	226	<1	2	3	6	14	28	88
1. SINGLE DX	50	3.7	5	1	1	3	5	7	8	8
2. MULTIPLE DX	48	7.8	191	<1	1	4	8	15	39	99+
A. NOT OPERATED	13	8.1	93	<1	1	7	10	43	87	99+
B. OPERATED	85	5.3	101	1	1	3	6	8	12	69
TOTAL 0-19 YRS	11	1.5		<1	<1	1	2	3	3	3
20-34	1	37.0		37	37	37	37	37	37	37
35-49	7	2.7	2	<1	<1	2	4	5	5	5
50-64	25	6.8	46	1	2	6	7	15	20	34
65+	54	5.9	137	1	2	3	6	9	13	99
GRAND TOTAL	**98**	**5.7**	**99**	**1**	**1**	**3**	**7**	**9**	**15**	**94**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	3.9	11	<1	1	3	5	8	12	13
20-34	6	6.2	25	1	1	4	12	13	13	13
35-49	21	6.4	34	1	1	5	9	12	18	26
50-64	22	8.0	28	2	3	7	11	16	19	23
65+	27	11.0	57	3	4	9	13	21	24	39
B. *Operated*										
0-19 YRS	39	13.4	108	3	5	12	16	19	24	67
20-34	33	9.4	21	3	4	9	12	15	17	24
35-49	69	11.9	92	3	5	10	14	19	20	67
50-64	79	12.6	39	4	5	12	16	22	23	31
65+	40	18.3	230	2	4	14	20	43	56	64
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	4.2	22	<1	<1	2	5	12	13	20
20-34	21	5.0	15	<1	1	4	7	12	50	99+
35-49	43	12.3	254	2	2	7	11	39	65	99+
50-64	123	14.5	213	2	3	11	17	34	50	99+
65+	151	15.3	237	2	3	10	21	38	45	92
B. *Operated*										
0-19 YRS	77	20.2	332	2	3	13	26	50	57	84
20-34	38	22.2	587	2	4	13	25	66	94	99+
35-49	64	22.1	357	5	8	15	25	57	71	98
50-64	132	21.7	244	6	8	17	27	45	59	99+
65+	152	24.3	322	6	8	19	32	56	71	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	100	7.4	39	1	1	6	10	14	20	32
B. *Operated*	260	13.0	95	3	5	11	16	21	26	63
2. MULTIPLE DX										
A. *Not Operated*	371	13.1	212	1	2	8	15	34	49	99+
B. *Operated*	463	22.4	327	4	6	16	28	53	69	99+
1. SINGLE DX	360	11.5	86	2	3	10	15	20	23	58
2. MULTIPLE DX	834	18.3	297	2	3	13	24	45	62	99+
A. NOT OPERATED	471	11.9	180	1	2	8	14	30	44	98
B. OPERATED	723	19.0	264	3	6	14	23	43	59	98
TOTAL 0-19 YRS	173	13.3	226	1	1	10	16	30	50	75
20-34	98	13.2	289	1	2	9	14	26	66	99+
35-49	197	14.7	234	2	3	11	17	31	60	92
50-64	356	16.4	193	3	4	13	21	33	49	99
65+	370	19.0	278	3	4	14	25	44	58	99
GRAND TOTAL	**1194**	**16.2**	**243**	**2**	**3**	**12**	**20**	**38**	**57**	**99**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.8	2	<1	<1	2	4	90	99+	99+
20-34	1	8.0		8	8	8	8	8	8	8
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	10	8.6	48	1	1	8	14	18	19	19
20-34	5	14.0	39	10	10	11	16	25	25	25
35-49	1	10.0		10	10	10	10	10	10	10
50-64	1	7.0		7	7	7	7	7	7	7
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	5.5	12	1	1	5	7	11	11	11
20-34	1	10.0		10	10	10	10	10	10	10
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	4.0		4	4	4	4	4	4	4
65+	12	14.0	185	<1	1	10	19	35	46	48
B. *Operated*										
0-19 YRS	15	20.1	365	1	1	14	31	50	62	66
20-34	10	18.7	100	4	7	17	25	33	36	36
35-49	1	4.0		4	4	52	99+	99+	99+	99+
50-64	10	22.8	292	3	7	20	27	49	65	65
65+	24	24.6	353	9	10	17	25	65	71	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.7	7	<1	<1	2	6	72	99+	99+
B. *Operated*	17	10.2	44	1	1	11	13	19	23	25
2. MULTIPLE DX										
A. *Not Operated*	21	10.4	124	1	2	7	11	25	38	48
B. *Operated*	60	21.9	295	3	5	17	27	56	68	97
1. SINGLE DX	24	8.0	44	<1	1	8	12	19	44	99+
2. MULTIPLE DX	81	18.9	274	2	3	14	24	42	65	91
A. NOT OPERATED	28	8.5	105	<1	1	6	10	26	51	99+
B. OPERATED	77	19.3	262	2	4	14	24	39	66	92
TOTAL 0-19 YRS	36	11.9	214	1	1	7	17	35	60	99+
20-34	17	16.2	78	5	8	13	23	30	34	36
35-49	3	5.7	14	3	3	7	55	99+	99+	99+
50-64	13	18.5	286	2	3	13	23	39	60	65
65+	36	21.1	316	3	6	16	23	47	69	71
GRAND TOTAL	**105**	**16.4**	**242**	**1**	**2**	**12**	**22**	**37**	**65**	**99+**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	3.7	14	<1	<1	2	4	10	13	14
20-34	10	2.4	3	1	1	2	2	5	7	7
35-49	8	2.6	2	1	1	2	3	5	5	5
50-64	2	4.0	8	2	2	4	6	6	6	6
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	19	9.4	354	1	2	4	9	11	52	86
20-34	55	4.3	5	2	2	4	5	8	9	13
35-49	64	4.4	4	2	3	4	5	7	8	11
50-64	43	3.6	3	1	2	3	5	5	7	9
65+	32	7.3	80	2	3	4	6	18	20	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	5.7	68	<1	<1	3	7	15	24	37
20-34	6	6.5	44	1	1	3	11	17	18	18
35-49	10	6.3	34	<1	1	3	13	50	96	99+
50-64	15	15.3	159	2	3	14	25	36	37	38
65+	31	9.5	190	2	2	5	9	18	51	64
B. *Operated*										
0-19 YRS	43	15.8	403	2	3	9	17	35	63	99
20-34	69	7.3	84	2	3	4	7	11	22	55
35-49	81	7.4	117	2	2	4	7	13	24	71
50-64	83	7.1	37	3	3	5	8	15	20	37
65+	123	12.4	196	2	3	7	15	26	41	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	3.1	7	<1	1	2	4	6	9	14
B. *Operated*	213	5.1	48	2	2	4	5	8	10	30
2. MULTIPLE DX										
A. *Not Operated*	84	9.0	130	<1	1	5	11	23	37	87
B. *Operated*	399	9.8	158	2	3	6	10	21	31	81
1. SINGLE DX	249	4.8	42	1	2	4	5	8	10	20
2. MULTIPLE DX	483	9.6	153	2	2	6	10	21	34	81
A. NOT OPERATED	120	7.2	100	<1	1	4	8	16	35	74
B. OPERATED	612	8.1	124	2	3	5	8	16	25	78
TOTAL 0-19 YRS	99	10.5	279	<1	1	5	10	20	46	93
20-34	140	5.7	47	2	2	4	6	10	14	51
35-49	163	6.0	64	1	2	4	6	10	16	78
50-64	143	6.9	49	2	3	5	7	15	21	38
65+	187	11.0	177	2	3	6	13	24	40	81
GRAND TOTAL	**732**	**8.0**	**120**	**1**	**2**	**4**	**8**	**16**	**26**	**77**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	11	3.0	11	1	1	1	4	9	11	11
35-49	22	6.6	28	1	2	5	9	16	19	20
50-64	51	5.7	25	2	2	4	7	11	13	32
65+	72	7.4	62	1	1	5	10	16	18	48
B. *Operated*										
0-19 YRS	11	7.2	20	1	1	7	11	13	13	13
20-34	6	4.8	17	<1	<1	4	8	11	11	11
35-49	39	8.3	87	<1	<1	6	11	19	31	43
50-64	110	6.9	49	<1	1	5	9	15	19	38
65+	122	5.3	32	<1	1	3	7	11	15	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	3.9	17	<1	<1	2	5	9	14	18
20-34	147	7.0	48	1	2	5	8	15	19	38
35-49	678	8.9	76	1	1	6	12	20	25	42
50-64	2371	9.6	87	2	2	7	12	21	27	48
65+	4090	11.1	108	2	3	8	14	23	31	60
B. *Operated*										
0-19 YRS	44	14.3	317	1	2	8	16	32	44	97
20-34	194	11.2	111	2	3	9	13	21	33	53
35-49	775	12.3	138	1	2	9	16	26	40	69
50-64	2550	13.2	149	2	2	10	17	28	37	64
65+	4065	14.3	167	2	3	11	19	30	40	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	158	6.4	42	1	1	4	8	14	17	32
B. *Operated*	288	6.4	46	<1	1	4	9	13	17	38
2. MULTIPLE DX										
A. *Not Operated*	7330	10.3	98	2	2	7	13	22	29	53
B. *Operated*	7628	13.7	158	2	2	10	18	29	39	67
1. SINGLE DX	446	6.4	44	<1	1	4	8	13	17	38
2. MULTIPLE DX	14958	12.0	131	2	2	9	16	26	35	62
A. NOT OPERATED	7488	10.2	97	2	2	7	13	21	29	53
B. OPERATED	7916	13.4	156	1	2	10	18	29	38	66
TOTAL 0-19 YRS	101	8.8	170	<1	<1	5	11	19	31	79
20-34	358	9.1	85	1	2	7	11	19	24	49
35-49	1514	10.6	110	1	2	7	14	23	32	59
50-64	5082	11.3	121	2	2	8	15	25	33	55
65+	8349	12.5	139	2	2	9	16	27	36	65
GRAND TOTAL	**15404**	**11.8**	**130**	**1**	**2**	**9**	**15**	**25**	**35**	**62**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	2.2	3	<1	<1	1	4	4	5	6
20-34	22	3.4	9	<1	1	2	5	8	11	11
35-49	7	2.4	2	1	1	2	4	4	4	4
50-64	12	2.9	3	<1	<1	3	4	5	6	6
65+	8	5.5	26	1	1	3	10	13	14	14
B. *Operated*										
0-19 YRS	68	4.6	10	1	1	4	7	8	11	13
20-34	178	5.9	25	<1	1	5	8	11	14	26
35-49	78	5.7	27	<1	1	4	8	13	16	26
50-64	37	5.9	22	<1	1	4	8	13	16	20
65+	24	6.7	62	<1	1	4	7	20	28	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	3.8	14	<1	<1	2	5	10	12	13
20-34	56	6.5	35	1	1	4	9	14	17	28
35-49	21	5.3	12	1	2	5	6	10	14	15
50-64	39	7.2	39	1	1	6	10	15	20	28
65+	37	9.5	162	1	2	5	11	21	28	74
B. *Operated*										
0-19 YRS	41	9.3	44	1	2	8	13	18	24	28
20-34	110	9.0	54	1	2	7	11	20	25	35
35-49	68	14.3	131	1	3	10	22	28	40	52
50-64	62	14.7	131	2	2	12	20	28	40	52
65+	66	15.5	159	2	3	12	19	29	38	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	3.2	8	<1	<1	2	4	6	11	14
B. *Operated*	385	5.7	25	<1	1	5	8	11	14	28
2. MULTIPLE DX										
A. *Not Operated*	171	6.9	60	1	1	5	8	14	19	30
B. *Operated*	347	12.3	109	1	2	9	18	25	30	49
1. SINGLE DX	451	5.3	23	<1	1	4	7	11	14	27
2. MULTIPLE DX	518	10.5	99	1	2	8	14	24	28	48
A. NOT OPERATED	237	5.8	48	<1	1	4	8	13	16	29
B. OPERATED	732	8.8	76	1	1	7	11	19	26	41
TOTAL 0-19 YRS	144	5.5	25	<1	1	5	7	13	15	25
20-34	366	6.8	37	1	1	6	9	13	19	30
35-49	174	8.8	84	1	1	5	12	23	27	44
50-64	150	9.6	89	1	1	7	14	21	28	49
65+	135	11.7	148	1	2	8	16	27	31	75
GRAND TOTAL	**969**	**8.1**	**71**	**1**	**1**	**6**	**10**	**18**	**24**	**40**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	4.0	43	<1	<1	1	3	15	19	28
20-34	2	2.0		2	2	2	2	2	2	2
35-49	8	4.9	62	1	1	2	4	18	24	24
50-64	7	5.4	25	<1	<1	3	11	11	11	11
65+	8	4.8	8	1	1	5	7	8	8	8
B. *Operated*										
0-19 YRS	64	5.6	56	<1	<1	2	7	12	26	35
20-34	9	12.1	110	1	2	8	27	64	99+	99+
35-49	4	10.8	241	2	2	3	19	34	34	34
50-64	19	8.7	87	2	2	6	9	23	33	38
65+	15	8.3	87	1	1	6	10	11	33	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	94	6.2	133	<1	<1	3	7	13	15	72
20-34	15	6.7	52	<1	<1	5	9	18	24	26
35-49	19	8.1	34	1	2	8	11	15	20	25
50-64	64	7.9	78	1	1	5	9	19	28	42
65+	180	10.4	124	1	2	7	13	21	33	57
B. *Operated*										
0-19 YRS	52	24.3	461	1	4	20	33	68	75	99+
20-34	17	22.8	260	4	6	21	37	57	85	99+
35-49	18	22.5	214	2	2	25	32	41	47	50
50-64	50	12.6	134	2	3	10	16	31	44	99+
65+	126	15.3	195	3	4	10	19	33	47	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	4.3	37	<1	<1	1	4	11	17	28
B. *Operated*	111	7.2	76	<1	<1	5	9	23	29	63
2. MULTIPLE DX										
A. *Not Operated*	372	8.7	113	<1	1	5	11	18	30	42
B. *Operated*	263	17.5	257	2	4	12	24	43	60	99+
1. SINGLE DX	183	6.1	63	<1	<1	3	8	16	28	39
2. MULTIPLE DX	635	12.3	191	<1	1	8	15	31	42	83
A. NOT OPERATED	444	7.9	103	<1	<1	5	10	17	27	42
B. OPERATED	374	14.5	225	1	2	9	20	36	51	99+
TOTAL 0-19 YRS	257	9.3	219	<1	<1	4	10	28	41	82
20-34	43	14.0	195	<1	1	9	25	43	71	99+
35-49	49	13.1	167	1	1	8	24	33	36	50
50-64	140	9.6	101	1	2	6	12	21	35	61
65+	329	12.0	153	1	2	8	15	28	36	68
GRAND TOTAL	**818**	**10.9**	**169**	**<1**	**1**	**7**	**14**	**29**	**39**	**80**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	1.4	1	<1	<1	<1	1	4	6	99+
20-34	16	6.1	51	<1	1	4	6	21	24	25
35-49	13	15.5	493	<1	<1	6	21	48	72	77
50-64	23	5.3	22	<1	1	4	7	11	18	19
65+	29	4.3	20	<1	1	3	5	11	16	19
B. *Operated*										
0-19 YRS	13	11.0	133	<1	1	6	18	33	35	35
20-34	19	17.7	332	1	3	8	26	46	62	66
35-49	19	15.8	253	2	3	10	27	43	48	52
50-64	18	15.2	208	3	3	8	24	39	44	47
65+	20	14.1	220	1	2	8	21	40	45	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	4.2	21	<1	<1	2	5	12	15	16
20-34	31	4.4	19	<1	<1	3	6	9	15	20
35-49	27	9.7	104	2	2	8	13	19	26	52
50-64	85	7.5	82	1	1	5	10	17	26	47
65+	259	7.4	76	1	1	5	10	15	19	43
B. *Operated*										
0-19 YRS	34	28.0	379	3	5	27	47	60	65	99+
20-34	69	25.4	331	2	5	25	37	49	56	81
35-49	70	24.0	366	2	4	27	37	46	49	92
50-64	128	25.3	371	2	3	26	37	56	68	99+
65+	259	22.5	400	3	5	15	33	52	64	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	112	5.3	87	<1	<1	2	5	14	22	85
B. *Operated*	89	15.0	230	1	2	8	25	40	47	62
2. MULTIPLE DX										
A. *Not Operated*	435	7.1	72	<1	1	5	9	15	20	44
B. *Operated*	560	24.0	379	3	4	22	35	52	63	97
1. SINGLE DX	201	9.6	173	<1	<1	5	9	28	41	71
2. MULTIPLE DX	995	16.6	315	1	2	9	27	42	54	91
A. NOT OPERATED	547	6.7	75	<1	<1	4	8	15	20	47
B. OPERATED	649	22.8	368	2	4	17	34	50	61	96
TOTAL 0-19 YRS	111	11.5	264	<1	<1	3	15	42	54	99+
20-34	135	17.2	310	<1	1	8	28	43	52	76
35-49	129	18.9	335	1	2	11	30	43	49	88
50-64	254	16.8	307	1	2	9	28	43	56	85
65+	567	14.4	283	1	2	8	18	38	52	92
GRAND TOTAL	**1196**	**15.4**	**298**	**1**	**1**	**8**	**25**	**41**	**53**	**90**

49: Lymphatic and hematopoietic neoplasm, except hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.3	1	<1	<1	2	3	3	3	3
20-34	18	3.9	12	<1	<1	3	5	10	11	11
35-49	21	4.1	7	1	1	4	5	9	10	10
50-64	61	5.1	21	<1	1	4	7	10	14	25
65+	75	7.0	62	1	1	5	8	14	19	50
B. *Operated*										
0-19 YRS	17	7.7	90	1	2	4	7	20	31	37
20-34	61	7.1	79	<1	1	4	10	17	35	94
35-49	132	6.4	38	<1	1	5	9	13	16	30
50-64	195	6.4	45	1	1	4	9	13	18	36
65+	233	7.2	57	<1	1	5	9	15	23	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	9.8	197	<1	<1	6	9	37	47	49
20-34	48	7.4	56	2	2	5	8	13	28	35
35-49	106	9.0	81	2	2	6	11	22	32	43
50-64	378	9.3	82	1	2	6	12	22	26	43
65+	837	10.7	114	1	2	8	13	23	32	60
B. *Operated*										
0-19 YRS	22	25.0	830	<1	2	14	31	75	91	95
20-34	62	14.9	166	2	3	11	20	33	47	96
35-49	173	15.1	232	1	3	10	19	34	48	93
50-64	513	15.2	161	2	3	12	20	32	43	68
65+	1102	16.4	196	2	4	12	21	36	47	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	183	5.5	36	<1	1	4	7	11	15	27
B. *Operated*	638	6.8	52	<1	1	4	9	15	20	40
2. MULTIPLE DX										
A. *Not Operated*	1386	10.0	102	1	2	7	12	22	30	53
B. *Operated*	1872	16.0	197	2	3	12	20	35	47	78
1. SINGLE DX	821	6.5	49	<1	1	4	9	14	19	39
2. MULTIPLE DX	3258	13.5	165	2	2	10	17	30	42	68
A. NOT OPERATED	1569	9.5	96	1	2	7	12	21	29	52
B. OPERATED	2510	13.6	176	1	2	10	18	31	43	72
TOTAL 0-19 YRS	64	13.5	425	<1	1	5	14	41	67	94
20-34	189	9.4	110	1	1	6	11	22	35	86
35-49	432	10.4	140	1	2	7	12	24	35	63
50-64	1147	11.2	122	1	2	8	15	25	33	61
65+	2247	13.0	159	2	2	9	17	29	41	65
GRAND TOTAL	**4079**	**12.1**	**149**	**1**	**2**	**9**	**15**	**27**	**38**	**64**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	35	2.9	11	<1	<1	2	3	7	10	17
20-34	119	3.1	3	<1	1	3	4	5	6	9
35-49	161	3.1	3	<1	1	3	4	5	6	8
50-64	167	3.3	4	1	1	3	4	6	7	9
65+	129	3.3	3	1	1	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	2	43.0	2592	7	7	43	79	79	79	79
B. *Operated*										
0-19 YRS	7	1.9		1	1	2	2	3	3	3
20-34	32	4.6	45	1	1	3	5	7	8	40
35-49	45	4.2	27	1	1	3	5	6	7	36
50-64	107	3.5	4	1	1	3	5	6	7	10
65+	170	4.7	12	1	2	4	5	8	12	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.0	2	1	1	2	3	4	4	4
B. *Operated*	611	3.2	4	<1	1	3	4	6	6	9
2. MULTIPLE DX										
A. *Not Operated*	6	15.2	983	<1	<1	1	7	72	79	79
B. *Operated*	361	4.2	14	1	1	4	5	7	9	17
1. SINGLE DX	615	3.2	4	<1	1	3	4	6	6	9
2. MULTIPLE DX	367	4.4	29	1	1	4	5	7	9	25
A. NOT OPERATED	10	9.9	593	<1	<1	2	4	43	79	79
B. OPERATED	972	3.6	8	1	1	3	4	6	7	14
TOTAL 0-19 YRS	43	2.7	9	<1	<1	2	3	6	9	17
20-34	152	3.4	12	1	1	3	4	5	6	12
35-49	208	3.4	8	1	1	3	4	6	6	9
50-64	278	3.4	4	1	1	3	4	6	7	9
65+	301	4.4	27	1	2	4	5	7	9	16
GRAND TOTAL	**982**	**3.6**	**14**	**1**	**1**	**3**	**4**	**6**	**7**	**15**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	3	1.3		<1	<1	<1	2	2	2	2
35-49	11	2.7	6	<1	<1	2	4	7	8	8
50-64	23	1.3		<1	<1	<1	1	2	3	4
65+	44	1.5	2	<1	<1	<1	1	2	5	9
B. *Operated*										
0-19 YRS	20	5.8	41	<1	<1	2	10	14	19	24
20-34	34	6.1	26	<1	<1	6	10	13	16	16
35-49	100	3.8	22	<1	<1	1	6	9	11	24
50-64	341	2.5	8	<1	<1	1	2	8	10	13
65+	359	3.2	17	<1	<1	1	3	9	11	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.4	30	<1	<1	2	6	14	14	14
20-34	12	3.8	4	1	2	3	5	7	8	8
35-49	16	2.2	1	<1	<1	2	3	4	4	4
50-64	76	3.5	8	<1	1	2	5	8	9	11
65+	194	5.5	52	<1	1	4	8	11	14	47
B. *Operated*										
0-19 YRS	17	4.4	15	1	1	3	7	11	12	12
20-34	53	10.4	178	<1	1	6	12	33	37	68
35-49	123	6.4	37	<1	<1	5	9	12	20	31
50-64	623	5.6	38	<1	<1	3	8	12	16	28
65+	1589	7.2	60	<1	1	5	10	16	22	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	83	1.6	2	<1	<1	<1	1	3	5	9
B. *Operated*	854	3.2	15	<1	<1	1	3	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	303	4.8	37	<1	1	3	7	9	12	21
B. *Operated*	2405	6.8	57	<1	1	4	9	15	21	37
1. SINGLE DX	937	3.0	14	<1	<1	1	3	9	11	17
2. MULTIPLE DX	2708	6.6	55	<1	1	4	9	14	20	37
A. NOT OPERATED	386	4.1	31	<1	<1	2	6	9	11	16
B. OPERATED	3259	5.9	48	<1	<1	3	8	13	18	33
TOTAL 0-19 YRS	44	5.0	27	<1	1	2	8	12	14	24
20-34	102	7.9	108	<1	<1	5	10	16	33	57
35-49	250	4.9	29	<1	<1	3	7	11	13	29
50-64	1063	4.4	28	<1	<1	2	7	10	13	25
65+	2186	6.3	54	<1	<1	3	9	14	20	37
GRAND TOTAL	**3645**	**5.7**	**47**	**<1**	**<1**	**3**	**8**	**13**	**18**	**32**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	2	1.0		1	1	1	1	1	1	1
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	80	2.2	4	<1	1	2	2	2	6	11
20-34	41	3.3	10	<1	<1	2	4	8	10	13
35-49	40	3.8	13	<1	<1	2	6	9	11	15
50-64	62	3.8	14	<1	<1	2	6	9	12	17
65+	37	3.8	13	<1	<1	2	5	10	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	1	6.0		6	6	6	6	6	6	6
50-64	7	5.1	57	<1	<1	3	5	19	22	22
65+	2	10.5	25	7	7	10	14	14	14	14
B. *Operated*										
0-19 YRS	29	4.8	32	2	2	2	4	12	19	25
20-34	25	5.8	78	1	1	2	7	12	25	42
35-49	46	4.9	27	<1	1	4	7	9	9	33
50-64	69	9.7	125	1	1	8	12	21	42	92
65+	106	9.2	101	1	1	7	13	21	27	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.0		<1	<1	1	1	1	1	1
B. *Operated*	260	3.2	10	<1	<1	2	4	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	14	5.4	36	<1	1	3	7	15	20	22
B. *Operated*	275	7.8	89	1	1	5	10	17	26	57
1. SINGLE DX	267	3.2	10	<1	<1	2	4	8	10	15
2. MULTIPLE DX	289	7.7	86	1	1	5	9	17	26	56
A. NOT OPERATED	21	4.0	28	<1	<1	1	5	10	18	22
B. OPERATED	535	5.6	56	<1	1	2	8	12	17	43
TOTAL 0-19 YRS	114	2.9	12	1	1	2	2	5	10	21
20-34	70	4.1	34	<1	<1	2	6	9	12	38
35-49	88	4.4	20	<1	<1	3	7	9	10	26
50-64	139	6.7	79	<1	<1	4	9	14	22	62
65+	145	7.8	82	1	1	5	10	17	26	51
GRAND TOTAL	**556**	**5.5**	**55**	**<1**	**1**	**2**	**8**	**12**	**17**	**42**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	4.8	111	<1	<1	2	4	7	32	45
20-34	5	3.0	2	<1	<1	4	4	4	4	4
35-49	6	3.2	3	1	1	3	4	6	6	6
50-64	7	1.7	1	1	1	2	2	3	3	3
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	437	2.6	5	<1	<1	2	3	5	6	11
20-34	522	2.3	5	<1	<1	2	3	4	6	11
35-49	652	2.1	5	<1	<1	1	2	4	5	11
50-64	526	2.2	3	<1	<1	2	3	4	6	10
65+	209	2.3	3	<1	<1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	1.8	5	<1	<1	1	1	3	8	10
20-34	12	2.1	3	<1	<1	1	3	5	7	7
35-49	10	2.5	4	<1	<1	1	4	5	6	6
50-64	15	2.5	5	<1	<1	1	3	7	7	7
65+	19	5.8	25	1	1	3	11	14	15	16
B. *Operated*										
0-19 YRS	81	3.0	6	<1	1	2	4	6	8	12
20-34	162	3.2	11	<1	<1	2	4	7	10	16
35-49	284	3.2	12	<1	<1	2	4	7	10	19
50-64	383	3.8	20	<1	<1	2	4	8	12	23
65+	334	5.1	29	<1	1	3	6	11	17	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	3.6	53	<1	<1	2	4	5	7	45
B. *Operated*	2346	2.3	5	<1	<1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	72	3.2	12	<1	<1	2	3	7	13	16
B. *Operated*	1244	3.9	19	<1	<1	2	4	9	12	23
1. SINGLE DX	2382	2.3	5	<1	<1	2	3	4	6	11
2. MULTIPLE DX	1316	3.9	19	<1	<1	2	4	9	12	22
A. NOT OPERATED	108	3.3	25	<1	<1	2	4	7	12	28
B. OPERATED	3590	2.8	10	<1	<1	2	3	6	8	18
TOTAL 0-19 YRS	551	2.7	8	<1	<1	2	3	5	7	12
20-34	701	2.6	7	<1	<1	2	3	5	7	12
35-49	952	2.5	8	<1	<1	2	3	5	6	15
50-64	931	2.9	11	<1	<1	2	3	6	8	17
65+	563	4.1	21	<1	<1	2	5	10	13	25
GRAND TOTAL	**3698**	**2.9**	**11**	**<1**	**<1**	**2**	**3**	**6**	**8**	**18**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	4.5	29	<1	<1	2	5	15	18	19
20-34	3	1.0		1	1	1	1	1	1	1
35-49	1	4.0		4	4	4	4	4	4	4
50-64	5	2.4	3	<1	<1	2	3	5	5	5
65+	3	1.7		1	1	2	2	2	2	2
B. *Operated*										
0-19 YRS	453	2.3	16	<1	<1	1	2	4	7	14
20-34	149	2.5	7	<1	<1	2	3	5	7	16
35-49	139	2.3	5	<1	<1	1	3	5	6	11
50-64	107	2.8	11	<1	<1	2	3	6	10	19
65+	50	2.4	7	<1	<1	2	2	3	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	2.7	8	<1	<1	1	4	8	9	10
20-34	7	3.9	12	<1	<1	3	5	10	11	11
35-49	7	2.9	3	<1	<1	3	4	6	6	6
50-64	13	4.8	31	<1	1	2	5	15	18	19
65+	19	8.8	62	1	2	6	12	22	28	28
B. *Operated*										
0-19 YRS	116	5.3	84	<1	<1	2	4	13	22	55
20-34	74	3.0	12	<1	<1	2	3	7	10	19
35-49	131	3.9	43	<1	<1	2	4	10	12	29
50-64	130	4.4	43	<1	<1	2	4	10	20	32
65+	127	5.1	35	<1	1	2	7	12	20	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	3.5	20	<1	<1	2	4	9	17	19
B. *Operated*	898	2.4	12	<1	<1	1	2	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	70	4.9	32	<1	<1	3	6	12	15	28
B. *Operated*	578	4.5	46	<1	<1	2	5	10	17	31
1. SINGLE DX	929	2.4	12	<1	<1	1	2	5	7	15
2. MULTIPLE DX	648	4.5	44	<1	<1	2	5	10	17	30
A. NOT OPERATED	101	4.5	28	<1	<1	2	5	11	16	27
B. OPERATED	1476	3.2	26	<1	<1	2	3	7	11	23
TOTAL 0-19 YRS	612	3.0	31	<1	<1	1	3	5	10	26
20-34	233	2.7	9	<1	<1	2	3	6	9	17
35-49	278	3.1	23	<1	<1	2	3	6	10	17
50-64	255	3.7	28	<1	<1	2	3	8	16	27
65+	199	4.7	33	<1	<1	2	6	12	18	28
GRAND TOTAL	**1577**	**3.3**	**26**	**<1**	**<1**	**2**	**3**	**7**	**11**	**25**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	176	1.7	1	<1	<1	2	2	2	3	4
20-34	407	1.5	1	<1	<1	1	2	2	2	4
35-49	306	1.8	4	<1	<1	2	2	3	3	4
50-64	184	1.8	1	<1	<1	2	2	3	3	5
65+	73	2.1	1	<1	<1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	1.0		1	1	1	1	1	1	1
35-49	2	2.0		2	2	2	2	2	2	2
50-64	2	3.0	8	1	1	3	5	5	5	5
65+	3	2.0	3	<1	<1	1	3	4	4	4
B. *Operated*										
0-19 YRS	28	1.6	1	<1	<1	1	2	2	4	4
20-34	93	1.8	2	<1	<1	2	2	3	4	10
35-49	241	2.4	13	<1	<1	2	2	4	6	18
50-64	186	2.3	5	<1	<1	2	2	5	6	14
65+	135	3.0	6	1	1	2	3	6	8	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	1146	1.7	2	<1	<1	2	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	10	1.9	2	<1	<1	1	2	4	5	5
B. *Operated*	683	2.4	8	<1	<1	2	2	4	6	13
1. SINGLE DX	1146	1.7	2	<1	<1	2	2	2	3	4
2. MULTIPLE DX	693	2.4	7	<1	<1	2	2	4	6	13
A. NOT OPERATED	10	1.9	2	<1	<1	1	2	4	5	5
B. OPERATED	1829	2.0	4	<1	<1	2	2	3	4	8
TOTAL 0-19 YRS	205	1.7	1	<1	<1	2	2	2	3	4
20-34	502	1.6	1	<1	<1	1	2	2	3	5
35-49	549	2.1	8	<1	<1	2	2	3	4	10
50-64	372	2.1	3	<1	<1	2	2	3	5	8
65+	211	2.7	5	<1	1	2	3	5	7	11
GRAND TOTAL	**1839**	**2.0**	**4**	**<1**	**<1**	**2**	**2**	**3**	**4**	**8**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	20	3.1	4	<1	1	3	4	6	7	8
35-49	36	2.6	3	<1	<1	2	4	5	6	8
50-64	2	1.0		1	1	1	1	1	1	1
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	5	3.6	4	<1	<1	4	5	6	6	6
20-34	312	5.1	8	<1	1	5	7	8	9	13
35-49	1232	5.5	6	<1	1	6	7	8	8	11
50-64	208	4.8	7	<1	<1	6	7	8	8	10
65+	14	6.5	20	1	2	6	8	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	41	2.4	6	<1	<1	2	3	4	6	15
35-49	183	2.3	5	<1	<1	1	3	5	7	11
50-64	33	3.3	12	<1	<1	2	4	9	12	13
65+	13	6.2	15	2	2	5	8	11	14	15
B. *Operated*										
0-19 YRS	13	6.7	2	4	5	6	7	9	10	10
20-34	1048	5.5	10	<1	1	6	7	8	10	16
35-49	7630	6.2	9	1	2	6	7	9	10	16
50-64	1620	6.2	13	1	1	6	8	9	10	19
65+	210	8.3	28	1	2	7	9	14	16	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	2.7	3	<1	<1	2	4	5	7	8
B. *Operated*	1771	5.4	7	<1	1	6	7	8	8	11
2. MULTIPLE DX										
A. *Not Operated*	270	2.6	7	<1	<1	2	3	6	8	13
B. *Operated*	10521	6.2	10	1	1	6	7	9	10	17
1. SINGLE DX	1831	5.3	7	<1	1	6	7	8	8	11
2. MULTIPLE DX	10791	6.1	11	1	1	6	7	9	10	17
A. NOT OPERATED	330	2.6	6	<1	<1	2	3	6	8	12
B. OPERATED	12292	6.0	10	1	1	6	7	9	10	16
TOTAL 0-19 YRS	18	5.8	5	1	3	6	7	9	10	10
20-34	1421	5.3	9	<1	1	6	7	8	9	15
35-49	9081	6.0	9	1	1	6	7	9	10	15
50-64	1863	6.0	12	<1	1	6	7	9	10	18
65+	239	8.0	27	1	2	7	9	14	16	31
GRAND TOTAL	**12622**	**6.0**	**10**	**1**	**1**	**6**	**7**	**9**	**10**	**16**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	15	3.4	4	<1	1	4	5	5	7	8
35-49	18	3.6	7	<1	1	2	6	8	9	9
50-64	3	5.7	6	3	3	6	7	8	8	8
65+	4	4.5	22	<1	<1	3	8	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	27	4.3	7	<1	<1	5	6	7	8	9
35-49	99	5.5	8	<1	1	6	7	8	9	17
50-64	29	4.4	7	1	1	6	7	7	8	8
65+	9	7.0	10	2	3	7	9	11	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	42	3.8	7	<1	1	4	5	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	3	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	164	5.2	8	<1	1	6	7	8	9	14
1. SINGLE DX	42	3.8	7	<1	1	4	5	8	9	11
2. MULTIPLE DX	167	5.1	8	<1	1	6	7	8	9	14
A. NOT OPERATED	3	1.0		<1	<1	<1	1	1	1	1
B. OPERATED	206	4.9	8	<1	1	5	7	8	9	13
TOTAL 0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	44	3.9	6	<1	<1	4	6	7	8	9
35-49	118	5.2	9	<1	1	6	7	8	9	16
50-64	32	4.5	7	1	1	6	7	7	8	8
65+	13	6.2	14	<1	1	6	9	11	13	13
GRAND TOTAL	**209**	**4.9**	**8**	**<1**	**1**	**5**	**7**	**8**	**9**	**13**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	72	5.6	2	4	4	6	7	7	8	10
20-34	370	5.2	2	3	4	5	6	7	7	9
35-49	127	5.5	2	4	4	5	6	7	7	10
50-64	68	6.9	5	4	5	7	8	9	11	15
65+	46	7.8	7	5	5	8	8	11	12	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64	1	7.0		7	7	7	7	7	7	7
65+	5	7.4	35	2	2	7	10	17	17	17
B. *Operated*										
0-19 YRS	71	5.8	4	3	4	5	7	8	8	16
20-34	393	5.7	4	3	4	6	6	7	9	12
35-49	377	6.6	7	4	4	6	7	9	12	19
50-64	283	8.6	23	5	5	7	9	15	18	30
65+	220	11.0	68	6	6	8	12	18	23	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	683	5.6	3	3	4	5	6	8	8	12
2. MULTIPLE DX										
A. *Not Operated*	12	5.3	20	1	1	5	7	11	16	17
B. *Operated*	1344	7.5	23	4	4	6	8	11	15	25
1. SINGLE DX	684	5.6	3	3	4	5	6	8	8	12
2. MULTIPLE DX	1356	7.4	23	4	4	6	8	11	15	25
A. NOT OPERATED	13	5.2	19	1	1	3	7	10	16	17
B. OPERATED	2027	6.8	17	4	4	6	7	10	13	22
TOTAL 0-19 YRS	145	5.7	3	3	4	6	7	7	8	11
20-34	766	5.5	3	3	4	5	6	7	8	11
35-49	506	6.3	6	4	4	6	7	8	10	17
50-64	352	8.3	20	5	5	7	9	13	17	25
65+	271	10.4	58	5	6	8	11	17	22	50
GRAND TOTAL	**2040**	**6.8**	**17**	**4**	**4**	**6**	**7**	**10**	**13**	**22**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	5	3.6	8	1	1	2	6	8	8	8
20-34	11	2.4	3	<1	<1	2	4	5	5	5
35-49	16	2.7	4	<1	<1	2	5	5	6	6
50-64	12	2.1	4	<1	<1	1	2	5	8	8
65+	6	2.0		<1	<1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	3	6.0	3	5	5	5	7	8	8	8
20-34	13	4.8	6	<1	1	5	6	7	9	9
35-49	28	6.3	31	<1	1	5	7	11	21	26
50-64	13	2.7	6	<1	<1	1	4	7	8	8
65+	9	6.0	19	2	2	5	9	12	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	4.0		4	4	4	4	4	4	4
B. *Operated*	50	2.5	4	<1	<1	2	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	66	5.2	19	<1	1	5	7	9	12	25
1. SINGLE DX	52	2.5	4	<1	<1	2	4	5	6	8
2. MULTIPLE DX	66	5.2	19	<1	1	5	7	9	12	25
A. NOT OPERATED	2	4.0		4	4	4	4	4	4	4
B. OPERATED	116	4.0	14	<1	<1	3	5	8	9	23
TOTAL 0-19 YRS	8	4.5	7	1	1	5	7	8	8	8
20-34	26	3.7	5	<1	<1	4	5	6	7	9
35-49	44	5.0	24	<1	<1	4	6	8	15	26
50-64	25	2.4	5	<1	<1	1	3	7	8	8
65+	15	4.4	15	<1	2	2	6	10	13	14
GRAND TOTAL	**118**	**4.0**	**14**	**<1**	**<1**	**3**	**5**	**8**	**9**	**23**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	9	1.2		<1	<1	<1	1	2	2	2
20-34	17	2.5	3	<1	<1	2	4	5	6	6
35-49	11	1.5		<1	<1	1	2	3	3	3
50-64	7	2.3	5	<1	<1	2	2	6	7	7
65+	3	2.0	1	<1	<1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	5	2.8	2	<1	<1	3	4	5	5	5
20-34	6	6.0	117	<1	<1	2	3	25	28	28
35-49	8	3.6	19	<1	<1	2	4	11	14	14
50-64	9	3.2	4	1	1	3	4	6	7	7
65+	12	6.0	65	<1	1	4	6	14	29	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	47	2.0	2	<1	<1	1	2	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	40	4.5	40	<1	<1	3	5	7	21	31
1. SINGLE DX	47	2.0	2	<1	<1	1	2	4	5	7
2. MULTIPLE DX	41	4.4	39	<1	<1	3	5	7	20	31
A. NOT OPERATED	1	2.0		2	2	2	2	2	2	2
B. OPERATED	87	3.1	21	<1	<1	2	3	6	7	30
TOTAL 0-19 YRS	14	1.8	1	<1	<1	1	2	3	5	5
20-34	23	3.4	31	<1	<1	2	4	5	14	28
35-49	19	2.4	9	<1	<1	2	2	4	10	14
50-64	17	2.8	4	<1	1	2	3	6	7	7
65+	15	5.2	54	<1	<1	3	5	6	25	31
GRAND TOTAL	**88**	**3.1**	**21**	**<1**	**<1**	**2**	**3**	**6**	**7**	**30**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT. (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	7	3.7	14	<1	<1	2	5	10	11	11
35-49	16	3.2	8	<1	<1	2	4	8	9	10
50-64	28	2.8	6	<1	<1	2	3	7	9	11
65+	28	2.5	6	<1	<1	2	3	4	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+	5	5.8	20	1	1	4	10	11	11	11
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	7	6.9	53	1	1	4	10	19	21	21
35-49	16	4.5	13	1	1	3	8	10	11	11
50-64	51	4.1	23	1	1	2	4	8	13	26
65+	98	5.5	34	1	2	3	7	11	21	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	79	2.8	7	<1	<1	2	3	7	9	12
2. MULTIPLE DX										
A. *Not Operated*	7	5.7	14	1	1	4	9	11	11	11
B. *Operated*	173	5.0	29	1	2	3	6	11	19	35
1. SINGLE DX	80	2.9	7	<1	<1	2	3	7	9	12
2. MULTIPLE DX	180	5.1	29	1	1	3	6	11	18	34
A. NOT OPERATED	8	5.4	13	1	2	4	8	11	11	11
B. OPERATED	252	4.3	23	<1	1	3	5	10	13	26
TOTAL 0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	15	5.2	31	<1	1	4	6	12	19	21
35-49	33	3.9	10	<1	<1	3	6	10	10	11
50-64	79	3.6	18	<1	1	2	3	8	12	25
65+	131	4.9	29	<1	1	3	6	10	16	49
GRAND TOTAL	**260**	**4.4**	**23**	**<1**	**1**	**3**	**6**	**10**	**13**	**26**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	7	1.0		<1	<1	<1	<1	1	1	1
20-34	4	3.0	8	1	1	2	5	7	7	7
35-49										
50-64	3	1.3		<1	<1	1	2	2	2	2
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	8	1.8	1	<1	<1	1	2	4	4	4
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	2	1.5	1	<1	<1	1	2	2	2	2
65+	2	6.0	32	2	2	6	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	15	1.6	3	<1	<1	<1	1	3	6	7
2. MULTIPLE DX										
A. *Not Operated*	2	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	13	2.3	6	<1	<1	1	2	5	9	10
1. SINGLE DX	15	1.6	3	<1	<1	<1	1	3	6	7
2. MULTIPLE DX	15	2.1	6	<1	<1	<1	2	4	8	10
A. NOT OPERATED	2	1.0		<1	<1	<1	<1	<1	<1	<1
B. OPERATED	28	1.9	4	<1	<1	1	2	4	7	10
TOTAL 0-19 YRS	17	1.4	1	<1	<1	<1	1	3	4	4
20-34	4	3.0	8	1	1	2	5	7	7	7
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	5	1.4		<1	<1	1	2	2	2	2
65+	3	4.3	24	<1	<1	2	8	10	10	10
GRAND TOTAL	**30**	**1.9**	**4**	**<1**	**<1**	**<1**	**2**	**4**	**7**	**10**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	3	2.7	2	1	1	3	4	4	4	4
35-49	5	3.2	6	1	1	3	5	7	7	7
50-64	7	2.7	3	1	1	2	4	6	6	6
65+	3	25.3	356	9	9	21	40	46	46	46
B. *Operated*										
0-19 YRS	4	8.3	11	4	4	8	10	12	12	12
20-34	31	11.5	41	1	4	10	14	22	23	28
35-49	51	10.1	54	2	2	9	13	17	25	39
50-64	62	9.5	31	2	3	9	13	16	24	91
65+	45	14.7	171	2	2	13	19	25	30	81
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	8	5.6	50	1	1	3	7	18	22	22
35-49	10	4.5	18	1	1	2	9	11	12	12
50-64	25	8.0	72	<1	1	7	9	14	26	41
65+	115	10.0	111	1	2	7	12	17	28	60
B. *Operated*										
0-19 YRS	15	16.1	216	7	7	13	16	25	56	66
20-34	35	18.4	172	5	7	16	19	31	47	71
35-49	53	14.8	89	3	4	11	20	30	33	38
50-64	135	20.1	192	3	6	17	27	41	49	99+
65+	155	23.2	274	4	7	19	30	51	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	6.1	109	<1	1	3	5	15	33	46
B. *Operated*	193	11.2	74	2	2	10	14	22	25	62
2. MULTIPLE DX										
A. *Not Operated*	159	9.0	98	1	2	7	11	17	27	59
B. *Operated*	393	20.3	216	4	7	17	27	43	58	99+
1. SINGLE DX	213	10.7	79	1	2	9	14	21	25	59
2. MULTIPLE DX	552	17.1	208	2	3	13	24	38	49	99
A. NOT OPERATED	179	8.7	99	1	1	6	10	17	27	57
B. OPERATED	586	17.3	188	2	4	14	23	36	47	99+
TOTAL 0-19 YRS	22	12.7	176	1	2	9	15	21	41	66
20-34	77	13.7	122	1	2	12	16	24	30	64
35-49	119	11.4	76	1	2	10	15	26	31	38
50-64	229	15.4	162	2	3	12	22	35	44	99+
65+	318	17.2	237	2	3	13	23	41	55	91
GRAND TOTAL	**765**	**15.3**	**180**	**2**	**3**	**12**	**20**	**32**	**45**	**87**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	27	3.1	1	1	2	3	4	4	5	5
20-34	178	3.4	1	2	2	3	4	5	5	6
35-49	263	3.5	1	2	2	3	4	5	5	8
50-64	173	3.6	2	2	2	3	4	5	6	7
65+	61	4.4	3	2	3	4	5	7	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	61	4.1	10	2	2	4	4	5	7	23
35-49	118	4.4	18	2	3	4	5	6	7	25
50-64	151	4.6	9	2	3	4	5	7	9	22
65+	93	5.6	31	3	3	4	6	8	9	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.8		2	2	3	3	3	3	3
B. *Operated*	702	3.6	2	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	6	2.7	3	<1	<1	2	3	6	6	6
B. *Operated*	425	4.7	16	2	3	4	5	7	8	23
1. SINGLE DX	707	3.6	2	2	2	3	4	5	6	8
2. MULTIPLE DX	431	4.7	16	2	3	4	5	7	8	23
A. NOT OPERATED	11	2.7	2	<1	1	3	3	4	6	6
B. OPERATED	1127	4.0	7	2	2	4	4	5	7	13
TOTAL 0-19 YRS	29	3.1	1	1	2	3	4	4	5	5
20-34	243	3.6	3	2	2	3	4	5	6	7
35-49	384	3.8	7	2	2	3	4	5	6	9
50-64	326	4.1	5	2	2	4	5	6	7	16
65+	156	5.1	20	3	3	4	5	7	9	35
GRAND TOTAL	**1138**	**4.0**	**7**	**2**	**2**	**4**	**4**	**5**	**7**	**13**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	4.7	14	2	2	3	7	9	9	9
35-49	4	5.3	9	2	2	5	7	9	9	9
50-64	1	12.0		12	12	12	12	12	12	12
65+										
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	17	7.7	11	4	5	7	8	13	16	17
35-49	29	6.9	12	1	3	7	8	12	13	14
50-64	38	7.5	18	3	3	7	10	13	14	23
65+	12	8.4	26	2	2	10	11	14	17	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8	3	1	1	2	4	5	5	5
20-34	11	5.0	41	1	1	4	4	15	22	23
35-49	16	5.6	12	1	2	5	8	12	13	13
50-64	15	7.7	27	1	2	7	12	13	18	20
65+	23	8.7	33	2	3	7	12	19	20	21
B. *Operated*										
0-19 YRS	6	15.0	86	6	6	12	21	29	30	30
20-34	27	8.0	102	2	3	6	8	12	19	56
35-49	65	8.5	38	3	3	6	12	21	23	88
50-64	108	9.3	118	3	3	6	10	17	26	66
65+	112	12.3	171	3	4	9	13	21	39	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	5.9	14	2	2	5	9	11	12	12
B. *Operated*	97	7.5	15	2	3	7	10	13	14	21
2. MULTIPLE DX										
A. *Not Operated*	69	6.9	28	1	1	5	9	13	20	23
B. *Operated*	318	10.2	120	3	3	7	12	20	27	74
1. SINGLE DX	105	7.4	15	2	3	7	10	12	14	20
2. MULTIPLE DX	387	9.6	105	2	3	7	11	19	24	71
A. NOT OPERATED	77	6.8	27	1	2	5	9	13	19	22
B. OPERATED	415	9.6	97	3	3	7	11	18	24	70
TOTAL 0-19 YRS	11	10.3	80	1	2	8	15	25	30	30
20-34	58	7.2	59	1	2	6	8	12	16	53
35-49	114	7.6	28	2	3	6	10	16	21	51
50-64	162	8.6	85	3	3	7	10	16	21	46
65+	147	11.4	140	3	3	8	13	20	29	72
GRAND TOTAL	**492**	**9.1**	**87**	**2**	**3**	**7**	**11**	**17**	**22**	**63**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	9	3.2	5	1	1	3	4	7	7	7
20-34	503	2.9	4	<1	<1	2	4	6	7	8
35-49	254	3.7	6	<1	1	3	6	7	8	10
50-64	62	3.6	5	<1	1	3	6	7	8	8
65+	25	4.0	6	<1	1	3	6	7	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	12	3.3	21	<1	<1	1	3	9	16	17
35-49	10	1.7	1	<1	<1	1	3	3	3	3
50-64	1	8.0		8	8	8	8	8	8	8
65+	2	3.0	8	<1	<1	2	5	5	5	5
B. *Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	366	4.0	8	<1	1	4	6	7	8	13
35-49	371	5.5	13	1	1	6	7	9	11	17
50-64	118	5.3	9	1	1	6	7	9	10	13
65+	68	7.0	26	2	2	7	8	12	16	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.3	1	1	1	3	3	3	3	3
B. *Operated*	853	3.2	5	<1	1	2	5	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	25	2.8	12	<1	<1	1	3	6	10	17
B. *Operated*	925	5.0	12	1	1	5	7	8	10	16
1. SINGLE DX	856	3.2	5	<1	1	2	5	7	7	9
2. MULTIPLE DX	950	4.9	12	1	1	5	7	8	10	16
A. NOT OPERATED	28	2.8	11	<1	<1	1	3	6	9	17
B. OPERATED	1778	4.2	9	<1	1	3	6	7	9	14
TOTAL 0-19 YRS	11	3.0	4	1	1	2	3	7	7	7
20-34	882	3.4	6	<1	1	3	5	7	7	11
35-49	637	4.7	10	1	1	5	6	8	9	15
50-64	181	4.7	8	1	1	5	7	8	10	13
65+	95	6.1	22	1	2	6	8	10	14	29
GRAND TOTAL	**1806**	**4.1**	**9**	**<1**	**1**	**3**	**6**	**7**	**9**	**14**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	14.0		14	14	14	14	14	14	14
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	22	4.1	14	<1	1	3	5	8	12	17
35-49	59	3.6	9	<1	<1	3	5	7	8	17
50-64	96	3.9	13	<1	<1	3	4	8	12	19
65+	105	3.7	9	<1	<1	3	5	8	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	4.0		4	4	4	4	4	4	4
50-64	4	2.5	6	1	1	2	4	6	6	6
65+	3	9.3	72	1	1	9	16	18	18	18
B. *Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	28	5.9	12	2	2	5	8	11	13	15
35-49	88	5.5	19	1	1	5	7	11	13	22
50-64	186	6.4	31	1	1	5	8	12	16	28
65+	347	8.5	81	1	2	6	11	19	28	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	8.5	61	3	3	8	14	14	14	14
B. *Operated*	283	3.8	11	<1	<1	3	5	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	9	4.9	32	1	1	2	7	14	18	18
B. *Operated*	650	7.4	57	1	1	6	10	15	20	44
1. SINGLE DX	285	3.8	11	<1	<1	3	5	8	11	16
2. MULTIPLE DX	659	7.4	56	1	1	5	10	15	20	44
A. NOT OPERATED	11	5.5	33	1	1	3	8	16	18	18
B. OPERATED	933	6.3	46	<1	1	4	8	13	18	38
TOTAL 0-19 YRS	2	9.0	50	4	4	9	14	14	14	14
20-34	51	5.1	13	1	1	4	7	9	13	17
35-49	148	4.7	15	<1	1	4	6	10	12	20
50-64	287	5.5	26	<1	1	4	8	12	15	26
65+	456	7.4	69	1	1	5	10	17	23	51
GRAND TOTAL	**944**	**6.3**	**45**	**<1**	**1**	**4**	**8**	**13**	**18**	**37**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	2.6	6	<1	<1	2	3	5	9	12
20-34	19	3.7	14	1	1	2	5	8	12	16
35-49	32	3.8	46	<1	1	2	4	8	8	39
50-64	51	4.1	17	1	1	3	5	9	14	19
65+	36	3.7	31	<1	1	2	4	7	15	30
B. *Operated*										
0-19 YRS	112	4.0	17	<1	1	3	5	9	10	25
20-34	158	4.1	12	<1	1	3	6	9	11	15
35-49	159	4.0	18	<1	<1	2	6	8	11	22
50-64	262	4.2	16	<1	1	3	5	9	12	22
65+	297	4.3	19	<1	1	3	5	10	13	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	4.1	68	<1	<1	2	4	5	13	50
20-34	43	3.5	15	<1	1	2	3	9	13	18
35-49	70	5.1	55	<1	<1	3	6	10	16	49
50-64	163	6.5	83	1	1	4	8	13	18	42
65+	441	8.0	88	1	1	5	10	17	23	57
B. *Operated*										
0-19 YRS	76	7.9	75	1	2	5	9	19	23	47
20-34	153	7.9	118	1	2	5	8	14	28	83
35-49	204	8.4	128	1	2	6	8	14	27	86
50-64	444	7.8	71	1	2	6	10	15	20	50
65+	917	9.4	84	1	2	7	12	19	26	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	174	3.6	22	<1	1	2	4	8	11	27
B. *Operated*	988	4.1	17	<1	1	3	5	9	11	22
2. MULTIPLE DX										
A. *Not Operated*	754	6.9	81	1	1	4	9	15	21	50
B. *Operated*	1794	8.7	88	1	2	6	11	18	25	60
1. SINGLE DX	1162	4.1	18	<1	1	3	5	9	11	22
2. MULTIPLE DX	2548	8.2	87	1	1	6	10	17	24	56
A. NOT OPERATED	928	6.3	71	<1	1	4	8	14	19	46
B. OPERATED	2782	7.1	68	1	1	5	9	15	21	47
TOTAL 0-19 YRS	261	5.0	43	<1	1	3	5	10	15	44
20-34	373	5.6	60	<1	1	4	7	10	15	49
35-49	465	6.1	77	<1	1	4	7	11	16	56
50-64	920	6.3	57	1	1	4	8	13	18	32
65+	1691	8.0	76	1	1	5	11	18	24	49
GRAND TOTAL	**3710**	**6.9**	**69**	**1**	**1**	**4**	**9**	**15**	**20**	**46**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	2	3.0		3	3	3	3	3	3	3
65+	4	4.3	2	3	3	4	5	6	6	6
B. *Operated*										
0-19 YRS	5	3.6	1	2	2	4	4	5	5	5
20-34	88	3.7	2	2	2	4	4	5	5	8
35-49	176	3.6	2	1	2	4	4	5	5	7
50-64	163	3.9	2	2	2	4	5	6	6	9
65+	60	4.2	4	2	3	4	5	6	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	3	2.7	1	2	2	2	4	4	4	4
35-49	8	3.1	5	<1	<1	3	4	6	7	7
50-64	10	3.4	5	<1	<1	3	5	7	7	7
65+	31	7.6	28	1	1	7	11	15	20	21
B. *Operated*										
0-19 YRS	5	2.6		2	2	3	3	3	3	3
20-34	33	4.6	5	2	2	4	5	8	10	11
35-49	103	4.9	14	2	3	4	5	7	10	25
50-64	184	4.8	8	2	3	4	5	7	9	20
65+	134	6.9	30	3	3	5	8	15	24	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.7	5	<1	<1	3	5	7	8	8
B. *Operated*	492	3.8	2	2	2	4	5	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	53	5.8	23	<1	1	5	7	12	16	21
B. *Operated*	459	5.4	16	2	3	4	6	9	13	29
1. SINGLE DX	501	3.8	2	2	2	4	5	5	6	9
2. MULTIPLE DX	512	5.4	17	2	3	4	6	9	13	28
A. NOT OPERATED	62	5.5	21	<1	1	4	7	11	15	21
B. OPERATED	951	4.6	10	2	2	4	5	7	9	23
TOTAL 0-19 YRS	11	3.3	1	2	2	3	4	5	5	5
20-34	125	3.9	3	2	2	4	4	5	7	11
35-49	289	4.0	6	1	2	4	5	5	7	14
50-64	359	4.4	6	2	2	4	5	6	8	12
65+	229	6.3	24	2	3	5	7	12	18	44
GRAND TOTAL	**1013**	**4.6**	**10**	**2**	**2**	**4**	**5**	**7**	**10**	**22**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	4.4	6	<1	1	4	5	8	9	10
20-34	38	4.6	9	<1	1	4	6	8	10	14
35-49	21	5.1	15	1	1	4	6	13	14	14
50-64	17	6.2	12	2	2	6	9	11	12	12
65+	24	4.8	9	1	1	4	7	9	11	12
B. *Operated*										
0-19 YRS	23	3.7	2	1	2	4	5	5	6	7
20-34	79	4.7	20	2	3	4	5	6	10	32
35-49	86	4.2	4	2	3	4	5	6	7	13
50-64	57	3.7	2	1	2	3	5	6	7	7
65+	20	6.0	36	1	2	4	7	10	20	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	5.6	9	<1	2	5	7	9	11	14
20-34	59	5.1	9	1	2	5	7	9	10	13
35-49	96	6.4	12	2	2	6	9	11	13	16
50-64	118	8.1	61	2	2	6	10	14	20	46
65+	306	10.9	103	3	3	8	13	19	27	64
B. *Operated*										
0-19 YRS	9	6.0	47	1	2	4	5	17	24	24
20-34	62	5.2	5	3	3	5	6	8	9	15
35-49	58	5.4	18	2	3	4	7	8	12	28
50-64	76	7.7	58	2	2	5	9	15	28	36
65+	76	11.4	97	1	3	8	16	24	31	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	121	4.9	10	1	1	4	7	9	12	14
B. *Operated*	265	4.3	11	2	2	4	5	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	599	8.9	72	2	3	7	10	16	22	58
B. *Operated*	281	7.6	54	2	3	5	8	17	24	36
1. SINGLE DX	386	4.5	10	1	2	4	5	7	10	14
2. MULTIPLE DX	880	8.5	67	2	3	6	10	16	23	45
A. NOT OPERATED	720	8.2	64	2	2	6	10	15	20	49
B. OPERATED	546	6.0	36	2	3	4	6	11	18	33
TOTAL 0-19 YRS	73	4.7	11	1	1	4	5	8	9	22
20-34	238	4.9	11	2	2	4	6	8	10	14
35-49	261	5.3	11	2	2	4	7	9	12	17
50-64	268	6.9	47	2	2	5	8	13	19	35
65+	426	10.4	96	2	3	8	13	20	27	63
GRAND TOTAL	**1266**	**7.3**	**53**	**2**	**2**	**5**	**9**	**14**	**19**	**37**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	97	5.5	7	2	3	5	7	9	11	14
20-34	18	4.9	10	<1	1	5	6	10	13	13
35-49	13	5.8	35	1	1	4	7	11	22	24
50-64	12	6.5	52	<1	1	4	7	15	26	28
65+	7	7.9	6	4	5	7	9	12	12	12
B. *Operated*										
0-19 YRS	3	6.0	61	1	1	2	12	15	15	15
20-34	2	5.5	25	2	2	5	9	9	9	9
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	8.7	160	1	2	6	8	15	22	78
20-34	35	3.4	6	1	1	3	5	6	6	14
35-49	56	6.3	17	2	3	5	8	10	14	25
50-64	132	6.8	41	1	2	5	8	13	16	30
65+	112	7.2	44	2	3	5	9	13	22	66
B. *Operated*										
0-19 YRS	3	9.7	74	2	2	8	16	19	19	19
20-34	3	8.0	39	3	3	6	13	15	15	15
35-49	8	14.1	138	6	6	9	17	35	40	40
50-64	18	13.3	220	1	2	8	13	41	52	54
65+	20	10.6	46	1	2	12	15	24	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	147	5.6	13	1	2	5	7	9	12	24
B. *Operated*	8	4.9	24	1	1	2	7	13	15	15
2. MULTIPLE DX										
A. *Not Operated*	386	6.8	52	1	2	5	8	13	16	50
B. *Operated*	52	11.9	117	2	2	9	15	24	47	99
1. SINGLE DX	155	5.6	14	1	2	5	7	9	12	24
2. MULTIPLE DX	438	7.4	62	1	2	5	9	14	21	54
A. NOT OPERATED	533	6.5	42	1	2	5	7	12	15	35
B. OPERATED	60	11.0	110	1	2	9	14	23	44	95
TOTAL 0-19 YRS	154	6.6	61	1	2	5	7	11	15	52
20-34	58	4.2	10	1	1	4	5	6	13	15
35-49	78	6.9	36	2	2	6	8	11	20	36
50-64	163	7.5	64	1	2	6	9	14	21	53
65+	140	7.7	43	2	3	6	10	15	24	99+
GRAND TOTAL	**593**	**6.9**	**50**	**1**	**2**	**5**	**8**	**13**	**17**	**51**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	503	4.0	8	1	1	3	5	8	9	14
20-34	350	4.6	9	1	2	4	6	9	11	15
35-49	127	5.5	10	2	2	5	8	9	11	18
50-64	80	6.4	12	2	2	6	9	11	12	16
65+	67	7.4	16	2	2	7	10	14	15	18
B. *Operated*										
0-19 YRS	3	5.7	6	3	3	6	7	8	8	8
20-34	4	8.8	11	4	4	10	11	11	11	11
35-49	1	4.0		4	4	4	4	4	4	4
50-64	2	11.5	5	10	10	11	13	13	13	13
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	526	4.9	25	1	2	4	6	9	11	26
20-34	701	5.8	33	1	2	5	7	10	13	35
35-49	522	7.0	27	2	2	6	9	13	16	27
50-64	488	8.9	43	3	3	8	11	17	19	38
65+	822	11.5	83	3	4	9	14	21	28	63
B. *Operated*										
0-19 YRS	22	10.0	113	3	3	7	11	17	34	53
20-34	55	15.4	251	3	4	10	16	43	61	99
35-49	74	17.1	266	4	5	11	20	49	57	67
50-64	84	21.5	302	4	6	17	26	46	59	90
65+	127	23.9	290	6	8	18	36	53	73	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1127	4.7	10	1	2	4	6	9	11	15
B. *Operated*	10	7.9	12	3	3	8	11	12	13	13
2. MULTIPLE DX										
A. *Not Operated*	3059	7.9	52	2	2	6	10	15	20	43
B. *Operated*	362	19.8	285	4	5	14	25	48	61	99+
1. SINGLE DX	1137	4.7	10	1	2	4	6	9	11	15
2. MULTIPLE DX	3421	9.2	90	2	2	7	11	18	26	61
A. NOT OPERATED	4186	7.0	43	1	2	5	9	13	18	36
B. OPERATED	372	19.5	282	4	5	14	24	47	61	99+
TOTAL 0-19 YRS	1054	4.6	19	1	1	3	6	8	10	19
20-34	1110	5.9	41	1	2	4	7	11	14	40
35-49	724	7.8	59	2	2	6	9	14	20	51
50-64	654	10.2	91	2	3	8	12	19	26	60
65+	1016	12.8	122	3	4	10	15	25	37	87
GRAND TOTAL	**4558**	**8.1**	**74**	**2**	**2**	**6**	**10**	**16**	**22**	**55**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	342	5.0	8	1	2	5	7	9	10	16
20-34	295	5.0	9	1	2	4	6	8	11	16
35-49	358	5.2	9	1	2	5	7	9	11	16
50-64	475	5.8	11	2	2	5	7	10	12	19
65+	346	6.3	12	2	3	6	8	11	13	19
B. *Operated*										
0-19 YRS	4	2.8	2	2	2	2	4	5	5	5
20-34	27	3.3	7	1	1	3	4	5	10	13
35-49	40	4.8	39	1	1	2	4	14	18	31
50-64	98	4.5	27	1	1	2	4	13	17	25
65+	114	3.6	29	1	1	2	3	7	15	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	293	6.9	80	1	2	5	8	13	22	88
20-34	870	6.2	31	2	2	5	8	12	14	28
35-49	1778	6.9	23	2	3	6	8	12	15	25
50-64	3867	8.0	35	2	3	7	10	14	18	33
65+	5667	9.7	74	3	3	8	11	17	24	56
B. *Operated*										
0-19 YRS	22	14.8	510	1	2	5	12	46	67	95
20-34	201	11.0	167	2	2	7	14	26	37	91
35-49	646	15.9	236	2	3	11	20	38	49	93
50-64	1762	18.1	281	2	4	13	24	41	58	98
65+	2633	20.4	311	2	4	16	28	50	73	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1816	5.5	10	2	2	5	7	10	11	17
B. *Operated*	283	4.1	27	1	1	2	3	10	16	26
2. MULTIPLE DX										
A. *Not Operated*	12475	8.5	53	2	3	7	10	15	20	43
B. *Operated*	5264	18.7	292	2	3	14	25	45	65	99+
1. SINGLE DX	2099	5.3	13	1	2	5	7	10	12	18
2. MULTIPLE DX	17739	11.5	146	2	3	8	13	25	37	85
A. NOT OPERATED	14291	8.1	49	2	3	7	10	14	19	40
B. OPERATED	5547	18.0	289	2	3	13	24	43	63	99+
TOTAL 0-19 YRS	661	6.2	59	1	2	5	7	11	14	75
20-34	1393	6.6	49	2	2	5	8	12	17	37
35-49	2822	8.7	86	2	2	6	10	16	24	53
50-64	6202	10.7	125	2	3	7	12	22	32	70
65+	8760	12.7	169	2	3	9	15	28	43	99+
GRAND TOTAL	**19838**	**10.9**	**136**	**2**	**3**	**7**	**12**	**23**	**35**	**81**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	11	2.5	3	<1	<1	2	4	5	6	6
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	13	3.8	8	1	1	3	5	7	10	11
20-34	69	3.7	6	<1	<1	3	5	6	8	12
35-49	9	3.6	5	<1	1	2	5	7	8	8
50-64										
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	12	4.2	12	1	1	3	7	10	10	10
35-49	2	6.0	18	3	3	6	9	9	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	17	2.8	4	<1	<1	2	5	6	7	7
20-34	170	3.8	8	<1	1	3	5	7	7	16
35-49	31	4.1	6	1	1	4	6	7	8	9
50-64	2	7.5	5	6	6	7	9	9	9	9
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.4	3	<1	<1	2	3	5	6	6
B. *Operated*	92	3.7	6	<1	1	3	5	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	15	4.3	11	1	1	3	7	10	10	10
B. *Operated*	220	3.8	8	<1	1	3	6	7	8	14
1. SINGLE DX	105	3.6	6	<1	1	3	5	6	8	12
2. MULTIPLE DX	235	3.9	8	<1	1	3	6	7	9	13
A. NOT OPERATED	28	3.4	8	1	1	2	5	9	10	10
B. OPERATED	312	3.8	7	<1	1	3	5	7	8	13
TOTAL 0-19 YRS	33	3.1	5	<1	1	2	5	6	7	11
20-34	262	3.8	7	<1	1	3	5	7	8	13
35-49	42	4.0	6	<1	1	4	6	8	8	9
50-64	2	7.5	5	6	6	7	9	9	9	9
65+	1	6.0		6	6	6	6	6	6	6
GRAND TOTAL	**340**	**3.8**	**7**	**<1**	**1**	**3**	**5**	**7**	**8**	**12**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	149	2.1	4	<1	1	1	2	5	7	9
20-34	41	3.2	3	<1	1	3	5	5	6	6
35-49	49	3.1	4	<1	1	3	5	5	6	11
50-64	41	4.0	9	1	1	4	5	7	9	16
65+	40	4.1	8	1	1	3	5	8	9	14
B. *Operated*										
0-19 YRS	9	8.0	36	<1	1	10	12	16	18	18
20-34	12	4.2	5	2	2	4	5	8	8	8
35-49	19	5.9	13	2	3	4	9	11	13	15
50-64	20	3.9	2	2	2	4	5	6	7	8
65+	11	5.7	3	3	3	5	7	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	183	2.8	7	<1	1	2	3	5	8	15
20-34	247	4.3	18	1	1	3	5	9	13	20
35-49	334	6.2	54	1	2	5	8	12	15	49
50-64	560	6.4	39	1	1	5	8	12	17	36
65+	1423	7.9	65	2	2	6	10	15	20	45
B. *Operated*										
0-19 YRS	14	12.1	458	1	1	6	12	26	71	84
20-34	38	8.2	40	2	3	7	11	17	23	29
35-49	88	11.7	107	2	3	9	14	26	36	51
50-64	135	12.8	219	3	3	8	15	32	50	99+
65+	184	16.5	253	3	4	11	21	41	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	320	2.9	6	<1	1	2	4	6	7	13
B. *Operated*	71	5.3	11	2	2	4	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	2747	6.7	52	1	1	5	8	14	19	36
B. *Operated*	459	13.6	208	2	3	9	17	31	51	99+
1. SINGLE DX	391	3.3	7	<1	1	3	5	7	8	14
2. MULTIPLE DX	3206	7.7	81	1	2	5	9	16	22	55
A. NOT OPERATED	3067	6.3	49	1	1	4	8	13	18	35
B. OPERATED	530	12.5	190	2	3	8	15	29	43	99+
TOTAL 0-19 YRS	355	3.0	27	<1	1	2	3	6	10	16
20-34	338	4.6	20	1	1	3	5	10	13	25
35-49	490	6.9	63	1	1	5	8	14	21	43
50-64	756	7.3	75	1	2	5	8	15	21	51
65+	1658	8.7	92	2	2	6	10	18	26	65
GRAND TOTAL	**3597**	**7.2**	**74**	**1**	**1**	**5**	**8**	**15**	**21**	**52**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	11.6	37	5	5	11	16	20	20	20
20-34	1	5.0		5	5	5	5	5	5	5
35-49	3	20.0	592	4	4	8	38	48	48	48
50-64	3	12.3	20	8	8	12	16	17	17	17
65+	2	5.5	13	3	3	5	8	8	8	8
B. *Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	3	4.3	4	2	2	5	6	6	6	6
50-64	1	3.0		3	3	3	3	3	3	3
65+	3	6.0	7	3	3	7	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	19.4	393	3	3	11	34	68	99+	99+
20-34	12	13.3	367	3	3	6	13	35	67	72
35-49	24	8.5	31	3	3	7	11	19	44	99+
50-64	57	14.2	175	2	3	11	18	25	45	73
65+	296	11.8	108	2	3	9	14	26	36	99+
B. *Operated*										
0-19 YRS	5	12.0	63	5	5	8	18	24	24	24
20-34	13	17.5	293	<1	1	13	24	48	54	55
35-49	12	19.1	149	4	5	18	26	38	41	42
50-64	40	16.2	192	2	3	11	23	30	45	67
65+	181	14.3	125	3	4	11	19	31	46	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	12.2	132	3	4	8	15	23	42	48
B. *Operated*	8	5.0	5	2	2	5	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	415	12.4	141	2	3	9	14	28	41	99+
B. *Operated*	251	14.9	144	2	3	11	20	32	46	99+
1. SINGLE DX	22	9.6	96	2	3	7	11	18	31	48
2. MULTIPLE DX	666	13.4	143	2	3	10	18	29	45	99+
A. NOT OPERATED	429	12.4	140	3	3	9	15	27	41	99+
B. OPERATED	259	14.6	142	2	3	11	20	31	46	99+
TOTAL 0-19 YRS	36	17.3	304	3	4	11	27	58	89	99+
20-34	27	14.7	302	1	3	7	20	42	58	72
35-49	42	12.1	117	3	4	8	16	29	44	99+
50-64	101	14.9	176	2	3	11	19	27	43	71
65+	482	12.7	115	3	3	10	17	27	40	99+
GRAND TOTAL	**688**	**13.3**	**142**	**2**	**3**	**10**	**18**	**29**	**45**	**99+**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	147	12.2	33	2	6	11	15	18	22	30
20-34	78	11.6	28	3	5	11	14	19	23	25
35-49	3	15.7	22	12	12	14	19	21	21	21
50-64										
65+										
B. *Operated*										
0-19 YRS	3	18.3	136	8	8	16	27	31	31	31
20-34	2	12.5	13	10	10	12	15	15	15	15
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	213	12.2	86	2	3	11	14	20	28	61
20-34	189	14.1	82	5	6	13	17	22	25	56
35-49	11	16.0	60	6	7	16	22	27	30	30
50-64										
65+										
B. *Operated*										
0-19 YRS	31	22.1	356	3	4	16	29	43	75	81
20-34	23	18.2	146	5	8	15	25	40	45	46
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	228	12.0	31	2	6	11	14	19	22	29
B. *Operated*	6	13.7	98	2	3	12	16	29	31	31
2. MULTIPLE DX										
A. *Not Operated*	413	13.2	84	3	4	12	16	21	26	61
B. *Operated*	54	20.4	266	3	6	15	27	40	52	81
1. SINGLE DX	234	12.1	33	2	6	11	15	19	22	30
2. MULTIPLE DX	467	14.0	110	3	4	12	16	23	31	63
A. NOT OPERATED	641	12.8	66	3	5	12	15	21	24	43
B. OPERATED	60	19.7	251	3	5	15	27	37	50	80
TOTAL 0-19 YRS	334	13.0	94	2	4	11	15	21	29	62
20-34	292	13.7	74	4	6	13	16	22	26	46
35-49	15	15.0	59	3	6	15	20	25	29	30
50-64										
65+										
GRAND TOTAL	**701**	**13.4**	**85**	**3**	**5**	**12**	**16**	**22**	**28**	**57**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	7.5	106	2	2	3	8	26	28	28
20-34	3	12.0	91	6	6	7	19	23	23	23
35-49	4	3.5	11	<1	<1	2	6	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	5	6.2	1	5	5	6	7	8	8	8
20-34	145	6.9	5	5	5	6	8	10	11	15
35-49	119	6.7	4	5	5	6	8	10	11	12
50-64	20	7.8	4	5	5	7	9	11	12	13
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	27.9	1205	<1	1	8	47	93	98	99
20-34	19	5.9	67	<1	<1	1	7	19	26	30
35-49	36	4.3	34	<1	<1	2	5	10	15	30
50-64	19	9.0	70	1	1	7	14	17	27	36
65+	4	12.5	48	3	3	14	17	19	19	19
B. *Operated*										
0-19 YRS	13	15.0	253	5	5	8	15	41	56	60
20-34	244	8.0	13	5	5	7	8	12	16	24
35-49	407	9.0	55	5	5	7	9	13	18	42
50-64	98	9.2	28	5	6	8	9	13	18	38
65+	1	15.0		15	15	15	15	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	7.3	73	<1	1	4	8	24	27	28
B. *Operated*	289	6.9	4	5	5	6	8	10	11	14
2. MULTIPLE DX										
A. *Not Operated*	99	10.8	368	<1	<1	4	11	27	54	99
B. *Operated*	763	8.8	42	5	5	7	9	13	17	38
1. SINGLE DX	302	6.9	7	4	5	6	8	10	11	17
2. MULTIPLE DX	862	9.0	79	3	5	7	9	14	19	50
A. NOT OPERATED	112	10.4	334	<1	<1	4	10	24	41	98
B. OPERATED	1052	8.3	32	5	5	7	9	12	15	27
TOTAL 0-19 YRS	45	19.0	708	1	2	7	15	63	92	99
20-34	411	7.5	13	5	5	7	8	11	15	23
35-49	566	8.2	44	3	5	7	9	12	16	37
50-64	137	8.9	30	5	5	8	9	13	17	37
65+	5	13.0	38	3	3	15	17	19	19	19
GRAND TOTAL	**1164**	**8.5**	**62**	**4**	**5**	**7**	**9**	**12**	**17**	**40**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	287	2.2	39	<1	<1	<1	2	4	5	19
20-34	93	4.5	39	<1	<1	1	5	13	19	33
35-49	39	5.5	30	<1	<1	3	8	15	18	21
50-64	36	3.9	23	<1	<1	1	5	8	15	23
65+	34	3.3	8	<1	<1	2	4	7	9	14
B. *Operated*										
0-19 YRS	36	5.3	37	1	1	3	6	8	19	32
20-34	115	3.7	42	<1	1	2	4	7	9	40
35-49	108	3.0	14	<1	1	2	3	6	10	21
50-64	42	3.2	17	<1	<1	2	3	6	15	20
65+	11	5.2	10	<1	1	6	7	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	204	3.7	38	<1	<1	2	4	8	11	36
20-34	236	9.4	98	1	1	6	13	22	33	62
35-49	238	9.7	116	1	1	6	12	22	33	62
50-64	183	7.9	38	1	2	7	10	16	19	37
65+	324	9.5	99	1	2	7	12	19	28	60
B. *Operated*										
0-19 YRS	41	14.2	303	1	2	11	19	72	99+	99+
20-34	233	18.0	323	1	1	14	27	42	61	99+
35-49	239	16.9	332	1	2	10	25	46	66	99+
50-64	155	10.2	108	1	2	7	13	25	30	60
65+	127	14.0	154	1	2	11	18	30	43	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	489	3.1	36	<1	<1	1	3	6	12	22
B. *Operated*	312	3.6	27	<1	1	2	4	7	10	28
2. MULTIPLE DX										
A. *Not Operated*	1185	8.3	87	<1	1	6	10	18	26	55
B. *Operated*	795	15.3	263	1	2	10	22	39	55	99+
1. SINGLE DX	801	3.3	33	<1	<1	1	3	7	11	23
2. MULTIPLE DX	1980	11.1	169	<1	1	7	14	27	41	81
A. NOT OPERATED	1674	6.8	77	<1	<1	4	8	16	22	48
B. OPERATED	1107	12.0	224	1	1	6	16	31	47	98
TOTAL 0-19 YRS	568	3.8	66	<1	<1	1	3	8	16	67
20-34	677	10.7	190	<1	1	5	14	29	41	88
35-49	624	11.1	202	1	1	6	13	28	43	78
50-64	416	8.0	66	<1	1	6	11	18	25	47
65+	496	10.1	112	1	2	7	13	22	30	61
GRAND TOTAL	**2781**	**8.9**	**142**	**<1**	**<1**	**5**	**11**	**22**	**33**	**76**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	2.9	4	1	1	2	4	6	6	6
35-49	22	3.4	4	<1	1	3	4	6	8	9
50-64	20	4.6	10	<1	1	4	6	10	11	12
65+	28	6.3	19	2	2	5	10	14	15	15
B. *Operated*										
0-19 YRS										
20-34	3	1.3		<1	<1	<1	2	2	2	2
35-49	3	3.0	7	1	1	2	5	6	6	6
50-64	5	3.0	1	2	2	3	4	4	4	4
65+	11	4.2	12	<1	<1	3	6	9	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	13	3.9	5	2	2	3	4	8	10	10
35-49	42	6.2	22	1	2	5	9	12	15	24
50-64	114	6.7	76	2	2	5	8	12	16	44
65+	261	7.5	46	2	2	6	9	14	18	42
B. *Operated*										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49	11	3.8	7	1	1	4	4	7	11	11
50-64	26	11.8	119	2	2	8	15	31	36	43
65+	61	12.1	114	2	3	9	18	29	46	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	4.7	13	1	1	4	6	10	12	15
B. *Operated*	22	3.4	8	<1	<1	3	4	6	9	13
2. MULTIPLE DX										
A. *Not Operated*	430	7.0	51	2	2	5	8	13	17	39
B. *Operated*	99	11.1	108	2	2	8	15	27	35	99+
1. SINGLE DX	99	4.4	12	<1	1	3	5	10	12	15
2. MULTIPLE DX	529	7.8	64	2	2	6	9	15	21	65
A. NOT OPERATED	507	6.7	46	2	2	5	8	13	16	35
B. OPERATED	121	9.7	98	1	2	7	13	23	33	99+
TOTAL 0-19 YRS										
20-34	24	3.5	6	<1	1	3	5	7	9	10
35-49	78	4.9	16	1	1	4	6	11	13	22
50-64	165	7.1	77	2	2	5	8	15	18	42
65+	361	8.1	58	2	2	6	10	16	24	66
GRAND TOTAL	**628**	**7.3**	**57**	**2**	**2**	**5**	**9**	**14**	**19**	**47**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	2.5	2	<1	1	2	3	4	5	7
20-34	26	3.1	6	<1	1	2	4	7	8	10
35-49	22	2.6	3	<1	1	2	4	5	6	7
50-64	30	5.4	29	1	1	3	9	11	18	24
65+	92	6.3	38	<1	1	5	8	12	18	36
B. *Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1226	3.3	11	1	1	2	4	5	7	16
20-34	518	3.8	10	1	1	3	5	7	9	18
35-49	578	5.3	36	1	1	4	7	10	15	27
50-64	1250	6.4	30	2	2	5	8	12	16	31
65+	6185	9.5	102	2	3	7	11	18	29	73
B. *Operated*										
0-19 YRS	23	18.4	498	1	2	10	19	61	70	82
20-34	34	7.3	64	1	2	4	7	16	28	37
35-49	68	8.6	70	1	1	7	10	16	22	51
50-64	149	13.8	210	2	3	10	16	32	52	84
65+	696	19.0	291	4	6	14	24	47	85	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	233	4.4	23	<1	1	3	5	9	12	24
B. *Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. *Not Operated*	9757	7.8	78	1	2	5	9	15	23	59
B. *Operated*	970	17.1	272	2	4	13	21	43	72	99+
1. SINGLE DX	234	4.4	23	<1	1	3	5	9	12	24
2. MULTIPLE DX	10727	8.6	103	2	2	6	10	18	28	75
A. NOT OPERATED	9990	7.7	77	1	2	5	9	15	22	58
B. OPERATED	971	17.0	272	2	4	13	21	43	72	99+
TOTAL 0-19 YRS	1312	3.5	23	1	1	3	4	6	8	19
20-34	579	4.0	13	1	1	3	5	7	10	18
35-49	668	5.6	39	1	1	4	7	10	16	30
50-64	1429	7.1	54	2	2	5	8	14	20	45
65+	6973	10.4	128	2	3	7	12	21	35	93
GRAND TOTAL	**10961**	**8.5**	**101**	**1**	**2**	**6**	**10**	**18**	**28**	**75**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	3.4	5	<1	1	3	5	6	8	10
20-34	14	3.1	3	<1	1	3	4	6	6	6
35-49	24	3.3	4	<1	<1	3	5	6	7	8
50-64	25	4.1	11	<1	1	3	5	8	12	14
65+	50	3.3	5	<1	<1	3	5	6	6	11
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	6	4.7	5	2	2	5	7	7	7	7
35-49	12	4.5	7	1	2	4	7	8	9	9
50-64	7	5.4	14	2	2	4	7	12	13	13
65+	22	6.3	17	2	2	5	9	12	15	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	5.5	53	<1	1	4	6	9	12	48
20-34	58	4.2	5	1	2	4	5	7	9	10
35-49	143	5.0	17	1	1	4	7	10	12	21
50-64	238	5.2	18	1	1	4	7	10	13	21
65+	1530	7.1	49	1	2	6	9	13	18	56
B. *Operated*										
0-19 YRS	10	7.4	27	3	3	5	8	16	18	18
20-34	26	6.3	14	2	3	5	9	11	13	19
35-49	79	7.5	26	2	2	6	10	14	16	28
50-64	126	9.8	63	3	3	8	11	15	23	48
65+	583	10.9	77	3	4	9	13	19	26	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	140	3.4	6	<1	1	3	5	6	8	12
B. *Operated*	48	5.5	12	2	2	4	7	11	13	17
2. MULTIPLE DX										
A. *Not Operated*	2011	6.6	43	1	2	5	8	12	16	44
B. *Operated*	824	10.2	69	2	3	8	13	18	25	56
1. SINGLE DX	188	4.0	8	<1	1	3	5	8	10	14
2. MULTIPLE DX	2835	7.7	53	1	2	6	9	14	19	49
A. NOT OPERATED	2151	6.4	41	1	2	5	8	12	16	41
B. OPERATED	872	10.0	67	2	3	8	12	17	24	54
TOTAL 0-19 YRS	80	5.0	34	<1	1	4	6	8	12	39
20-34	104	4.6	8	1	2	4	6	8	10	15
35-49	258	5.6	20	1	1	5	7	11	14	21
50-64	396	6.6	37	1	2	5	8	12	16	31
65+	2185	8.0	58	1	2	6	10	15	21	57
GRAND TOTAL	**3023**	**7.4**	**51**	**1**	**2**	**6**	**9**	**14**	**19**	**48**

342 Hospitals, Northeastern Region, January-December 1985

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	427	4.2	6	1	1	4	6	8	9	12
20-34	415	5.2	13	1	2	4	7	9	12	19
35-49	87	6.6	16	2	3	6	8	13	14	21
50-64	11	6.0	10	4	4	5	6	11	15	15
65+										
B. *Operated*										
0-19 YRS										
20-34	3	6.3	17	3	3	5	9	11	11	11
35-49										
50-64										
65+	1	20.0		20	20	20	20	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	293	5.9	30	1	2	5	8	11	14	28
20-34	441	7.4	23	2	3	6	9	13	16	25
35-49	193	9.2	50	2	3	7	11	17	20	42
50-64	46	11.3	75	2	3	9	15	21	28	42
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	8	17.5	67	8	9	16	21	30	34	34
20-34	31	21.0	415	3	5	15	21	45	73	94
35-49	22	15.9	238	3	5	11	16	47	52	57
50-64	4	8.3	34	2	2	7	12	16	16	16
65+	2	57.0	3528	15	15	57	99	99	99	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	940	4.9	11	1	2	4	6	9	11	17
B. *Operated*	4	9.8	58	3	3	8	15	20	20	20
2. MULTIPLE DX										
A. *Not Operated*	975	7.5	35	2	2	6	9	14	18	30
B. *Operated*	67	19.2	382	3	5	13	21	45	60	98
1. SINGLE DX	944	4.9	11	1	2	4	6	9	11	17
2. MULTIPLE DX	1042	8.3	65	2	2	6	10	15	20	45
A. NOT OPERATED	1915	6.2	25	1	2	5	8	11	15	24
B. OPERATED	71	18.7	368	3	4	13	21	44	57	98
TOTAL 0-19 YRS	728	5.1	19	1	2	4	6	9	11	20
20-34	890	6.9	40	1	2	5	8	12	16	27
35-49	302	9.0	58	2	3	7	11	16	21	48
50-64	61	10.1	64	2	3	7	13	19	25	42
65+	5	27.6	1657	1	1	15	40	99	99	99+
GRAND TOTAL	**1986**	**6.7**	**42**	**1**	**2**	**5**	**8**	**12**	**16**	**30**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	256	1.6	2	<1	<1	1	1	3	5	7
20-34	47	2.3	4	<1	<1	1	3	6	6	8
35-49	30	4.1	13	1	1	2	5	9	12	16
50-64	50	3.9	11	<1	<1	3	6	9	10	13
65+	252	2.9	8	<1	1	2	3	6	8	14
B. *Operated*										
0-19 YRS	22	4.9	16	<1	1	4	7	9	14	18
20-34	13	7.1	35	2	2	5	9	18	20	20
35-49	19	6.1	19	<1	1	5	9	12	15	17
50-64	27	7.3	17	1	2	7	10	13	16	17
65+	60	6.7	34	2	2	5	8	14	16	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	239	3.0	13	<1	<1	1	4	8	11	17
20-34	135	4.1	22	<1	<1	2	5	10	14	24
35-49	280	4.5	22	1	1	3	6	11	14	25
50-64	677	5.1	30	1	1	3	7	11	15	27
65+	2769	6.3	54	1	1	4	8	14	19	42
B. *Operated*										
0-19 YRS	56	9.3	112	<1	2	6	11	16	29	64
20-34	46	9.8	52	2	4	8	12	15	18	49
35-49	117	9.7	75	2	2	8	12	18	32	44
50-64	254	12.0	133	2	3	9	14	25	33	78
65+	999	12.6	125	3	4	10	15	25	35	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	635	2.5	6	<1	<1	1	3	5	8	12
B. *Operated*	141	6.5	26	1	2	5	8	13	17	22
2. MULTIPLE DX										
A. *Not Operated*	4100	5.7	45	1	1	4	7	13	17	38
B. *Operated*	1472	12.0	120	2	3	9	14	24	33	77
1. SINGLE DX	776	3.2	12	<1	<1	2	4	7	10	17
2. MULTIPLE DX	5572	7.4	73	1	1	5	9	16	23	54
A. NOT OPERATED	4735	5.3	41	<1	1	3	7	12	16	36
B. OPERATED	1613	11.6	115	2	3	9	14	23	31	74
TOTAL 0-19 YRS	573	3.0	23	<1	<1	1	3	7	11	22
20-34	241	5.0	31	<1	<1	3	7	12	15	23
35-49	446	5.9	40	1	1	4	8	12	17	36
50-64	1008	6.8	63	1	1	5	9	14	21	45
65+	4080	7.6	77	1	1	5	10	16	23	60
GRAND TOTAL	**6348**	**6.9**	**67**	**<1**	**1**	**4**	**9**	**15**	**21**	**48**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	3.3	6	<1	<1	3	4	7	8	11
20-34	5	2.4	1	1	1	3	3	3	3	3
35-49	9	4.1	87	<1	<1	<1	1	18	29	29
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	4.1	11	1	1	3	6	9	14	99
20-34	17	4.5	6	1	1	4	7	8	9	9
35-49	3	5.7	41	1	1	3	10	13	13	13
50-64	2	10.0	8	8	8	10	12	12	12	12
65+	4	9.0	8	7	7	8	11	13	13	13
B. *Operated*										
0-19 YRS	4	6.8	13	4	4	5	9	12	12	12
20-34	5	11.4	15	7	7	10	15	16	16	16
35-49	2	9.5	61	4	4	9	15	15	15	15
50-64	1	16.0		16	16	16	16	16	16	16
65+	1	7.0		7	7	7	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	3.3	23	<1	<1	2	3	7	9	29
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	76	4.7	12	1	1	3	7	10	13	77
B. *Operated*	13	9.7	21	4	4	9	15	16	16	16
1. SINGLE DX	38	3.3	23	<1	<1	2	3	7	9	29
2. MULTIPLE DX	89	5.4	17	1	1	4	7	13	15	66
A. NOT OPERATED	114	4.2	16	<1	1	3	6	9	13	54
B. OPERATED	13	9.7	21	4	4	9	15	16	16	16
TOTAL 0-19 YRS	78	4.0	10	<1	1	3	5	9	12	76
20-34	27	5.4	15	1	1	4	7	10	15	16
35-49	14	5.2	68	<1	<1	1	4	16	26	29
50-64	3	12.0	16	8	8	12	15	16	16	16
65+	5	8.6	7	7	7	7	10	13	13	13
GRAND TOTAL	**127**	**4.8**	**19**	**<1**	**1**	**3**	**7**	**11**	**15**	**45**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	318	2.5	6	<1	<1	1	3	5	7	11
20-34	35	4.1	9	<1	<1	3	6	7	8	15
35-49	31	3.8	9	1	1	3	5	9	10	12
50-64	25	3.6	8	<1	1	3	5	7	10	12
65+	43	3.7	16	<1	1	2	4	10	14	15
B. *Operated*										
0-19 YRS	97	5.9	23	<1	1	5	7	12	16	24
20-34	80	7.6	39	3	3	7	8	10	17	43
35-49	48	6.2	13	1	2	6	8	10	13	19
50-64	32	7.3	17	<1	2	7	10	12	15	19
65+	39	7.9	60	2	2	6	10	13	18	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	263	4.6	15	<1	1	4	6	9	12	20
20-34	160	6.2	40	1	2	5	7	12	15	40
35-49	179	6.4	34	1	2	5	8	12	15	36
50-64	321	6.7	27	1	2	6	9	13	15	25
65+	789	7.4	58	1	2	5	9	15	22	38
B. *Operated*										
0-19 YRS	85	8.6	108	1	2	5	9	17	29	61
20-34	137	9.7	67	2	3	7	12	19	27	40
35-49	150	11.5	129	2	4	8	14	23	33	72
50-64	206	12.5	91	3	4	10	16	24	32	52
65+	470	14.3	159	3	5	11	17	27	38	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	452	2.9	8	<1	<1	2	4	7	9	14
B. *Operated*	296	6.8	30	1	2	6	8	12	15	24
2. MULTIPLE DX										
A. *Not Operated*	1712	6.6	42	1	1	5	8	13	17	36
B. *Operated*	1048	12.5	128	2	3	9	15	24	33	71
1. SINGLE DX	748	4.5	20	<1	<1	3	6	9	12	21
2. MULTIPLE DX	2760	8.8	83	1	2	6	11	18	26	54
A. NOT OPERATED	2164	5.9	37	<1	1	4	7	12	15	33
B. OPERATED	1344	11.2	112	2	3	8	14	22	31	64
TOTAL 0-19 YRS	763	4.3	26	<1	<1	3	6	9	12	24
20-34	412	7.5	49	1	2	6	8	14	18	40
35-49	408	8.1	72	1	2	6	9	15	20	61
50-64	584	8.6	57	1	2	7	11	17	22	40
65+	1341	9.7	103	1	2	7	12	20	28	59
GRAND TOTAL	**3508**	**7.9**	**73**	**1**	**1**	**6**	**10**	**16**	**23**	**49**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	572	1.8	1	1	1	2	2	3	4	5
20-34	135	2.1	2	1	1	2	2	4	4	8
35-49	39	2.8	4	1	1	2	4	5	8	9
50-64	9	1.9	1	1	1	2	3	3	3	3
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	213	3.8	2	2	2	4	4	6	7	10
20-34	98	4.3	3	2	3	4	5	7	7	10
35-49	8	3.5	4	1	1	3	5	6	7	7
50-64	1	9.0		9	9	9	9	9	9	9
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	303	2.4	2	1	1	2	3	4	5	10
20-34	108	2.5	2	1	1	2	3	5	5	7
35-49	19	3.6	5	<1	1	3	6	7	8	8
50-64	11	4.8	7	1	2	5	7	9	9	9
65+	2	9.0	50	4	4	9	14	14	14	14
B. *Operated*										
0-19 YRS	107	4.9	7	2	3	4	6	8	9	18
20-34	59	6.1	10	3	4	5	6	11	13	17
35-49	8	6.0	6	4	4	5	7	10	11	11
50-64	4	8.8	3	7	7	8	10	11	11	11
65+	1	11.0		11	11	11	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	756	1.9	1	1	1	2	2	3	4	6
B. *Operated*	320	4.0	3	2	2	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	443	2.6	3	1	1	2	3	5	6	10
B. *Operated*	179	5.4	9	2	3	5	6	9	11	17
1. SINGLE DX	1076	2.5	3	1	1	2	3	4	5	9
2. MULTIPLE DX	622	3.4	6	1	1	3	4	6	8	13
A. NOT OPERATED	1199	2.2	2	1	1	2	3	4	5	8
B. OPERATED	499	4.5	5	2	3	4	5	7	9	13
TOTAL 0-19 YRS	1195	2.6	3	1	1	2	3	5	6	9
20-34	400	3.4	5	1	1	3	4	6	7	11
35-49	74	3.4	5	1	1	3	5	7	8	11
50-64	25	4.6	10	1	1	3	8	9	10	11
65+	4	8.0	29	3	3	7	12	14	14	14
GRAND TOTAL	**1698**	**2.8**	**4**	**1**	**1**	**2**	**4**	**5**	**7**	**11**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	119	4.8	8	1	2	4	6	8	10	15
20-34	9	4.3	30	1	1	2	5	14	18	18
35-49	6	4.2	4	1	1	4	5	7	7	7
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	66	3.4	20	<1	<1	2	4	9	12	23
20-34	68	1.8	2	<1	<1	2	2	3	3	8
35-49	46	2.4	4	<1	<1	2	3	5	7	11
50-64	17	3.2	27	<1	<1	2	3	4	16	23
65+	10	2.1	2	<1	<1	2	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	79	4.8	8	1	1	4	6	9	11	13
20-34	12	8.8	231	1	1	4	8	24	51	56
35-49	4	2.0	2	<1	<1	1	3	4	4	4
50-64	5	2.0	1	<1	<1	2	3	3	3	3
65+	6	9.2	52	2	2	7	12	21	22	22
B. *Operated*										
0-19 YRS	38	3.9	11	<1	1	3	6	9	11	13
20-34	38	4.1	23	<1	<1	2	5	10	16	21
35-49	24	7.5	60	1	2	5	10	19	28	29
50-64	30	5.3	35	1	2	3	6	11	14	31
65+	25	8.2	108	<1	1	4	9	17	32	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	135	4.7	9	1	2	4	6	8	10	18
B. *Operated*	207	2.6	10	<1	<1	2	3	5	8	21
2. MULTIPLE DX										
A. *Not Operated*	106	5.3	36	1	1	4	6	10	11	37
B. *Operated*	155	5.5	43	<1	1	3	7	12	18	31
1. SINGLE DX	342	3.4	11	<1	<1	2	4	7	9	18
2. MULTIPLE DX	261	5.4	40	<1	1	4	7	11	14	31
A. NOT OPERATED	241	4.9	21	1	1	4	6	9	11	19
B. OPERATED	362	3.8	26	<1	<1	2	4	9	13	27
TOTAL 0-19 YRS	302	4.4	11	<1	1	4	6	9	11	18
20-34	127	3.3	34	<1	<1	2	3	7	10	29
35-49	80	4.1	26	<1	<1	2	5	8	14	28
50-64	53	4.2	29	<1	<1	2	4	8	14	31
65+	41	6.8	79	<1	1	4	8	15	24	49
GRAND TOTAL	**603**	**4.3**	**25**	**<1**	**<1**	**3**	**5**	**9**	**12**	**25**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	11.4	315	1	1	5	32	85	99+	99+
20-34	28	13.8	107	1	1	12	23	27	30	32
35-49	14	15.2	289	1	2	12	16	27	60	70
50-64	18	15.3	155	1	2	19	28	35	71	99+
65+	27	13.9	139	2	2	11	23	38	49	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	11.4	135	1	1	7	19	29	34	36
20-34	74	20.3	319	1	3	16	26	43	61	86
35-49	39	16.6	338	1	2	14	23	47	72	99+
50-64	85	14.1	276	2	2	9	18	28	35	93
65+	302	12.8	192	2	2	8	16	31	44	76
B. *Operated*										
0-19 YRS										
20-34	5	15.8	489	1	1	7	20	55	55	55
35-49	3	19.7	430	1	1	16	35	42	42	42
50-64	6	11.3	43	5	5	9	17	21	21	21
65+	36	19.4	418	1	2	13	31	71	89	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	94	14.1	160	1	2	12	23	33	48	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	516	14.4	238	2	2	9	19	33	46	87
B. *Operated*	50	18.1	368	1	1	10	27	59	74	99+
1. SINGLE DX	94	14.1	160	1	2	12	23	33	48	99+
2. MULTIPLE DX	566	14.7	250	1	2	9	20	35	53	87
A. NOT OPERATED	610	14.3	226	1	2	9	20	33	46	90
B. OPERATED	50	18.1	368	1	1	10	27	59	74	99+
TOTAL 0-19 YRS	23	11.4	178	1	1	6	19	37	65	99+
20-34	107	18.4	274	1	2	14	26	36	55	84
35-49	56	16.4	318	1	2	14	21	42	66	99
50-64	109	14.2	242	2	2	10	19	30	35	98
65+	365	13.6	212	2	2	8	18	34	48	96
GRAND TOTAL	**660**	**14.6**	**237**	**1**	**2**	**9**	**20**	**35**	**52**	**99**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	138	2.1	3	1	1	2	2	4	5	9
20-34	89	4.3	38	1	1	3	4	9	18	34
35-49	42	7.5	139	<1	1	4	7	17	31	63
50-64	38	14.2	176	1	2	9	20	33	45	51
65+	216	15.8	325	1	2	10	21	40	67	99+
B. *Operated*										
0-19 YRS	1	46.0		46	46	46	46	46	46	46
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+	4	20.8	1081	2	2	5	38	70	70	70
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	139	7.6	187	1	1	4	7	28	90	99+
20-34	322	7.5	61	1	2	6	8	13	23	45
35-49	257	8.8	90	2	2	6	9	19	29	48
50-64	240	12.6	175	2	3	9	17	29	53	99+
65+	1775	17.0	315	2	3	11	23	53	89	99+
B. *Operated*										
0-19 YRS	7	10.4	148	1	1	28	99+	99+	99+	99+
20-34	18	13.6	507	<1	1	6	77	99+	99+	99+
35-49	10	5.7	30	1	1	4	7	14	20	20
50-64	27	19.4	601	2	2	11	30	84	99+	99+
65+	218	25.8	451	4	6	23	48	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	523	9.4	202	1	1	4	11	26	40	95
B. *Operated*	6	21.7	853	1	1	5	46	68	70	70
2. MULTIPLE DX										
A. *Not Operated*	2733	14.3	261	2	3	9	19	42	70	99+
B. *Operated*	280	23.3	469	2	4	19	45	99+	99+	99+
1. SINGLE DX	529	9.6	210	1	1	4	11	26	43	95
2. MULTIPLE DX	3013	15.1	287	2	3	9	20	48	87	99+
A. NOT OPERATED	3256	13.5	254	1	2	8	18	39	66	99+
B. OPERATED	286	23.2	474	2	3	19	45	99+	99+	99+
TOTAL 0-19 YRS	285	5.1	109	1	1	2	5	16	69	99+
20-34	430	7.1	77	1	1	5	8	14	26	99+
35-49	309	8.5	95	1	2	6	9	17	28	52
50-64	305	13.4	214	2	2	9	18	32	54	99+
65+	2213	17.8	337	2	3	12	25	56	98	99+
GRAND TOTAL	**3542**	**14.3**	**279**	**1**	**2**	**8**	**19**	**45**	**79**	**99+**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	15	11.7	160	3	3	6	12	32	44	48
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	18.5	85	12	12	18	25	25	25	25
50-64	14	17.7	403	1	2	9	19	49	64	68
65+	215	16.6	302	2	3	12	23	58	99+	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	20	22.4	475	4	5	16	31	92	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	11.1	155	2	3	6	12	31	43	48
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	231	16.7	305	2	3	12	23	57	99+	99+
B. *Operated*	20	22.4	475	4	5	16	31	92	99+	99+
1. SINGLE DX	16	11.1	155	2	3	6	12	31	43	48
2. MULTIPLE DX	251	17.2	319	2	4	12	24	58	99+	99+
A. NOT OPERATED	247	16.3	296	2	3	11	22	55	98	99+
B. OPERATED	20	22.4	475	4	5	16	31	92	99+	99+
TOTAL 0-19 YRS										
20-34										
35-49	2	18.5	85	12	12	18	25	25	25	25
50-64	15	16.7	390	1	2	8	19	47	63	68
65+	250	16.8	309	3	3	12	23	57	99+	99+
GRAND TOTAL	**267**	**16.8**	**310**	**2**	**3**	**12**	**23**	**57**	**99+**	**99+**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.2	8	<1	<1	2	4	8	8	8
20-34	74	4.1	15	1	1	3	5	7	7	27
35-49	85	5.6	72	1	1	4	6	9	10	59
50-64	44	5.6	21	1	2	4	6	12	15	24
65+	18	10.2	154	2	3	5	9	29	42	50
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	6.1	16	1	2	6	8	13	14	16
20-34	701	5.6	16	2	2	5	5	9	11	23
35-49	1025	6.0	27	2	2	5	6	10	13	30
50-64	730	7.5	65	2	2	5	8	14	20	59
65+	270	11.5	159	2	3	8	14	25	35	82
B. *Operated*										
0-19 YRS										
20-34	8	4.6	7	1	1	4	6	9	9	9
35-49	35	14.9	295	2	3	8	15	34	61	76
50-64	30	12.6	175	1	3	8	18	46	95	99+
65+	32	24.4	450	5	6	18	31	70	85	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	226	5.4	50	1	2	4	6	9	12	39
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	2749	6.8	50	2	2	5	7	12	18	42
B. *Operated*	105	16.4	315	2	4	10	20	47	76	99+
1. SINGLE DX	226	5.4	50	1	2	4	6	9	12	39
2. MULTIPLE DX	2854	7.2	63	2	2	5	7	13	19	55
A. NOT OPERATED	2975	6.7	50	2	2	5	7	12	17	42
B. OPERATED	105	16.4	315	2	4	10	20	47	76	99+
TOTAL 0-19 YRS	28	5.6	16	1	1	5	8	12	14	16
20-34	783	5.4	16	1	2	5	5	9	11	25
35-49	1145	6.2	40	2	2	5	6	10	15	35
50-64	804	7.6	67	2	2	5	8	15	22	70
65+	320	12.7	202	2	3	8	15	27	51	90
GRAND TOTAL	**3080**	**7.0**	**62**	**2**	**2**	**5**	**7**	**13**	**19**	**52**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	8.5	178	<1	<1	2	7	35	38	39
20-34	29	6.2	41	1	1	4	7	14	24	26
35-49	10	3.6	10	<1	<1	3	4	8	12	12
50-64	4	9.8	168	2	2	4	17	29	29	29
65+	9	7.3	44	1	1	4	13	17	19	19
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	12.0	312	<1	1	5	14	36	65	99+
20-34	319	9.1	64	2	3	8	12	16	20	37
35-49	118	9.1	76	1	2	7	11	17	20	55
50-64	66	8.4	50	1	2	7	11	15	25	35
65+	170	9.4	62	2	2	7	12	20	25	55
B. *Operated*										
0-19 YRS										
20-34	6	20.7	123	9	10	16	27	39	40	40
35-49										
50-64	6	6.5	10	3	3	6	9	11	11	11
65+	12	27.6	535	<1	2	16	44	66	69	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	6.6	67	1	1	4	7	17	27	38
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	720	9.3	80	1	2	7	12	18	23	54
B. *Operated*	24	20.6	362	2	3	15	30	46	66	69
1. SINGLE DX	64	6.6	67	1	1	4	7	17	27	38
2. MULTIPLE DX	744	9.7	93	1	2	7	12	18	25	62
A. NOT OPERATED	784	9.1	79	1	2	7	12	18	23	49
B. OPERATED	24	20.6	362	2	3	15	30	46	66	69
TOTAL 0-19 YRS	59	11.3	283	<1	1	5	13	36	53	99+
20-34	354	9.1	65	1	2	7	11	17	21	37
35-49	128	8.6	73	1	2	7	11	17	20	54
50-64	76	8.3	51	1	2	7	10	15	25	34
65+	191	10.5	108	2	2	8	13	20	32	67
GRAND TOTAL	**808**	**9.4**	**91**	**1**	**2**	**7**	**12**	**18**	**25**	**61**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	25.1	313	5	7	22	31	48	63	87
20-34	924	19.0	234	2	4	16	25	41	52	82
35-49	446	19.3	231	2	3	16	26	38	50	70
50-64	154	18.8	156	2	4	17	25	36	49	98
65+	54	20.5	184	2	4	19	28	38	55	98
B. *Operated*										
0-19 YRS										
20-34	1	10.0		10	10	10	10	10	10	10
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	23.3	329	3	4	18	30	53	66	99+
20-34	555	19.7	264	2	4	17	25	42	56	92
35-49	374	20.4	252	4	5	17	28	39	55	82
50-64	210	22.5	243	4	7	19	29	45	62	93
65+	112	24.1	282	6	7	21	29	53	73	99+
B. *Operated*										
0-19 YRS	1	25.0		25	25	25	25	25	25	25
20-34	21	22.2	437	5	6	17	26	47	74	95
35-49	14	28.2	498	4	7	23	30	53	83	92
50-64	12	29.2	330	7	10	27	30	57	73	76
65+	13	24.1	140	11	12	24	59	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1651	19.4	229	2	4	16	26	40	51	81
B. *Operated*	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	1298	20.9	262	3	5	18	28	43	59	92
B. *Operated*	61	25.4	351	6	7	23	31	76	99+	99+
1. SINGLE DX	1652	19.4	229	2	4	16	26	40	51	81
2. MULTIPLE DX	1359	21.1	267	3	5	18	28	43	61	99+
A. NOT OPERATED	2949	20.0	244	2	4	17	27	41	54	85
B. OPERATED	62	25.2	349	6	7	23	31	74	99+	99+
TOTAL 0-19 YRS	121	24.4	315	3	7	21	31	50	63	92
20-34	1501	19.3	247	2	4	16	25	41	54	87
35-49	834	19.9	245	2	4	17	26	39	51	79
50-64	376	21.2	214	3	6	19	28	41	51	96
65+	179	23.0	243	4	7	21	30	53	81	99+
GRAND TOTAL	**3011**	**20.1**	**247**	**2**	**4**	**17**	**27**	**42**	**55**	**90**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	23.6	365	4	5	19	34	51	66	76
20-34	84	14.1	102	2	3	12	19	25	29	55
35-49	17	9.4	57	2	2	7	10	24	27	28
50-64	7	13.7	33	5	6	14	17	21	22	22
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	25.3	386	6	7	19	32	54	57	94
20-34	48	21.3	220	3	4	19	29	44	52	61
35-49	24	17.3	157	1	2	17	25	32	41	52
50-64	11	19.6	449	6	7	13	18	49	78	81
65+	5	18.4	145	9	9	15	23	39	39	39
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	3	43.7	529	21	21	43	61	67	67	67
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	147	16.0	184	2	4	12	21	32	46	67
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	118	21.2	266	3	6	18	28	43	54	85
B. *Operated*	4	34.8	671	8	8	32	55	67	67	67
1. SINGLE DX	147	16.0	184	2	4	12	21	32	46	67
2. MULTIPLE DX	122	21.7	280	3	6	18	28	45	55	85
A. NOT OPERATED	265	18.3	226	2	4	14	23	38	52	75
B. OPERATED	4	34.8	671	8	8	32	55	67	67	67
TOTAL 0-19 YRS	70	24.1	368	5	6	19	33	53	64	90
20-34	135	17.3	176	2	3	14	22	35	49	62
35-49	41	14.0	129	1	2	9	22	28	34	52
50-64	18	17.3	285	5	6	14	18	25	59	81
65+	5	18.4	145	9	9	15	23	39	39	39
GRAND TOTAL	**269**	**18.6**	**234**	**2**	**4**	**14**	**23**	**38**	**53**	**74**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	133	23.4	371	1	3	18	32	54	64	99+
20-34	1296	18.4	241	1	3	15	25	38	51	80
35-49	732	17.9	206	2	3	15	24	35	44	72
50-64	313	19.6	194	2	3	17	27	36	48	64
65+	117	21.0	269	2	4	16	27	44	52	77
B. *Operated*										
0-19 YRS										
20-34	2	23.5	365	10	10	23	37	37	37	37
35-49										
50-64	1	30.0		30	30	30	30	30	30	30
65+	1	31.0		31	31	31	31	31	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	98	22.6	396	1	3	18	37	53	79	99+
20-34	1111	20.7	302	2	4	17	28	46	63	98
35-49	709	19.6	208	3	5	16	27	40	50	99+
50-64	491	21.9	251	3	6	19	28	46	56	90
65+	225	24.0	390	3	6	19	34	57	81	99+
B. *Operated*										
0-19 YRS	3	44.3	1182	23	23	55	92	99+	99+	99+
20-34	36	27.6	313	8	10	23	37	60	73	99+
35-49	19	38.8	520	11	13	36	61	82	92	99+
50-64	31	31.5	365	11	14	29	42	75	99	99+
65+	15	41.1	300	15	22	41	54	74	92	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2591	18.8	235	2	3	15	25	38	50	78
B. *Operated*	4	27.0	138	10	10	31	53	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	2634	21.0	279	3	5	17	28	46	60	99+
B. *Operated*	104	33.3	398	11	12	30	49	75	99+	99+
1. SINGLE DX	2595	18.8	235	2	3	15	25	38	50	79
2. MULTIPLE DX	2738	21.5	289	3	5	18	29	46	62	99+
A. NOT OPERATED	5225	19.9	258	2	4	16	27	42	55	92
B. OPERATED	108	33.0	388	10	12	31	48	77	99+	99+
TOTAL 0-19 YRS	234	23.3	391	2	3	19	35	55	76	99+
20-34	2445	19.6	272	2	3	16	26	42	56	91
35-49	1460	19.0	217	2	4	16	26	38	49	92
50-64	836	21.4	238	3	5	18	28	43	56	90
65+	358	23.7	359	3	6	19	33	53	76	99+
GRAND TOTAL	**5333**	**20.2**	**264**	**2**	**4**	**17**	**27**	**42**	**56**	**95**

193: Nongastric peptic ulcer with hemorrhage or perforation (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	3.9	7	1	1	3	5	7	10	12
20-34	135	4.3	5	1	2	4	5	7	9	11
35-49	163	4.5	4	2	2	4	6	7	9	11
50-64	210	4.6	4	2	2	4	6	7	8	13
65+	166	5.8	20	2	3	5	7	9	11	32
B. *Operated*										
0-19 YRS	3	3.3	4	1	1	4	5	5	5	5
20-34	46	7.8	9	3	4	7	8	12	13	16
35-49	66	9.0	19	3	5	9	10	14	18	26
50-64	89	9.4	28	3	4	9	11	15	19	32
65+	75	10.0	38	3	5	8	12	17	21	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	4.4	4	1	2	4	6	7	8	8
20-34	171	4.9	8	2	2	4	6	8	11	16
35-49	348	5.3	9	2	3	4	6	9	11	17
50-64	648	6.6	20	2	3	6	8	11	14	26
65+	1674	8.3	44	3	3	7	10	14	18	39
B. *Operated*										
0-19 YRS	2	10.5	13	8	8	10	13	13	13	13
20-34	66	9.9	43	3	3	8	12	19	22	36
35-49	142	11.1	66	3	4	9	14	20	29	55
50-64	326	13.8	164	4	5	11	16	24	37	89
65+	875	16.3	173	5	6	13	20	33	45	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	693	4.8	9	2	2	4	6	8	9	14
B. *Operated*	279	9.2	26	3	4	8	11	15	18	28
2. MULTIPLE DX										
A. *Not Operated*	2858	7.3	34	2	3	6	9	13	16	32
B. *Operated*	1411	14.9	157	4	5	11	18	29	40	91
1. SINGLE DX	972	6.0	17	2	2	5	7	10	13	21
2. MULTIPLE DX	4269	9.8	87	3	3	7	11	19	26	61
A. NOT OPERATED	3551	6.8	30	2	3	6	8	12	15	30
B. OPERATED	1690	14.0	140	4	5	10	17	26	37	80
TOTAL 0-19 YRS	41	4.4	7	1	1	4	6	8	10	13
20-34	418	5.8	17	2	2	5	7	10	13	21
35-49	719	6.6	26	2	3	5	8	12	15	28
50-64	1273	8.3	66	2	3	6	10	15	20	47
65+	2790	10.7	97	3	4	8	13	20	30	65
GRAND TOTAL	**5241**	**9.1**	**76**	**2**	**3**	**7**	**11**	**17**	**23**	**55**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	8	3.4	2	2	2	3	4	5	5	5
35-49	11	5.5	12	<1	<1	5	7	10	13	13
50-64	10	5.3	5	3	3	5	6	9	9	9
65+	14	6.6	10	2	3	6	8	11	13	14
B. *Operated*										
0-19 YRS										
20-34	6	9.8	36	1	2	9	13	18	19	19
35-49	17	10.4	40	2	2	10	15	20	21	22
50-64	26	12.5	36	5	6	12	16	22	23	25
65+	29	12.2	64	2	3	10	16	20	31	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	9	3.6	4	1	1	4	5	6	7	7
35-49	27	6.6	14	2	2	6	9	11	14	17
50-64	49	7.0	14	2	4	6	9	12	14	19
65+	132	8.4	67	2	3	7	9	14	17	35
B. *Operated*										
0-19 YRS										
20-34	12	15.5	386	2	3	9	14	40	70	75
35-49	54	16.7	142	5	6	14	20	35	47	50
50-64	90	15.1	106	4	5	12	19	32	40	79
65+	226	20.2	275	4	6	16	26	44	66	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	5.4	8	1	2	5	7	9	11	14
B. *Operated*	78	11.7	47	2	3	10	16	20	23	35
2. MULTIPLE DX										
A. *Not Operated*	217	7.7	47	2	3	7	9	13	17	24
B. *Operated*	382	18.4	223	4	6	14	24	38	51	99+
1. SINGLE DX	123	9.4	42	2	2	8	13	18	21	33
2. MULTIPLE DX	599	14.5	186	3	4	10	18	31	46	98
A. NOT OPERATED	262	7.3	41	2	3	6	9	13	16	24
B. OPERATED	460	17.2	199	3	6	14	22	35	49	99+
TOTAL 0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	35	8.7	162	1	2	5	10	14	23	75
35-49	109	12.1	103	2	3	10	15	23	35	49
50-64	175	11.9	78	4	4	10	15	23	32	50
65+	401	15.3	214	3	4	11	19	32	49	99+
GRAND TOTAL	**722**	**13.6**	**165**	**2**	**4**	**10**	**17**	**28**	**40**	**94**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	287	2.4	3	1	1	2	3	4	5	8
20-34	462	2.8	3	<1	1	2	4	5	6	9
35-49	349	3.2	5	<1	1	3	4	6	8	10
50-64	223	3.4	5	<1	1	3	4	6	8	11
65+	135	3.7	10	<1	1	3	4	6	10	17
B. *Operated*										
0-19 YRS	5	5.6	11	3	3	5	7	11	11	11
20-34	35	5.0	13	<1	<1	4	6	10	12	16
35-49	49	5.2	31	<1	<1	4	7	12	16	29
50-64	55	4.7	19	<1	<1	3	7	10	14	21
65+	46	5.8	143	<1	<1	3	7	9	11	82
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	639	2.8	3	1	1	2	3	5	6	10
20-34	1109	4.1	12	1	1	3	5	7	9	18
35-49	1280	4.9	17	1	2	4	6	8	11	23
50-64	1487	5.2	14	1	2	4	6	9	11	20
65+	2657	6.7	31	2	2	5	8	12	15	30
B. *Operated*										
0-19 YRS	26	4.3	6	<1	1	4	6	8	9	10
20-34	160	7.6	58	1	2	6	9	13	19	46
35-49	277	8.1	39	2	2	6	9	17	20	34
50-64	429	9.2	99	2	3	6	11	16	29	78
65+	890	10.9	93	2	3	8	13	21	29	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1456	3.0	5	<1	1	2	4	6	7	11
B. *Operated*	190	5.2	50	<1	<1	4	7	10	13	26
2. MULTIPLE DX										
A. *Not Operated*	7172	5.3	21	1	2	4	7	10	13	23
B. *Operated*	1782	9.6	83	2	3	7	11	19	27	51
1. SINGLE DX	1646	3.2	10	<1	1	3	4	6	8	13
2. MULTIPLE DX	8954	6.2	36	1	2	5	7	11	16	32
A. NOT OPERATED	8628	4.9	19	1	1	4	6	9	12	22
B. OPERATED	1972	9.2	82	1	2	7	11	18	26	50
TOTAL 0-19 YRS	957	2.7	3	1	1	2	3	5	6	10
20-34	1766	4.1	15	1	1	3	5	8	10	19
35-49	1955	5.1	20	1	1	4	6	9	13	24
50-64	2194	5.8	33	1	2	4	7	10	14	29
65+	3728	7.6	50	2	2	6	9	14	19	39
GRAND TOTAL	**10600**	**5.7**	**33**	**1**	**2**	**4**	**7**	**11**	**15**	**30**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	2.5	3	1	1	2	3	5	6	7
20-34	51	3.3	7	<1	<1	3	4	6	8	14
35-49	41	3.2	9	<1	<1	2	4	6	8	18
50-64	44	3.9	10	<1	1	3	5	7	10	15
65+	30	4.2	24	<1	<1	2	4	12	18	18
B. *Operated*										
0-19 YRS	32	4.1	5	1	2	4	5	6	9	13
20-34	12	9.3	133	<1	<1	6	10	28	38	40
35-49	11	9.0	34	<1	<1	10	11	18	19	19
50-64	11	11.6	81	2	2	10	13	27	31	31
65+	13	8.2	40	<1	<1	10	12	17	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	105	3.9	11	1	2	3	5	7	9	20
20-34	141	4.5	12	1	1	3	6	9	13	16
35-49	158	4.7	18	1	1	4	6	9	11	14
50-64	221	5.0	17	1	2	4	6	9	11	24
65+	418	7.6	62	1	2	5	9	15	20	58
B. *Operated*										
0-19 YRS	24	8.0	45	1	2	6	11	16	21	29
20-34	45	13.3	114	3	4	10	16	29	43	47
35-49	68	14.5	104	3	5	12	19	31	37	48
50-64	133	13.3	111	2	3	11	17	27	34	55
65+	223	17.6	234	3	4	14	21	40	50	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	198	3.4	10	<1	<1	3	4	7	9	18
B. *Operated*	79	7.3	50	<1	<1	5	10	16	21	37
2. MULTIPLE DX										
A. *Not Operated*	1043	5.8	36	1	2	4	7	11	15	33
B. *Operated*	493	15.1	168	2	4	12	19	32	43	74
1. SINGLE DX	277	4.5	24	<1	<1	3	5	10	15	24
2. MULTIPLE DX	1536	8.8	97	1	2	6	11	19	28	58
A. NOT OPERATED	1241	5.4	32	1	1	4	7	11	14	29
B. OPERATED	572	14.1	159	2	3	11	18	31	42	72
TOTAL 0-19 YRS	193	4.2	15	1	1	3	5	8	11	23
20-34	249	6.1	47	1	1	4	7	14	17	43
35-49	278	7.1	57	1	1	4	9	16	21	41
50-64	409	7.7	64	1	2	5	10	17	23	38
65+	684	10.7	139	1	2	7	13	23	35	74
GRAND TOTAL	**1813**	**8.1**	**88**	**1**	**2**	**5**	**10**	**18**	**26**	**50**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	2.6	3	1	1	2	4	5	6	9
20-34	42	2.5	2	<1	1	2	4	4	5	6
35-49	16	2.4	1	1	1	2	3	4	5	6
50-64	8	4.4	7	2	2	4	5	9	10	10
65+	2	7.0	8	5	5	7	9	9	9	9
B. *Operated*										
0-19 YRS	3675	3.6	2	2	2	3	4	5	6	9
20-34	2580	3.9	2	2	2	4	5	6	7	9
35-49	767	4.5	5	2	3	4	5	7	8	12
50-64	284	5.3	5	3	3	5	6	8	10	12
65+	94	6.0	6	3	4	5	7	9	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	2.2	4	<1	1	1	3	4	6	12
20-34	36	3.7	11	<1	1	3	4	8	10	18
35-49	9	4.1	7	1	1	3	6	8	9	9
50-64	10	5.1	8	1	1	5	7	9	10	10
65+	7	6.0	14	3	3	5	8	12	13	13
B. *Operated*										
0-19 YRS	655	5.0	7	2	3	4	6	8	10	15
20-34	646	5.4	8	3	3	5	6	9	11	17
35-49	283	6.2	11	3	3	5	7	10	13	18
50-64	208	7.1	14	3	3	6	9	11	14	21
65+	131	9.4	42	4	4	8	12	15	22	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	137	2.7	3	1	1	2	4	5	6	9
B. *Operated*	7400	3.9	3	2	2	4	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	108	3.4	9	1	1	3	4	7	9	15
B. *Operated*	1923	5.8	13	3	3	5	7	10	12	19
1. SINGLE DX	7537	3.9	3	2	2	4	4	6	7	10
2. MULTIPLE DX	2031	5.7	13	2	3	5	7	10	12	19
A. NOT OPERATED	245	3.0	6	1	1	2	4	6	8	12
B. OPERATED	9323	4.3	6	2	2	4	5	7	8	13
TOTAL 0-19 YRS	4445	3.8	3	2	2	3	4	6	7	11
20-34	3304	4.2	4	2	2	4	5	6	8	12
35-49	1075	4.9	7	2	3	4	6	8	10	15
50-64	510	6.0	10	3	3	5	7	10	11	19
65+	234	7.9	29	3	4	7	9	13	16	27
GRAND TOTAL	**9568**	**4.3**	**6**	**2**	**2**	**4**	**5**	**7**	**8**	**13**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	8.2	18	2	3	8	11	13	16	20
20-34	11	6.6	29	1	1	6	8	16	18	18
35-49	9	7.2	5	5	5	7	9	10	11	11
50-64	9	9.1	22	2	3	9	13	15	16	16
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	795	7.0	10	3	3	7	9	11	13	16
20-34	471	6.6	8	3	3	6	8	10	11	16
35-49	301	7.6	10	3	4	7	9	11	13	18
50-64	201	8.7	13	4	5	8	10	13	16	21
65+	82	8.9	9	5	6	8	10	13	15	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	9.4	57	1	2	8	10	22	25	25
20-34	4	6.8	6	4	4	6	8	10	10	10
35-49	9	9.7	19	1	3	9	13	15	16	16
50-64	11	8.6	17	2	3	9	11	14	15	15
65+	16	10.8	32	3	3	11	15	17	21	23
B. *Operated*										
0-19 YRS	530	9.7	30	4	5	9	11	16	20	26
20-34	351	10.1	36	4	5	8	12	17	24	34
35-49	313	11.1	59	4	5	9	13	18	22	37
50-64	389	12.4	47	6	6	10	15	20	25	34
65+	375	14.7	80	6	7	12	18	26	33	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	7.9	18	2	2	7	11	14	16	20
B. *Operated*	1850	7.2	10	3	4	7	9	11	13	18
2. MULTIPLE DX										
A. *Not Operated*	47	9.5	27	2	3	9	13	16	18	25
B. *Operated*	1958	11.5	52	4	5	10	14	20	25	38
1. SINGLE DX	1904	7.3	11	3	4	7	9	11	13	18
2. MULTIPLE DX	2005	11.4	51	4	5	10	14	20	25	38
A. NOT OPERATED	101	8.6	23	2	3	8	11	15	17	24
B. OPERATED	3808	9.4	36	3	4	8	11	16	20	33
TOTAL 0-19 YRS	1356	8.1	20	3	4	7	10	13	15	24
20-34	837	8.1	23	3	4	7	9	13	17	28
35-49	632	9.3	37	4	4	8	11	15	18	31
50-64	610	11.1	38	5	6	9	13	18	22	32
65+	474	13.6	71	6	6	11	16	24	30	58
GRAND TOTAL	**3909**	**9.4**	**36**	**3**	**4**	**8**	**11**	**16**	**20**	**32**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	1.9	1	<1	1	1	3	4	4	5
20-34	36	2.3	3	1	1	2	3	4	6	8
35-49	14	4.2	8	1	1	4	6	8	10	10
50-64	2	2.5	5	<1	<1	2	4	4	4	4
65+	2	5.0	8	3	3	5	7	7	7	7
B. *Operated*										
0-19 YRS	172	3.8	3	2	2	3	4	6	7	10
20-34	114	4.5	6	1	2	4	5	8	8	14
35-49	31	5.4	6	3	3	5	6	8	10	14
50-64	16	6.3	11	2	3	5	7	13	14	14
65+	3	5.7	21	3	3	3	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	3.3	7	1	1	3	4	7	10	11
20-34	25	2.8	3	<1	1	2	4	5	6	8
35-49	9	2.4	2	1	1	3	3	4	4	4
50-64	12	9.1	74	1	2	6	13	21	30	31
65+	8	4.9	12	1	1	4	6	10	12	12
B. *Operated*										
0-19 YRS	81	4.5	3	2	3	4	5	7	9	10
20-34	81	5.9	11	3	3	5	7	10	14	17
35-49	40	7.4	27	3	4	6	9	11	20	28
50-64	23	8.6	34	2	3	7	11	18	21	27
65+	11	9.5	38	4	4	7	13	19	24	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	97	2.4	4	1	1	2	3	5	7	9
B. *Operated*	336	4.3	5	2	2	4	5	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	77	4.1	20	1	1	3	5	8	12	27
B. *Operated*	236	6.1	16	2	3	5	7	10	14	25
1. SINGLE DX	433	3.9	5	1	1	3	5	7	8	13
2. MULTIPLE DX	313	5.6	18	1	2	5	7	10	14	26
A. NOT OPERATED	174	3.2	12	1	1	2	4	6	8	17
B. OPERATED	572	5.0	10	2	2	4	6	8	10	18
TOTAL 0-19 YRS	319	3.7	4	1	1	3	4	6	8	10
20-34	256	4.5	8	1	1	4	6	8	10	16
35-49	94	5.8	17	1	2	5	7	10	12	26
50-64	53	7.8	36	2	2	6	10	16	18	31
65+	24	7.1	27	2	3	6	8	14	17	25
GRAND TOTAL	**746**	**4.6**	**11**	**1**	**2**	**4**	**5**	**8**	**10**	**18**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	1.4		<1	<1	1	2	2	2	2
20-34	11	1.8	1	<1	<1	1	3	4	4	4
35-49	16	2.1	2	1	1	2	3	4	5	5
50-64	16	1.8	2	<1	1	1	2	3	5	6
65+	22	1.7	1	<1	<1	1	3	4	4	5
B. *Operated*										
0-19 YRS	2422	1.6	1	<1	<1	1	2	3	3	5
20-34	2671	2.5	1	1	1	2	3	4	5	6
35-49	2548	2.9	2	1	1	3	4	4	5	7
50-64	3575	3.1	3	1	1	3	4	5	6	8
65+	2468	3.3	4	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	139	1.5	7	<1	<1	<1	1	2	3	19
20-34	52	1.3	1	<1	<1	1	1	2	3	5
35-49	41	2.8	8	<1	<1	1	4	7	8	12
50-64	81	2.5	15	<1	<1	1	2	5	7	26
65+	133	3.9	17	<1	1	2	5	9	14	37
B. *Operated*										
0-19 YRS	1415	1.7	1	<1	<1	1	2	3	4	7
20-34	1042	3.1	5	1	1	3	4	5	6	11
35-49	1629	3.4	4	1	1	3	4	5	7	12
50-64	3644	3.8	8	1	2	3	4	6	8	13
65+	4880	4.9	20	1	2	4	6	8	11	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	1.7	1	<1	<1	1	2	3	4	6
B. *Operated*	13684	2.7	3	<1	1	3	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	446	2.5	12	<1	<1	1	2	6	8	19
B. *Operated*	12610	3.9	12	1	1	3	5	7	9	16
1. SINGLE DX	13765	2.7	3	<1	1	3	3	4	5	7
2. MULTIPLE DX	13056	3.8	12	1	1	3	5	7	9	16
A. NOT OPERATED	527	2.4	10	<1	<1	1	2	5	8	19
B. OPERATED	26294	3.3	8	<1	1	3	4	5	7	13
TOTAL 0-19 YRS	3992	1.6	1	<1	<1	1	2	3	3	6
20-34	3776	2.7	3	1	1	3	3	4	5	8
35-49	4234	3.0	3	1	1	3	4	5	6	9
50-64	7316	3.4	6	1	1	3	4	5	7	11
65+	7503	4.4	15	1	2	4	5	7	10	18
GRAND TOTAL	**26821**	**3.3**	**8**	**<1**	**1**	**3**	**4**	**5**	**7**	**13**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.3	1	<1	<1	1	1	3	4	4
20-34	4	2.3	4	1	1	2	3	5	5	5
35-49	3	3.0	12	<1	<1	<1	5	7	7	7
50-64	2	5.0	8	3	3	5	7	7	7	7
65+	8	2.6	5	1	1	2	4	6	6	6
B. *Operated*										
0-19 YRS	268	1.7	1	<1	1	1	2	3	4	6
20-34	145	3.0	2	1	1	3	4	5	5	9
35-49	125	3.3	2	1	2	3	4	5	6	8
50-64	179	4.0	6	1	2	4	5	6	7	13
65+	250	4.8	8	1	2	4	6	8	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	3.9	33	<1	1	2	3	10	19	22
20-34	3	6.0	31	1	1	5	10	12	12	12
35-49	1	2.0		2	2	2	2	2	2	2
50-64	[illegible]	4.8	9	1	2	4	6	9	11	11
65+	59	6.1	78	1	1	4	7	12	17	61
B. *Operated*										
0-19 YRS	211	2.5	5	<1	1	2	3	5	7	13
20-34	55	4.2	18	2	2	3	4	7	9	31
35-49	100	4.7	12	1	2	4	6	9	11	19
50-64	289	6.3	34	2	2	5	7	11	16	30
65+	1040	8.4	67	2	3	6	10	17	22	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	2.3	4	<1	<1	1	3	6	7	7
B. *Operated*	967	3.3	6	1	1	3	4	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	89	5.5	59	1	1	3	7	11	16	48
B. *Operated*	1695	7.0	53	1	2	5	8	14	20	37
1. SINGLE DX	994	3.3	6	1	1	3	4	6	7	13
2. MULTIPLE DX	1784	6.9	53	1	2	5	8	14	19	37
A. NOT OPERATED	116	4.8	48	<1	1	3	6	9	13	37
B. OPERATED	2662	5.7	39	1	1	4	7	11	16	32
TOTAL 0-19 YRS	504	2.1	4	<1	1	2	2	4	5	11
20-34	207	3.3	7	1	1	3	4	5	6	11
35-49	229	3.9	7	1	2	3	5	7	9	13
50-64	481	5.4	24	2	2	4	6	9	13	24
65+	1357	7.6	58	2	3	5	9	15	20	42
GRAND TOTAL	**2778**	**5.6**	**39**	**1**	**1**	**4**	**7**	**11**	**16**	**32**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	5.0		5	5	5	5	5	5	5
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	304	1.6	1	<1	<1	2	2	3	3	5
20-34	144	2.6	2	1	1	2	3	4	5	7
35-49	221	2.6	2	<1	1	2	3	4	5	6
50-64	175	2.9	2	1	1	3	4	5	6	7
65+	62	3.2	3	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	1.3	1	<1	<1	1	1	2	3	4
20-34	7	2.4	5	1	1	1	4	6	6	6
35-49	13	3.0	8	<1	<1	2	4	8	9	9
50-64	7	1.7	2	1	1	1	3	4	4	4
65+	10	6.0	46	<1	<1	4	6	16	24	24
B. *Operated*										
0-19 YRS	67	4.1	148	<1	<1	2	3	5	14	85
20-34	78	4.1	13	1	1	3	5	8	9	23
35-49	205	3.6	4	1	1	3	5	6	8	11
50-64	210	4.8	11	1	2	4	6	10	12	19
65+	141	5.1	14	1	2	4	6	9	12	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.1	2	1	1	2	3	5	5	5
B. *Operated*	906	2.4	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	58	2.7	13	<1	<1	1	3	6	8	23
B. *Operated*	701	4.3	23	1	1	3	5	8	11	17
1. SINGLE DX	913	2.4	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX	759	4.2	23	1	1	3	5	8	10	18
A. NOT OPERATED	65	2.6	11	<1	<1	1	3	6	8	22
B. OPERATED	1607	3.2	12	<1	1	3	4	6	8	14
TOTAL 0-19 YRS	394	2.0	26	<1	<1	2	2	3	3	10
20-34	230	3.1	6	1	1	3	4	6	7	13
35-49	440	3.0	3	<1	1	3	4	5	7	9
50-64	394	3.9	8	1	1	3	5	7	10	16
65+	214	4.5	13	1	1	4	5	8	11	19
GRAND TOTAL	**1672**	**3.2**	**12**	**<1**	**1**	**3**	**4**	**6**	**8**	**14**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	3	4.7	4	3	3	4	6	7	7	7
35-49	10	2.6	2	<1	<1	2	4	5	5	5
50-64	6	2.7	3	<1	<1	2	4	5	5	5
65+	6	4.3	14	1	1	3	6	10	11	11
B. *Operated*										
0-19 YRS	80	1.8	1	<1	<1	1	2	3	4	6
20-34	298	3.4	3	1	1	3	4	6	7	10
35-49	453	4.2	4	1	2	4	5	7	8	11
50-64	453	4.7	5	2	2	4	6	8	9	11
65+	324	5.4	8	2	2	5	7	9	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	12	2.4	3	<1	<1	2	4	5	6	6
35-49	40	2.2	5	<1	<1	1	3	5	6	12
50-64	35	4.2	12	1	1	3	5	8	13	15
65+	70	5.9	74	1	2	4	7	10	19	93
B. *Operated*										
0-19 YRS	32	3.1	8	<1	<1	2	4	8	10	11
20-34	173	4.7	17	1	2	4	6	8	9	15
35-49	526	6.4	41	2	2	5	7	9	14	41
50-64	770	6.6	20	2	3	6	8	11	14	25
65+	895	8.0	41	2	3	7	9	14	18	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	3.1	5	<1	1	2	4	6	7	11
B. *Operated*	1608	4.3	6	1	2	4	6	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	159	4.3	39	<1	1	3	5	8	12	64
B. *Operated*	2396	6.9	33	2	3	6	8	11	15	30
1. SINGLE DX	1636	4.3	6	1	2	4	6	7	8	11
2. MULTIPLE DX	2555	6.7	34	2	2	6	8	11	15	30
A. NOT OPERATED	187	4.1	34	<1	1	3	5	8	12	51
B. OPERATED	4004	5.8	24	1	2	5	7	10	13	23
TOTAL 0-19 YRS	117	2.2	3	<1	<1	2	2	4	6	10
20-34	486	3.9	9	1	1	3	5	7	7	12
35-49	1029	5.2	25	1	2	5	6	8	10	20
50-64	1264	5.8	15	2	2	5	7	9	12	21
65+	1295	7.2	35	2	3	6	9	13	16	29
GRAND TOTAL	**4191**	**5.8**	**24**	**1**	**2**	**5**	**7**	**10**	**13**	**23**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	7	2.4	2	1	1	2	4	4	4	4
35-49	44	2.8	3	<1	<1	3	4	5	6	8
50-64	48	3.0	3	<1	<1	3	4	5	6	7
65+	36	3.9	11	<1	<1	3	5	7	11	16
B. *Operated*										
0-19 YRS	2	7.5	1	7	7	7	8	8	8	8
20-34	4	6.3	4	4	4	6	8	9	9	9
35-49	10	5.8	14	<1	1	5	9	11	12	12
50-64	17	6.4	14	<1	1	7	9	10	13	15
65+	17	8.5	20	<1	1	10	11	12	16	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	3.7	7	<1	<1	3	5	7	9	10
20-34	61	3.7	7	<1	<1	3	5	7	9	14
35-49	210	4.0	7	1	1	4	5	7	8	14
50-64	455	4.6	11	1	2	4	6	8	10	19
65+	818	6.0	33	2	2	5	7	10	13	32
B. *Operated*										
0-19 YRS	7	10.9	145	<1	<1	5	18	31	33	33
20-34	42	8.3	21	3	4	7	10	13	17	27
35-49	102	7.9	15	2	3	8	10	13	15	19
50-64	180	9.0	44	<1	2	8	11	15	23	36
65+	249	12.7	142	2	3	10	15	21	37	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	136	3.1	5	<1	<1	3	4	6	7	13
B. *Operated*	50	7.0	15	<1	1	7	9	12	12	18
2. MULTIPLE DX										
A. *Not Operated*	1557	5.2	23	1	2	4	6	9	11	20
B. *Operated*	580	10.4	84	1	3	9	12	18	27	50
1. SINGLE DX	186	4.2	11	<1	<1	3	6	9	11	16
2. MULTIPLE DX	2137	6.6	45	1	2	5	8	12	16	37
A. NOT OPERATED	1693	5.1	22	1	2	4	6	9	11	20
B. OPERATED	630	10.1	79	1	2	8	12	18	25	49
TOTAL 0-19 YRS	23	6.1	55	<1	<1	4	7	13	25	33
20-34	114	5.4	17	<1	1	5	7	10	13	23
35-49	366	5.0	12	1	2	4	7	9	12	17
50-64	700	5.7	23	1	1	4	7	11	14	27
65+	1120	7.5	64	1	2	5	9	14	18	44
GRAND TOTAL	**2323**	**6.4**	**42**	**1**	**2**	**5**	**8**	**12**	**16**	**35**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64	3	2.3	2	1	1	2	3	4	4	4
65+										
B. *Operated*										
0-19 YRS	10	1.9	1	<1	<1	2	2	3	3	3
20-34	60	2.6	2	<1	1	2	3	4	4	9
35-49	89	3.0	2	1	1	3	4	5	5	10
50-64	83	3.3	4	1	1	3	4	6	7	11
65+	57	3.7	4	2	2	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.0	7	2	2	3	6	7	7	7
20-34	6	4.7	33	<1	<1	1	8	14	15	15
35-49	1	1.0		1	1	1	1	1	1	1
50-64	5	3.8	1	3	3	4	4	5	5	5
65+	11	5.0	8	1	1	5	7	9	10	10
B. *Operated*										
0-19 YRS	8	4.6	12	1	1	4	6	10	12	12
20-34	27	4.1	7	1	1	3	5	9	10	11
35-49	54	3.5	7	1	1	3	4	6	9	16
50-64	91	5.3	23	2	2	4	6	10	15	28
65+	156	6.3	34	1	2	5	7	13	16	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.2	2	1	1	2	3	4	4	4
B. *Operated*	299	3.1	3	1	1	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	26	4.4	11	<1	1	4	6	8	11	15
B. *Operated*	336	5.4	25	1	2	4	6	10	14	27
1. SINGLE DX	304	3.1	3	1	1	3	4	5	6	10
2. MULTIPLE DX	362	5.3	24	1	2	4	6	10	14	26
A. NOT OPERATED	31	4.1	10	<1	1	3	6	8	10	15
B. OPERATED	635	4.3	16	1	1	3	5	8	11	22
TOTAL 0-19 YRS	21	3.2	7	<1	1	2	4	6	9	12
20-34	94	3.2	6	<1	1	3	4	5	9	13
35-49	145	3.2	4	1	1	3	4	5	6	11
50-64	182	4.3	14	1	1	3	5	8	11	23
65+	224	5.6	26	1	2	4	6	10	14	28
GRAND TOTAL	**666**	**4.3**	**16**	**1**	**1**	**3**	**5**	**8**	**11**	**22**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	2	1.0		1	1	1	1	1	1	1
35-49	11	2.7	4	<1	<1	2	4	6	7	7
50-64	11	2.4	2	1	1	2	3	4	5	5
65+	23	4.0	6	1	1	4	5	6	9	12
B. *Operated*										
0-19 YRS	32	2.8	10	<1	<1	2	3	6	11	14
20-34	120	3.3	6	1	1	3	4	6	8	14
35-49	244	3.7	4	1	2	3	5	6	8	10
50-64	249	4.5	7	1	1	4	6	8	10	12
65+	253	6.5	18	2	2	6	8	12	14	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	4	1.8	2	1	1	1	3	4	4	4
35-49	21	4.4	7	<1	<1	4	6	8	9	11
50-64	42	6.6	78	1	2	4	7	13	17	56
65+	152	6.1	24	1	2	5	8	12	15	35
B. *Operated*										
0-19 YRS	14	6.1	19	<1	1	6	8	13	15	16
20-34	76	7.0	61	1	2	5	9	13	16	51
35-49	255	7.2	45	2	2	6	8	13	19	43
50-64	494	8.6	43	2	3	7	11	17	22	32
65+	1116	11.5	91	3	4	9	14	22	29	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	3.1	5	1	1	2	5	6	7	12
B. *Operated*	898	4.6	11	1	1	4	6	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	221	5.9	32	1	2	5	7	12	15	41
B. *Operated*	1955	10.0	74	2	3	8	12	19	25	53
1. SINGLE DX	947	4.6	11	1	1	4	6	9	11	15
2. MULTIPLE DX	2176	9.6	72	2	3	7	12	19	24	52
A. NOT OPERATED	270	5.4	28	1	1	4	7	11	14	33
B. OPERATED	2853	8.3	61	2	2	6	10	17	22	47
TOTAL 0-19 YRS	50	3.6	14	<1	<1	2	5	9	13	16
20-34	202	4.7	30	1	1	3	6	10	13	19
35-49	531	5.4	27	1	2	4	6	9	13	27
50-64	796	7.1	37	2	2	6	9	13	18	30
65+	1544	10.0	77	2	3	8	12	19	26	66
GRAND TOTAL	**3123**	**8.1**	**59**	**1**	**2**	**6**	**10**	**16**	**22**	**45**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	137	2.6	3	1	1	2	3	5	6	9
20-34	174	4.2	7	1	2	4	6	8	9	15
35-49	292	4.5	8	1	2	4	6	8	10	13
50-64	356	4.5	8	1	1	4	6	8	10	13
65+	384	5.4	11	1	2	5	7	10	12	17
B. *Operated*										
0-19 YRS	111	6.7	59	3	3	5	8	11	12	42
20-34	110	8.8	16	4	5	8	11	15	16	21
35-49	112	10.1	22	5	6	9	12	16	19	28
50-64	139	10.1	27	4	5	9	11	15	20	31
65+	152	12.2	42	6	7	10	15	18	21	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	104	4.7	53	1	1	3	6	8	10	41
20-34	226	5.4	21	1	2	4	7	10	14	23
35-49	468	5.9	24	1	2	5	7	11	14	29
50-64	997	6.7	28	2	2	6	8	12	15	27
65+	2890	8.2	49	2	3	7	10	15	20	39
B. *Operated*										
0-19 YRS	112	9.4	37	4	5	8	11	17	20	37
20-34	203	13.2	123	5	6	9	15	25	36	60
35-49	308	14.2	103	5	6	11	17	27	34	73
50-64	637	16.2	138	6	7	13	19	28	39	79
65+	1778	19.2	178	7	8	16	23	35	47	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1343	4.5	9	1	1	4	6	8	10	15
B. *Operated*	624	9.8	37	3	4	9	12	16	19	30
2. MULTIPLE DX										
A. *Not Operated*	4685	7.5	42	2	2	6	9	14	18	33
B. *Operated*	3038	17.3	160	6	7	14	21	32	43	82
1. SINGLE DX	1967	6.2	24	1	2	5	8	12	15	21
2. MULTIPLE DX	7723	11.3	111	2	3	8	14	23	31	60
A. NOT OPERATED	6028	6.8	36	1	2	5	8	13	17	30
B. OPERATED	3662	16.0	147	5	6	13	19	30	40	76
TOTAL 0-19 YRS	464	5.7	42	1	1	4	7	11	13	27
20-34	713	7.8	60	1	2	6	9	15	19	40
35-49	1180	8.1	56	1	2	6	10	16	22	40
50-64	2129	9.4	79	2	2	7	12	18	25	47
65+	5204	11.9	119	2	3	9	15	23	32	65
GRAND TOTAL	**9690**	**10.[illegible]**	**98**	**2**	**3**	**8**	**13**	**21**	**28**	**55**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2823	2.5	3	1	1	2	3	4	5	8
20-34	1319	2.5	3	1	1	2	3	4	6	9
35-49	536	2.8	3	1	1	2	4	5	7	9
50-64	345	3.1	5	1	1	3	4	6	7	10
65+	244	3.6	8	1	1	3	4	7	9	13
B. *Operated*										
0-19 YRS	60	4.6	16	<1	1	4	5	8	14	22
20-34	108	4.7	7	1	2	4	6	8	9	14
35-49	56	5.3	13	<1	<1	5	7	11	12	17
50-64	30	5.8	14	<1	<1	5	8	11	12	15
65+	26	7.0	35	<1	<1	7	10	14	20	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5165	3.2	5	1	1	3	4	5	7	12
20-34	1730	3.2	10	1	1	3	4	6	7	12
35-49	1255	4.1	15	1	1	3	5	7	10	16
50-64	1539	5.0	20	1	2	4	6	9	12	21
65+	3447	6.6	44	2	2	5	8	12	17	43
B. *Operated*										
0-19 YRS	112	13.3	309	1	2	6	14	38	55	85
20-34	200	6.4	26	2	2	5	7	11	15	30
35-49	188	8.7	51	2	3	7	11	16	20	43
50-64	276	9.5	74	2	3	7	11	20	25	63
65+	503	13.2	127	3	4	10	17	29	41	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5267	2.6	3	1	1	2	3	5	6	9
B. *Operated*	280	5.1	14	<1	1	4	7	10	12	19
2. MULTIPLE DX										
A. *Not Operated*	13136	4.4	21	1	1	3	5	8	11	21
B. *Operated*	1279	10.7	111	2	3	7	13	22	33	72
1. SINGLE DX	5547	2.7	4	1	1	2	3	5	6	11
2. MULTIPLE DX	14415	4.9	32	1	2	3	6	9	13	29
A. NOT OPERATED	18403	3.9	16	1	1	3	5	7	10	19
B. OPERATED	1559	9.7	98	1	2	7	11	20	28	63
TOTAL 0-19 YRS	8160	3.1	10	1	1	3	4	5	7	13
20-34	3357	3.2	9	1	1	2	4	6	7	12
35-49	2035	4.2	18	1	1	3	5	8	11	18
50-64	2190	5.3	28	1	1	4	6	10	14	25
65+	4220	7.2	57	2	2	5	8	14	20	52
GRAND TOTAL	**19962**	**4.3**	**25**	**1**	**1**	**3**	**5**	**8**	**12**	**25**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	73	5.1	7	1	2	5	6	9	10	12
35-49	369	5.4	9	1	2	5	7	9	10	14
50-64	676	5.3	9	<1	2	5	7	9	10	16
65+	713	5.3	15	<1	1	5	7	9	11	16
B. *Operated*										
0-19 YRS										
20-34	27	8.2	11	4	5	8	10	12	16	17
35-49	109	10.0	17	5	6	9	12	15	18	24
50-64	132	10.3	22	3	5	10	12	16	19	27
65+	147	11.2	44	1	4	10	15	20	24	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	6.2	4	3	3	7	7	8	8	8
20-34	50	5.2	6	2	2	5	7	9	9	11
35-49	385	6.1	15	2	2	5	8	11	12	21
50-64	1404	6.3	15	2	2	6	8	11	13	20
65+	4852	7.6	39	2	3	6	9	13	17	33
B. *Operated*										
0-19 YRS	6	6.7	25	3	3	5	8	15	16	16
20-34	50	10.7	30	4	5	9	12	17	23	30
35-49	337	13.1	61	4	6	11	16	22	27	42
50-64	990	14.1	86	5	6	12	17	24	31	59
65+	2076	16.2	154	4	6	13	20	31	44	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1831	5.3	11	<1	2	5	7	9	11	15
B. *Operated*	415	10.4	28	3	5	10	12	17	20	29
2. MULTIPLE DX										
A. *Not Operated*	6696	7.2	33	2	3	6	9	13	16	30
B. *Operated*	3459	15.2	125	4	6	12	18	28	37	78
1. SINGLE DX	2246	6.3	18	1	2	5	8	11	13	21
2. MULTIPLE DX	10155	9.9	78	2	3	8	12	19	26	52
A. NOT OPERATED	8527	6.8	29	2	2	6	8	12	15	27
B. OPERATED	3874	14.7	117	4	6	12	18	27	36	75
TOTAL 0-19 YRS	11	6.5	14	3	3	6	8	11	16	16
20-34	200	7.0	19	2	3	6	9	12	15	25
35-49	1200	8.2	37	2	3	7	10	15	20	31
50-64	3202	8.7	50	2	3	7	11	16	21	36
65+	7788	9.8	83	2	3	7	12	19	26	55
GRAND TOTAL	**12401**	**9.3**	**69**	**2**	**3**	**7**	**11**	**18**	**24**	**47**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	3.2	6	<1	<1	3	4	6	8	10
20-34	25	2.6	3	<1	1	2	3	5	6	8
35-49	29	2.3	2	<1	1	2	3	4	4	5
50-64	10	3.4	6	1	1	2	5	7	9	9
65+	6	3.8	5	<1	<1	3	6	7	7	7
B. *Operated*										
0-19 YRS	101	2.6	3	<1	1	2	3	5	7	9
20-34	755	2.9	4	1	1	3	4	5	6	9
35-49	796	3.1	6	1	1	3	4	5	6	12
50-64	414	3.2	5	1	1	3	4	5	6	11
65+	138	3.9	10	1	1	3	5	7	10	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	4.1	14	1	1	3	5	8	12	18
20-34	57	3.8	10	<1	1	3	5	6	12	16
35-49	54	3.6	5	<1	1	3	5	7	8	10
50-64	53	5.5	18	1	1	4	7	11	16	18
65+	65	7.6	61	1	2	6	8	15	24	45
B. *Operated*										
0-19 YRS	75	4.5	16	1	1	3	6	11	14	18
20-34	659	3.8	16	1	1	3	4	7	9	19
35-49	945	4.0	13	1	1	3	5	7	9	19
50-64	799	4.9	46	1	1	3	5	8	12	45
65+	489	6.9	62	1	2	4	8	14	20	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	2.8	4	<1	1	2	4	5	6	10
B. *Operated*	2204	3.1	5	1	1	3	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	257	5.1	26	1	1	4	6	10	14	29
B. *Operated*	2967	4.7	32	1	1	3	5	8	12	32
1. SINGLE DX	2292	3.1	5	1	1	3	4	5	7	11
2. MULTIPLE DX	3224	4.7	31	1	1	3	5	9	12	30
A. NOT OPERATED	345	4.5	22	<1	1	3	6	9	12	23
B. OPERATED	5171	4.0	21	1	1	3	4	7	10	23
TOTAL 0-19 YRS	222	3.5	10	<1	1	3	4	7	10	17
20-34	1496	3.4	10	1	1	3	4	6	7	13
35-49	1824	3.6	9	1	1	3	4	6	8	16
50-64	1276	4.4	32	1	1	3	5	7	11	34
65+	698	6.3	53	1	2	4	7	13	19	42
GRAND TOTAL	**5516**	**4.0**	**21**	**1**	**1**	**3**	**5**	**7**	**10**	**23**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	412	3.7	20	<1	1	2	4	7	11	21
20-34	634	5.0	15	1	1	4	6	10	12	18
35-49	416	4.8	15	<1	1	4	6	10	12	18
50-64	293	4.6	16	<1	<1	4	6	10	12	19
65+	298	4.6	21	<1	1	4	6	9	12	18
B. *Operated*										
0-19 YRS	151	8.2	109	<1	<1	5	10	17	24	69
20-34	422	7.7	41	<1	1	6	10	15	19	34
35-49	272	8.3	70	<1	<1	6	11	16	24	43
50-64	269	7.2	41	<1	<1	6	10	16	20	30
65+	256	8.3	87	<1	1	5	11	17	24	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	478	4.6	25	1	1	3	5	9	15	27
20-34	908	6.2	29	1	2	5	8	13	16	28
35-49	958	6.2	29	1	2	5	8	12	15	26
50-64	1211	6.2	26	1	2	5	8	12	15	30
65+	3528	7.8	66	2	2	6	9	15	20	48
B. *Operated*										
0-19 YRS	295	10.7	116	1	2	7	14	23	38	83
20-34	878	11.6	112	1	3	8	15	25	33	54
35-49	1023	11.9	118	1	2	9	15	26	34	59
50-64	1252	13.0	159	2	2	10	16	29	39	76
65+	2520	15.1	196	2	3	11	19	33	45	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2053	4.6	17	<1	1	4	6	9	12	18
B. *Operated*	1370	7.9	63	<1	<1	6	11	16	22	37
2. MULTIPLE DX										
A. *Not Operated*	7083	6.9	48	1	2	5	8	14	18	37
B. *Operated*	5968	13.4	161	2	3	10	17	29	40	78
1. SINGLE DX	3423	5.9	38	<1	1	4	8	12	16	30
2. MULTIPLE DX	13051	9.8	110	1	2	7	12	21	31	62
A. NOT OPERATED	9136	6.4	42	1	1	5	8	13	16	34
B. OPERATED	7338	12.3	147	1	2	9	15	27	38	75
TOTAL 0-19 YRS	1336	6.1	60	1	1	3	7	14	21	43
20-34	2842	7.8	61	1	2	6	10	16	22	40
35-49	2669	8.4	74	1	2	6	10	18	25	46
50-64	3025	8.9	94	1	2	6	11	18	28	59
65+	6602	10.5	128	1	2	7	13	22	33	72
GRAND TOTAL	**16474**	**9.0**	**97**	**1**	**2**	**6**	**11**	**19**	**28**	**57**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	23	4.9	6	1	2	5	7	8	9	10
35-49	40	7.1	33	1	2	6	9	14	20	27
50-64	46	7.6	26	1	2	6	11	14	19	21
65+	13	10.5	146	2	4	7	10	22	44	49
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	14	7.0	183	<1	<1	2	4	19	45	52
35-49	27	3.1	7	1	1	2	4	8	9	10
50-64	27	4.0	26	<1	<1	2	4	10	18	21
65+	13	7.0	54	<1	1	2	10	20	23	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	11.0	39	6	6	9	16	18	18	18
20-34	510	7.4	29	3	4	6	7	12	16	29
35-49	1204	8.5	49	3	4	6	8	16	22	36
50-64	820	10.0	70	3	4	7	12	19	26	46
65+	439	12.2	97	3	4	9	15	25	35	54
B. *Operated*										
0-19 YRS										
20-34	51	19.5	324	1	3	14	28	40	64	80
35-49	244	14.3	162	2	2	11	19	30	44	67
50-64	307	14.7	244	1	2	10	19	33	50	91
65+	179	17.2	268	2	3	12	21	36	57	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	122	7.3	38	1	2	6	9	14	18	33
B. *Operated*	82	4.7	51	<1	1	2	5	10	18	43
2. MULTIPLE DX										
A. *Not Operated*	2976	9.2	61	3	4	6	10	18	25	42
B. *Operated*	781	15.5	231	1	2	11	20	34	49	83
1. SINGLE DX	204	6.2	45	1	1	4	8	13	18	37
2. MULTIPLE DX	3757	10.5	102	2	4	7	12	21	30	58
A. NOT OPERATED	3098	9.2	60	3	4	6	10	17	24	42
B. OPERATED	863	14.4	223	1	2	10	19	33	47	82
TOTAL 0-19 YRS	4	9.0	42	3	3	7	13	18	18	18
20-34	598	8.3	68	2	4	6	8	15	22	49
35-49	1515	9.3	71	2	4	6	10	18	25	47
50-64	1200	10.9	118	2	3	8	13	22	32	65
65+	644	13.5	150	3	4	10	16	28	38	70
GRAND TOTAL	**3961**	**10.3**	**100**	**2**	**3**	**7**	**12**	**21**	**29**	**57**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.8	2	1	1	3	4	5	5	5
20-34	8	4.8	27	1	1	3	5	13	17	17
35-49	23	3.7	12	<1	1	2	6	9	11	12
50-64	24	4.3	11	<1	<1	3	7	10	10	11
65+	16	7.1	88	1	1	5	8	11	31	40
B. *Operated*										
0-19 YRS	11	2.8	1	1	1	3	4	5	5	5
20-34	81	2.6	10	<1	<1	1	2	7	11	15
35-49	98	2.4	16	<1	<1	1	2	5	7	26
50-64	117	2.4	8	<1	1	1	2	7	9	15
65+	74	3.5	30	<1	1	2	3	9	13	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	6.6	157	1	1	3	5	10	34	60
20-34	50	7.3	45	2	2	5	10	14	16	35
35-49	113	10.2	60	2	3	8	12	19	24	42
50-64	252	10.1	87	1	2	7	13	20	25	45
65+	402	12.3	126	3	4	9	14	23	33	69
B. *Operated*										
0-19 YRS	27	7.9	165	1	1	3	8	17	26	67
20-34	79	7.3	76	<1	1	2	12	21	28	31
35-49	172	7.0	81	1	1	2	10	18	26	42
50-64	312	9.2	112	1	1	6	12	25	31	55
65+	336	12.4	173	1	1	9	17	29	38	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	4.6	28	<1	1	3	6	10	11	33
B. *Operated*	381	2.7	15	<1	<1	1	2	6	10	18
2. MULTIPLE DX										
A. *Not Operated*	838	10.9	103	2	3	8	14	21	29	59
B. *Operated*	926	9.7	131	1	1	6	14	24	32	58
1. SINGLE DX	461	3.0	17	<1	<1	1	3	8	10	18
2. MULTIPLE DX	1764	10.3	118	1	1	7	14	23	31	59
A. NOT OPERATED	918	10.4	100	1	2	8	13	20	28	58
B. OPERATED	1307	7.7	107	<1	1	3	10	20	29	54
TOTAL 0-19 YRS	68	6.0	116	1	1	3	5	11	17	66
20-34	218	5.5	47	<1	<1	2	6	15	21	31
35-49	406	6.6	63	1	1	3	9	16	23	39
50-64	705	8.2	90	1	1	5	11	19	27	47
65+	828	11.5	142	1	1	8	15	24	33	68
GRAND TOTAL	**2225**	**8.8**	**106**	**1**	**1**	**6**	**12**	**20**	**28**	**56**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	5.0	12	1	2	4	6	10	13	16
20-34	74	4.5	6	1	2	4	6	8	9	12
35-49	58	4.6	10	1	1	4	6	8	9	19
50-64	42	5.4	11	1	2	5	7	10	13	16
65+	26	7.2	18	2	2	6	10	14	16	17
B. *Operated*										
0-19 YRS	9	11.3	73	1	2	10	15	25	29	29
20-34	18	5.4	24	<1	1	3	10	12	15	16
35-49	31	7.7	111	<1	1	2	12	23	27	47
50-64	33	4.1	17	1	1	2	7	9	11	19
65+	15	5.1	42	<1	<1	2	8	9	21	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	6.5	43	1	1	5	7	14	23	30
20-34	129	6.1	28	1	2	5	7	10	14	36
35-49	189	10.0	172	2	3	6	11	19	27	86
50-64	423	9.4	69	2	3	7	12	19	25	49
65+	577	10.4	84	2	3	8	13	20	24	48
B. *Operated*										
0-19 YRS	27	5.9	35	1	1	3	9	15	16	23
20-34	52	10.2	116	1	1	7	14	21	29	53
35-49	99	15.1	255	1	2	9	20	41	51	90
50-64	168	13.5	171	1	1	11	18	31	38	72
65+	205	14.7	137	2	2	13	23	34	43	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	227	5.1	11	1	2	4	6	9	11	16
B. *Operated*	106	6.2	56	<1	1	2	9	14	22	37
2. MULTIPLE DX										
A. *Not Operated*	1357	9.5	87	2	3	7	12	18	24	51
B. *Operated*	551	13.5	165	1	2	10	19	32	43	98
1. SINGLE DX	333	5.4	25	1	1	4	7	11	14	26
2. MULTIPLE DX	1908	10.7	113	2	2	7	14	22	31	65
A. NOT OPERATED	1584	8.9	78	2	3	6	11	17	22	48
B. OPERATED	657	12.3	155	1	1	9	17	30	40	80
TOTAL 0-19 YRS	102	6.4	37	1	1	5	7	14	18	29
20-34	273	6.4	42	1	2	5	8	11	17	40
35-49	377	10.3	174	1	2	6	12	24	36	83
50-64	666	9.9	95	1	2	7	13	21	29	52
65+	823	11.2	99	2	3	8	14	23	31	64
GRAND TOTAL	**2241**	**9.9**	**103**	**1**	**2**	**7**	**12**	**21**	**30**	**57**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	3.1	7	1	1	2	4	8	9	10
20-34	267	2.6	3	<1	1	2	3	5	6	9
35-49	245	2.8	3	<1	1	2	4	5	6	8
50-64	235	3.2	5	1	1	3	4	6	8	10
65+	178	4.5	8	1	1	4	6	8	9	16
B. *Operated*										
0-19 YRS	166	6.4	7	3	4	6	7	10	12	16
20-34	2331	6.0	4	4	4	6	7	8	10	13
35-49	2368	6.4	5	4	4	6	7	9	10	14
50-64	1942	6.9	7	4	4	6	8	10	12	15
65+	993	8.2	16	5	5	7	9	12	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	3.8	6	<1	1	3	5	6	7	13
20-34	284	3.5	9	1	1	3	4	7	8	16
35-49	349	4.2	12	<1	1	3	5	8	10	21
50-64	730	5.0	14	1	1	4	6	9	11	21
65+	1751	7.2	48	2	2	6	9	13	17	36
B. *Operated*										
0-19 YRS	162	8.6	33	4	4	7	10	13	16	27
20-34	1998	7.7	18	4	4	7	9	12	15	22
35-49	2796	8.0	19	4	5	7	9	12	15	24
50-64	4377	9.2	30	5	5	8	11	14	17	30
65+	5517	12.8	81	5	6	10	15	22	28	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	959	3.2	5	1	1	3	4	6	8	11
B. *Operated*	7800	6.6	7	4	4	6	8	10	11	15
2. MULTIPLE DX										
A. *Not Operated*	3147	6.0	34	1	2	5	7	11	15	27
B. *Operated*	14850	10.1	50	4	5	8	12	17	21	39
1. SINGLE DX	8759	6.2	8	2	3	6	7	9	11	15
2. MULTIPLE DX	17997	9.4	49	3	4	8	11	16	20	39
A. NOT OPERATED	4106	5.3	29	1	1	4	7	10	13	24
B. OPERATED	22650	8.9	38	4	5	7	10	15	19	34
TOTAL 0-19 YRS	395	6.8	21	2	3	6	8	11	13	24
20-34	4880	6.4	12	2	3	6	7	10	12	18
35-49	5758	6.9	14	3	4	6	8	11	13	20
50-64	7284	8.0	24	3	4	7	9	13	16	25
65+	8439	10.9	72	3	4	9	13	19	25	50
GRAND TOTAL	**26756**	**8.3**	**38**	**3**	**4**	**7**	**10**	**14**	**18**	**33**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	3.0	2	<1	1	3	4	5	5	5
20-34	175	3.2	4	<1	1	3	4	6	7	11
35-49	166	3.4	4	1	1	3	5	6	7	11
50-64	125	3.7	6	1	1	3	5	7	8	11
65+	86	4.5	8	1	1	4	6	10	10	12
B. *Operated*										
0-19 YRS	14	7.0	8	4	5	6	9	12	13	13
20-34	166	6.8	9	3	4	6	8	11	12	20
35-49	182	6.9	13	3	4	6	8	12	15	20
50-64	108	8.0	11	4	4	8	10	12	14	19
65+	76	10.5	30	5	6	9	11	15	23	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	4.3	4	2	2	4	6	7	8	9
20-34	202	4.0	15	1	1	3	5	7	10	19
35-49	196	4.7	9	1	2	4	6	8	10	16
50-64	298	5.5	17	2	2	4	7	10	12	27
65+	650	8.0	43	2	3	6	10	15	18	38
B. *Operated*										
0-19 YRS	18	7.7	15	3	4	6	11	13	14	14
20-34	255	8.0	21	4	4	7	9	14	20	25
35-49	355	8.6	27	4	4	7	10	14	17	33
50-64	403	10.6	64	5	5	9	12	18	22	40
65+	625	14.1	100	6	6	11	16	25	33	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	574	3.5	5	1	1	3	5	7	8	11
B. *Operated*	546	7.6	15	3	4	7	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	1368	6.3	30	1	2	5	8	12	16	29
B. *Operated*	1656	11.1	69	4	5	9	13	19	25	46
1. SINGLE DX	1120	5.5	14	1	2	5	7	10	12	19
2. MULTIPLE DX	3024	8.9	57	2	3	7	11	16	22	40
A. NOT OPERATED	1942	5.5	25	1	2	4	7	10	13	25
B. OPERATED	2202	10.2	58	4	5	8	12	18	23	43
TOTAL 0-19 YRS	76	5.2	10	2	2	5	6	11	12	14
20-34	798	5.7	17	1	1	5	7	10	13	22
35-49	899	6.5	20	1	2	6	8	11	14	22
50-64	934	7.7	42	2	3	6	9	13	18	29
65+	1437	10.6	76	2	3	8	13	19	26	55
GRAND TOTAL	**4144**	**8.0**	**48**	**2**	**2**	**6**	**10**	**15**	**20**	**37**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	9	4.1	13	1	1	2	6	10	11	11
35-49	29	3.6	4	1	1	3	5	6	7	10
50-64	22	2.7	2	1	1	3	4	4	5	7
65+	31	5.0	23	1	1	3	7	11	15	23
B. *Operated*										
0-19 YRS	9	9.2	22	3	4	9	11	17	19	19
20-34	65	7.9	15	2	4	7	9	13	16	19
35-49	85	7.1	18	2	2	7	9	11	13	24
50-64	104	8.1	48	1	1	7	11	15	17	38
65+	129	9.2	48	1	2	9	13	18	20	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	6	1	1	4	5	6	6	6
20-34	28	4.6	13	1	1	4	6	8	13	17
35-49	37	4.8	8	1	1	5	7	9	10	10
50-64	82	5.8	11	1	2	5	7	10	13	16
65+	223	7.4	21	2	3	6	9	14	16	22
B. *Operated*										
0-19 YRS	11	9.2	18	4	4	8	13	15	16	16
20-34	88	10.1	41	4	5	9	12	17	21	42
35-49	110	9.9	38	2	2	9	12	16	20	35
50-64	280	12.3	46	3	5	11	15	21	26	39
65+	848	15.7	111	3	6	13	20	27	37	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	91	3.9	11	1	1	3	5	7	10	20
B. *Operated*	392	8.2	36	1	2	8	11	15	18	24
2. MULTIPLE DX										
A. *Not Operated*	373	6.5	18	1	2	6	8	13	15	20
B. *Operated*	1337	14.1	91	3	5	12	17	25	32	57
1. SINGLE DX	483	7.4	34	1	1	7	10	15	17	23
2. MULTIPLE DX	1710	12.4	85	2	3	11	15	22	29	49
A. NOT OPERATED	464	6.0	18	1	2	5	8	12	14	20
B. OPERATED	1729	12.8	84	2	3	11	16	23	29	51
TOTAL 0-19 YRS	23	8.5	21	2	4	8	11	15	17	19
20-34	190	8.3	31	1	3	7	10	14	18	30
35-49	261	7.6	29	1	2	7	10	14	15	27
50-64	488	9.8	48	1	2	9	13	17	22	37
65+	1231	13.3	100	2	3	12	17	25	31	57
GRAND TOTAL	**2193**	**11.3**	**78**	**2**	**3**	**10**	**15**	**21**	**27**	**46**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	6	2.8	5	1	1	2	4	7	7	7
35-49	17	4.6	13	<1	1	4	6	10	13	14
50-64	26	5.4	8	1	2	5	7	9	10	12
65+	35	5.5	16	1	1	5	8	11	14	17
B. *Operated*										
0-19 YRS	4	7.0	18	1	1	8	10	10	10	10
20-34	24	5.7	16	<1	1	5	9	11	13	13
35-49	16	6.4	15	<1	2	6	10	12	13	13
50-64	30	5.3	26	1	1	3	8	13	15	21
65+	31	5.9	51	<1	1	3	8	16	19	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	12.7	134	2	3	9	13	32	41	43
20-34	25	5.8	11	1	2	6	7	11	12	15
35-49	49	5.9	17	1	2	4	8	13	14	16
50-64	108	6.8	19	2	2	6	9	13	16	20
65+	333	8.6	50	2	2	7	10	17	20	35
B. *Operated*										
0-19 YRS	7	13.0	112	2	2	12	16	31	34	34
20-34	34	10.9	80	1	1	9	13	22	30	41
35-49	72	11.5	63	2	2	9	16	24	26	33
50-64	119	13.1	106	2	3	11	16	24	31	80
65+	324	16.0	139	2	3	14	21	34	44	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	5.0	12	1	1	4	7	10	12	16
B. *Operated*	105	5.8	28	<1	1	4	9	13	15	26
2. MULTIPLE DX										
A. *Not Operated*	527	7.9	42	2	2	7	10	15	19	33
B. *Operated*	556	14.4	121	2	3	12	20	30	39	96
1. SINGLE DX	191	5.4	21	1	1	4	8	11	13	20
2. MULTIPLE DX	1083	11.3	93	2	2	9	15	23	32	56
A. NOT OPERATED	613	7.5	39	1	2	6	9	14	18	32
B. OPERATED	661	13.1	116	1	2	11	18	27	36	71
TOTAL 0-19 YRS	25	11.0	104	1	2	9	12	27	36	43
20-34	89	7.5	45	1	1	6	10	14	21	37
35-49	154	8.4	46	1	2	7	11	17	23	32
50-64	283	9.1	66	1	2	8	12	18	23	51
65+	723	11.6	104	2	2	9	16	25	34	58
GRAND TOTAL	**1274**	**10.4**	**86**	**1**	**2**	**8**	**14**	**22**	**30**	**55**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	75	4.9	6	2	2	4	6	8	9	11
20-34	349	5.4	13	1	2	5	7	10	12	15
35-49	398	5.6	11	2	2	5	7	10	12	17
50-64	222	6.1	20	2	2	5	7	11	14	25
65+	138	6.2	12	2	3	5	8	10	12	17
B. *Operated*										
0-19 YRS	8	5.6	14	1	1	6	8	10	11	11
20-34	35	8.2	37	<1	1	7	12	16	20	26
35-49	60	11.4	125	1	1	8	19	25	36	51
50-64	46	6.5	27	<1	1	5	11	13	17	19
65+	33	8.3	56	1	2	5	13	16	20	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	4.9	7	1	2	4	7	8	9	13
20-34	821	7.2	29	2	3	6	9	13	17	30
35-49	1313	7.6	28	2	3	6	9	14	17	28
50-64	913	7.8	30	2	3	7	10	14	18	30
65+	1097	8.7	62	2	3	7	10	15	20	42
B. *Operated*										
0-19 YRS	22	17.5	274	2	4	15	21	42	59	67
20-34	198	16.4	200	3	4	12	20	35	52	88
35-49	382	19.5	314	2	5	14	25	44	59	90
50-64	362	17.7	237	2	5	13	21	39	56	85
65+	481	18.1	213	4	6	14	23	35	51	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1182	5.7	13	1	2	5	7	10	12	18
B. *Operated*	182	8.7	69	1	1	7	12	19	23	40
2. MULTIPLE DX										
A. *Not Operated*	4215	7.8	38	2	3	6	9	14	18	33
B. *Operated*	1445	18.2	245	3	5	13	22	38	56	91
1. SINGLE DX	1364	6.1	22	1	2	5	8	11	14	23
2. MULTIPLE DX	5660	10.4	111	2	3	7	12	20	30	65
A. NOT OPERATED	5397	7.3	33	2	3	6	9	13	17	29
B. OPERATED	1627	17.1	234	2	4	13	21	37	52	90
TOTAL 0-19 YRS	176	6.5	56	1	2	5	7	11	17	49
20-34	1403	8.1	61	2	2	6	9	15	21	43
35-49	2153	9.5	101	2	3	7	10	18	27	55
50-64	1543	9.8	96	2	3	7	11	18	26	62
65+	1749	11.1	119	2	3	8	13	22	31	72
GRAND TOTAL	**7024**	**9.6**	**97**	**2**	**3**	**7**	**11**	**18**	**27**	**59**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58	2.7	2	1	1	3	4	5	5	7
20-34	84	2.7	2	1	1	2	4	5	6	7
35-49	84	3.5	4	<1	1	3	4	6	7	10
50-64	79	4.0	11	<1	1	3	5	8	11	17
65+	192	4.5	10	1	1	4	6	8	11	16
B. *Operated*										
0-19 YRS	7	4.0	7	<1	<1	5	6	8	8	8
20-34	10	7.2	25	2	2	6	12	14	16	16
35-49	12	5.3	10	<1	1	5	8	10	11	11
50-64	8	5.5	21	<1	1	4	7	13	15	15
65+	19	6.4	31	1	1	5	8	17	18	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	121	3.7	9	1	1	3	5	7	9	18
20-34	296	4.4	24	1	1	3	5	7	10	26
35-49	412	5.3	22	1	2	4	6	10	13	23
50-64	878	6.1	20	2	2	5	7	11	14	25
65+	3589	7.5	40	2	3	6	9	14	18	37
B. *Operated*										
0-19 YRS	14	7.1	67	2	2	5	7	13	29	34
20-34	49	7.1	27	2	2	5	10	15	16	23
35-49	120	8.0	42	2	3	6	10	16	18	36
50-64	271	10.3	73	3	4	8	12	19	25	46
65+	1110	12.2	131	3	4	9	15	24	35	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	497	3.7	7	1	1	3	5	7	9	14
B. *Operated*	56	5.9	21	<1	1	5	8	13	16	19
2. MULTIPLE DX										
A. *Not Operated*	5296	6.8	35	2	2	5	8	13	16	32
B. *Operated*	1564	11.4	112	3	4	9	14	21	31	79
1. SINGLE DX	553	4.0	9	1	1	3	5	7	10	16
2. MULTIPLE DX	6860	7.9	56	2	2	6	9	15	20	44
A. NOT OPERATED	5793	6.6	33	1	2	5	8	12	16	31
B. OPERATED	1620	11.2	110	2	4	8	14	21	31	77
TOTAL 0-19 YRS	200	3.7	12	1	1	3	4	6	8	19
20-34	439	4.4	22	1	1	3	5	8	12	23
35-49	628	5.6	25	1	2	4	7	10	14	24
50-64	1236	6.9	34	2	2	5	8	12	17	30
65+	4910	8.5	64	2	3	6	10	16	21	50
GRAND TOTAL	**7413**	**7.6**	**54**	**2**	**2**	**6**	**9**	**14**	**19**	**41**

221: Intestinal malabsorption (579)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	4.0	16	<1	1	3	5	8	9	26
20-34	2	5.0	2	4	4	5	6	6	6	6
35-49	11	4.6	11	1	1	3	8	10	10	10
50-64	5	6.2	17	2	2	5	10	11	11	11
65+	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
0-19 YRS	4	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	7	7.9	38	<1	1	6	10	18	20	20
35-49	10	11.9	440	<1	<1	2	9	47	67	67
50-64	11	8.1	31	3	3	6	11	16	21	22
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	7.1	115	1	1	4	7	12	30	65
20-34	16	5.4	29	<1	1	4	6	13	19	21
35-49	28	9.0	54	3	3	6	10	21	27	30
50-64	30	9.5	35	2	3	8	15	18	21	21
65+	64	10.5	85	3	4	8	12	18	26	60
B. *Operated*										
0-19 YRS	12	16.8	282	<1	2	11	33	58	92	99+
20-34	11	10.8	43	5	5	8	17	21	22	22
35-49	32	15.7	154	2	5	11	20	34	40	58
50-64	47	17.7	173	5	6	13	22	38	48	59
65+	66	18.2	97	6	8	16	23	33	38	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	4.3	15	1	1	3	5	9	10	24
B. *Operated*	32	8.3	156	<1	<1	5	5	21	26	67
2. MULTIPLE DX										
A. *Not Operated*	195	8.7	78	1	2	6	11	17	23	52
B. *Operated*	168	17.0	139	4	5	13	22	34	44	59
1. SINGLE DX	96	5.6	64	<1	<1	3	7	10	18	49
2. MULTIPLE DX	363	12.5	123	2	3	9	17	26	37	59
A. NOT OPERATED	259	7.6	66	1	2	5	9	15	21	38
B. OPERATED	200	15.6	151	1	3	12	21	32	42	63
TOTAL 0-19 YRS	117	6.7	103	<1	1	3	7	14	32	78
20-34	36	7.5	37	<1	1	5	9	20	21	22
35-49	81	11.4	145	1	2	8	13	26	35	64
50-64	93	13.3	122	3	3	11	17	24	39	59
65+	132	14.2	106	3	5	11	19	28	37	48
GRAND TOTAL	**459**	**11.1**	**119**	**1**	**2**	**8**	**14**	**24**	**34**	**59**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	6.7	37	1	2	5	9	14	16	36
20-34	18	5.0	22	1	1	4	6	8	16	22
35-49	4	2.8	1	2	2	3	3	4	4	4
50-64	6	3.8	13	2	2	3	3	10	11	11
65+	3	6.7	10	3	3	8	9	9	9	9
B. *Operated*										
0-19 YRS	32	2.8	3	1	2	2	3	4	6	10
20-34	39	4.7	25	1	1	3	6	10	15	25
35-49	23	4.3	31	1	1	2	4	9	20	25
50-64	20	3.8	9	2	2	2	5	9	11	11
65+	12	3.9	9	1	1	3	4	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	111	6.1	55	1	1	4	7	12	18	45
20-34	32	5.1	8	1	2	5	7	9	9	12
35-49	30	6.9	49	1	2	4	8	20	25	26
50-64	51	6.8	32	1	2	6	8	13	17	32
65+	80	9.4	72	2	3	7	10	17	31	44
B. *Operated*										
0-19 YRS	35	7.1	78	1	2	3	8	16	31	38
20-34	68	8.0	103	2	2	4	9	19	29	54
35-49	64	9.2	164	1	2	4	10	20	42	61
50-64	100	9.4	108	2	2	5	12	23	35	47
65+	95	13.8	198	2	2	9	17	30	46	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	87	6.0	30	1	2	4	9	12	16	31
B. *Operated*	126	3.9	17	1	2	2	4	9	11	25
2. MULTIPLE DX										
A. *Not Operated*	304	7.0	52	1	2	5	8	14	20	37
B. *Operated*	362	10.1	142	2	2	5	12	24	38	56
1. SINGLE DX	213	4.7	23	1	2	3	6	10	14	25
2. MULTIPLE DX	666	8.7	103	1	2	5	10	19	30	52
A. NOT OPERATED	391	6.8	47	1	2	5	8	13	19	37
B. OPERATED	488	8.5	117	1	2	4	10	21	31	54
TOTAL 0-19 YRS	234	5.9	48	1	1	4	8	12	16	37
20-34	157	6.3	57	1	2	3	7	14	21	42
35-49	121	7.5	108	1	2	3	8	18	26	58
50-64	177	7.8	76	2	2	4	10	17	28	43
65+	190	11.2	138	2	2	8	14	26	38	54
GRAND TOTAL	**879**	**7.7**	**86**	**1**	**2**	**4**	**9**	**17**	**26**	**50**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	5.7	10	2	2	5	9	11	12	12
20-34	6	3.5	6	2	2	3	4	8	8	8
35-49	2	5.5	5	4	4	5	7	7	7	7
50-64	3	5.0	19	2	2	3	8	10	10	10
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	3	6.7	16	2	2	9	9	9	9	9
35-49	5	3.6	7	1	1	2	6	7	7	7
50-64	1	19.0		19	19	19	19	19	19	19
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	7.6	22	2	3	8	9	13	17	24
20-34	7	4.3	3	<1	1	5	6	6	6	6
35-49	7	7.6	68	3	3	5	7	22	26	26
50-64	10	8.3	35	2	3	6	12	17	22	22
65+	35	9.3	39	2	3	8	12	19	20	30
B. *Operated*										
0-19 YRS	5	3.8	5	2	2	3	5	7	7	7
20-34	13	8.8	57	2	3	7	9	22	27	28
35-49	13	7.7	39	1	2	5	12	17	20	21
50-64	14	10.6	63	2	2	7	18	22	24	25
65+	33	17.6	194	2	3	16	24	30	47	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	5.3	10	2	2	5	7	10	11	12
B. *Operated*	11	5.6	29	1	1	4	8	13	19	19
2. MULTIPLE DX										
A. *Not Operated*	94	8.1	32	2	3	7	10	15	20	28
B. *Operated*	78	12.4	130	2	2	8	19	25	28	61
1. SINGLE DX	52	5.3	13	1	2	4	8	10	12	19
2. MULTIPLE DX	172	10.0	80	2	2	7	13	21	26	46
A. NOT OPERATED	135	7.2	27	2	2	6	9	13	19	27
B. OPERATED	89	11.5	122	2	2	7	18	25	28	59
TOTAL 0-19 YRS	71	6.4	17	2	2	5	9	11	13	23
20-34	29	6.4	33	2	2	5	8	10	21	28
35-49	27	6.7	38	1	2	5	7	16	22	26
50-64	28	9.5	50	2	2	7	14	21	23	25
65+	69	13.2	129	2	3	11	19	26	30	63
GRAND TOTAL	**224**	**8.9**	**69**	**2**	**2**	**6**	**11**	**20**	**24**	**42**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.0	15	<1	<1	3	7	9	9	9
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	3.3	1	2	2	4	4	4	4	4
50-64	11	2.5	1	2	2	2	3	4	5	5
65+	7	5.6	23	2	2	2	11	12	12	12
B. *Operated*										
0-19 YRS	13	6.3	40	1	1	3	9	16	21	22
20-34	22	5.5	35	<1	1	3	6	14	20	24
35-49	24	4.1	14	1	2	3	5	10	13	17
50-64	44	5.0	29	1	1	3	6	10	19	25
65+	55	6.3	87	1	2	3	7	14	27	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	6.3	94	<1	<1	2	6	18	27	45
20-34	50	6.2	135	1	1	3	5	10	20	79
35-49	66	6.0	43	1	1	4	8	14	18	38
50-64	178	6.3	43	1	2	4	8	15	19	33
65+	423	10.7	131	2	2	8	13	24	34	93
B. *Operated*										
0-19 YRS	74	15.1	258	1	2	9	22	37	46	79
20-34	174	11.9	195	1	2	8	15	26	35	80
35-49	270	11.0	163	1	2	6	14	26	36	62
50-64	441	11.2	156	2	2	7	14	25	37	70
65+	575	15.4	224	2	3	11	21	35	52	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	3.7	9	1	2	2	4	9	12	12
B. *Operated*	158	5.5	48	1	1	3	6	13	19	33
2. MULTIPLE DX										
A. *Not Operated*	752	8.7	106	1	2	6	11	20	29	67
B. *Operated*	1534	13.0	196	2	2	8	17	29	41	82
1. SINGLE DX	184	5.3	43	1	2	3	6	12	18	32
2. MULTIPLE DX	2286	11.6	170	1	2	7	15	27	38	82
A. NOT OPERATED	778	8.6	103	1	2	5	11	19	28	66
B. OPERATED	1692	12.3	187	2	2	8	16	28	40	82
TOTAL 0-19 YRS	126	11.4	200	1	1	5	16	28	40	72
20-34	247	10.1	174	1	2	5	13	23	34	79
35-49	363	9.6	136	1	2	5	13	22	33	59
50-64	674	9.4	122	1	2	6	12	21	30	63
65+	1060	13.0	186	2	2	9	17	29	43	91
GRAND TOTAL	**2470**	**11.1**	**163**	**1**	**2**	**7**	**14**	**26**	**37**	**77**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	8	3	3	5	7	7	7	7
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49										
50-64	3	4.7	1	4	4	4	6	6	6	6
65+	9	10.7	127	1	1	7	15	29	37	37
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	3.7	21	<1	<1	1	7	9	9	9
35-49	5	2.0	1	1	1	2	3	3	3	3
50-64	5	2.6	3	<1	<1	3	4	5	5	5
65+	10	6.5	99	<1	<1	2	7	22	33	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	4.1	22	<1	<1	2	5	11	16	17
20-34	29	5.4	14	1	2	5	7	10	13	17
35-49	32	8.1	84	2	2	6	10	13	16	53
50-64	138	10.1	74	1	2	8	12	20	30	41
65+	604	12.3	97	3	4	10	15	24	30	65
B. *Operated*										
0-19 YRS	12	10.0	30	<1	1	11	14	35	88	99+
20-34	32	13.9	162	3	3	12	18	25	51	56
35-49	41	14.2	62	3	4	12	20	26	29	31
50-64	129	16.8	242	2	3	12	22	39	49	99+
65+	349	22.2	274	4	6	19	29	46	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	7.9	79	1	2	5	9	16	31	37
B. *Operated*	24	4.2	46	<1	<1	2	4	9	18	33
2. MULTIPLE DX										
A. *Not Operated*	814	11.4	91	2	3	9	14	22	30	57
B. *Operated*	563	19.6	251	3	4	16	26	43	59	99+
1. SINGLE DX	40	5.7	61	<1	<1	3	6	13	24	37
2. MULTIPLE DX	1377	14.8	173	2	4	11	19	30	43	96
A. NOT OPERATED	830	11.4	91	2	3	9	14	22	30	56
B. OPERATED	587	19.0	252	2	4	15	25	41	57	99+
TOTAL 0-19 YRS	26	6.8	32	<1	1	6	12	17	31	99+
20-34	66	9.4	104	1	2	6	13	19	24	56
35-49	78	10.9	80	2	2	9	14	22	29	47
50-64	275	13.0	164	2	3	9	17	28	41	95
65+	972	15.8	183	3	4	12	20	33	46	99
GRAND TOTAL	**1417**	**14.5**	**172**	**2**	**3**	**11**	**19**	**30**	**43**	**95**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	205	4.1	3	2	2	4	5	6	7	9
20-34	354	4.3	5	2	2	4	5	7	8	11
35-49	90	5.1	6	2	2	5	6	9	11	12
50-64	42	5.1	5	2	3	5	7	8	9	10
65+	26	5.0	6	2	2	4	6	10	10	11
B. *Operated*										
0-19 YRS	6	5.8	23	1	1	5	5	14	15	15
20-34	21	6.3	6	3	4	6	7	9	12	14
35-49	6	5.5	6	2	2	5	7	9	9	9
50-64	1	10.0		10	10	10	10	10	10	10
65+	3	4.7	30	1	1	2	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	356	4.8	6	2	2	4	6	8	10	13
20-34	701	5.2	8	2	2	5	6	8	10	15
35-49	314	6.3	10	2	3	6	8	10	12	16
50-64	382	7.3	27	3	3	6	8	12	16	32
65+	726	9.2	59	3	4	8	11	15	21	54
B. *Operated*										
0-19 YRS	32	7.5	7	4	5	7	9	12	13	14
20-34	70	8.9	31	4	4	8	11	15	16	37
35-49	55	12.6	99	3	5	8	15	31	36	43
50-64	92	12.0	67	4	5	9	15	20	28	47
65+	191	16.0	188	5	6	13	18	29	48	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	717	4.4	5	2	2	4	5	7	9	11
B. *Operated*	37	6.1	9	1	2	6	7	10	13	15
2. MULTIPLE DX										
A. *Not Operated*	2479	6.8	29	2	3	6	8	11	14	27
B. *Operated*	440	13.0	122	4	5	10	15	25	35	95
1. SINGLE DX	754	4.5	5	2	2	4	6	7	9	11
2. MULTIPLE DX	2919	7.7	48	2	3	6	9	14	17	40
A. NOT OPERATED	3196	6.3	24	2	3	5	8	11	13	24
B. OPERATED	477	12.5	117	4	5	9	15	23	32	93
TOTAL 0-19 YRS	599	4.7	6	2	2	4	6	8	9	13
20-34	1146	5.2	9	2	2	5	6	8	11	15
35-49	465	6.8	24	2	3	6	8	11	14	31
50-64	517	7.9	36	3	3	6	9	14	18	37
65+	946	10.5	92	3	4	8	12	18	25	90
GRAND TOTAL	**3673**	**7.1**	**41**	**2**	**3**	**6**	**8**	**12**	**16**	**36**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	151	4.0	4	1	2	4	5	7	8	11
20-34	211	4.6	6	1	2	4	6	8	9	12
35-49	64	4.4	6	2	2	4	5	7	9	14
50-64	36	4.6	6	2	2	4	6	8	10	10
65+	25	7.3	26	2	2	6	9	14	20	21
B. *Operated*										
0-19 YRS	11	5.7	9	3	3	5	6	11	13	13
20-34	21	8.0	47	1	3	6	9	14	25	33
35-49	17	4.8	5	1	1	5	6	8	8	8
50-64	14	7.6	34	<1	1	7	8	17	20	21
65+	5	8.4	24	3	3	10	11	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	196	4.9	7	2	2	4	6	8	10	16
20-34	390	5.6	9	2	2	5	7	10	12	16
35-49	176	6.6	18	2	2	5	8	11	15	25
50-64	184	6.6	13	2	3	6	8	11	16	18
65+	336	8.8	29	3	4	8	11	15	21	35
B. *Operated*										
0-19 YRS	34	8.7	55	<1	<1	7	10	17	21	38
20-34	68	10.1	58	3	4	8	12	19	29	40
35-49	67	12.3	80	4	5	10	14	27	31	48
50-64	99	14.5	151	3	4	12	17	28	38	71
65+	149	15.5	102	3	5	14	20	27	35	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	487	4.5	7	2	2	4	6	8	9	14
B. *Operated*	68	6.8	27	1	2	6	8	12	17	31
2. MULTIPLE DX										
A. *Not Operated*	1282	6.6	18	2	3	6	8	12	15	24
B. *Operated*	417	13.3	104	3	4	11	17	26	31	51
1. SINGLE DX	555	4.8	10	1	2	4	6	8	10	17
2. MULTIPLE DX	1699	8.3	47	2	3	6	10	16	21	37
A. NOT OPERATED	1769	6.0	16	2	2	5	7	11	14	22
B. OPERATED	485	12.4	98	2	4	10	16	25	31	51
TOTAL 0-19 YRS	392	4.9	12	1	2	4	6	8	10	18
20-34	690	5.8	17	2	2	5	7	10	12	21
35-49	324	7.2	35	2	2	6	9	13	18	31
50-64	333	8.8	68	2	3	7	10	16	22	41
65+	515	10.7	59	3	4	9	14	21	26	44
GRAND TOTAL	**2254**	**7.4**	**40**	**2**	**2**	**6**	**9**	**14**	**19**	**34**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	2.3	1	1	1	2	3	4	5	5
20-34	371	2.2	3	<1	1	2	3	4	6	9
35-49	448	2.0	3	<1	1	2	2	4	4	7
50-64	256	2.2	2	<1	1	2	3	4	6	8
65+	86	2.6	4	<1	1	2	3	5	7	11
B. *Operated*										
0-19 YRS	16	5.0	7	1	3	5	6	8	11	12
20-34	172	6.8	19	1	3	6	9	11	14	23
35-49	243	6.7	17	1	2	6	9	12	14	19
50-64	228	7.1	18	2	2	7	9	13	14	22
65+	115	7.0	16	2	2	6	9	13	15	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	2.8	6	1	1	2	3	6	8	12
20-34	326	2.9	4	1	1	2	4	5	7	10
35-49	471	2.9	5	1	1	2	4	6	7	11
50-64	533	3.5	10	1	1	3	4	7	8	13
65+	412	5.0	28	1	2	4	6	9	13	24
B. *Operated*										
0-19 YRS	18	7.8	20	2	2	7	10	13	17	20
20-34	179	8.3	52	1	2	6	10	14	21	40
35-49	338	9.1	47	2	3	8	11	18	21	41
50-64	448	9.2	52	2	2	8	11	16	21	40
65+	489	11.8	75	2	3	10	15	21	28	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1202	2.2	3	<1	1	2	3	4	5	8
B. *Operated*	774	6.9	17	1	2	6	9	12	14	20
2. MULTIPLE DX										
A. *Not Operated*	1789	3.6	12	1	1	3	4	7	9	15
B. *Operated*	1472	9.9	60	2	3	8	12	18	24	41
1. SINGLE DX	1976	4.0	14	1	1	3	6	9	11	17
2. MULTIPLE DX	3261	6.4	44	1	1	4	8	13	18	35
A. NOT OPERATED	2991	3.0	9	1	1	2	4	6	8	13
B. OPERATED	2246	8.8	47	2	2	7	11	16	20	37
TOTAL 0-19 YRS	122	3.7	10	1	1	3	5	8	11	15
20-34	1048	4.2	20	1	1	3	6	9	11	22
35-49	1500	4.7	24	1	1	3	6	10	13	21
50-64	1465	5.6	31	1	1	4	8	12	15	28
65+	1102	8.0	58	1	2	6	10	17	21	38
GRAND TOTAL	**5237**	**5.5**	**34**	**1**	**1**	**4**	**7**	**12**	**16**	**28**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	120	2.2	2	1	1	2	3	4	5	8
20-34	1161	2.0	2	<1	1	2	2	4	4	7
35-49	1530	2.0	2	<1	1	2	2	3	4	6
50-64	903	2.2	2	1	1	2	3	4	5	7
65+	261	2.4	3	1	1	2	3	4	5	9
B. *Operated*										
0-19 YRS	62	4.1	5	1	2	4	5	7	8	11
20-34	536	4.9	13	1	2	4	6	9	12	16
35-49	782	5.0	12	1	2	4	7	9	11	17
50-64	653	5.5	12	1	2	5	7	10	12	16
65+	236	5.8	16	1	2	5	8	11	12	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	2.5	2	1	1	2	3	5	6	7
20-34	562	2.5	4	1	1	2	3	4	6	9
35-49	916	2.6	3	1	1	2	3	5	6	9
50-64	879	2.9	4	1	1	2	4	5	7	10
65+	495	3.6	11	1	1	3	4	6	8	12
B. *Operated*										
0-19 YRS	38	6.8	26	1	2	6	8	14	18	25
20-34	382	6.5	16	2	2	6	9	12	15	20
35-49	584	6.8	20	2	2	6	9	13	16	21
50-64	817	7.8	30	2	3	7	10	15	19	27
65+	638	9.1	42	2	3	7	12	17	22	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3975	2.1	2	1	1	2	3	4	5	7
B. *Operated*	2269	5.2	12	1	2	4	7	9	12	17
2. MULTIPLE DX										
A. *Not Operated*	2903	2.8	5	1	1	2	4	5	7	10
B. *Operated*	2459	7.7	30	2	2	6	10	15	18	27
1. SINGLE DX	6244	3.2	8	1	1	2	4	7	9	13
2. MULTIPLE DX	5362	5.1	22	1	1	4	7	11	14	22
A. NOT OPERATED	6878	2.4	3	1	1	2	3	4	6	9
B. OPERATED	4728	6.5	23	1	2	5	8	12	15	23
TOTAL 0-19 YRS	271	3.4	9	1	1	3	4	6	8	16
20-34	2641	3.3	9	1	1	2	4	7	9	15
35-49	3812	3.5	11	1	1	2	4	7	10	16
50-64	3252	4.5	17	1	1	3	6	9	12	20
65+	1630	5.9	30	1	1	4	8	12	16	27
GRAND TOTAL	**11606**	**4.1**	**15**	**1**	**1**	**3**	**5**	**9**	**12**	**19**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	2.7	6	<1	1	2	3	6	9	11
20-34	27	3.3	6	1	1	2	4	7	8	11
35-49	28	2.1	1	<1	<1	2	3	4	4	4
50-64	27	2.5	2	<1	1	2	4	5	5	6
65+	18	3.2	12	<1	1	2	3	6	11	15
B. *Operated*										
0-19 YRS	249	6.7	11	<1	1	6	8	11	12	16
20-34	114	6.3	20	<1	1	6	9	12	14	19
35-49	102	5.3	28	<1	1	3	8	11	13	28
50-64	127	5.8	27	<1	1	4	9	12	14	24
65+	87	4.7	21	<1	1	3	7	12	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	3.8	15	<1	1	2	5	8	11	22
20-34	80	4.5	19	1	1	3	5	9	15	21
35-49	77	4.2	15	1	1	3	6	7	9	24
50-64	159	6.8	75	1	2	5	7	13	18	63
65+	319	8.4	66	2	2	6	10	16	23	54
B. *Operated*										
0-19 YRS	292	8.2	45	<1	<1	7	10	17	22	33
20-34	187	8.1	47	1	2	7	10	16	19	28
35-49	255	8.5	52	1	2	7	10	17	24	34
50-64	487	9.4	90	1	2	7	12	20	26	50
65+	634	11.1	113	1	2	8	14	24	32	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	123	2.7	5	<1	1	2	4	5	7	12
B. *Operated*	679	6.0	20	<1	1	6	8	11	13	20
2. MULTIPLE DX										
A. *Not Operated*	706	6.7	55	1	1	5	8	13	19	39
B. *Operated*	1855	9.5	83	1	2	8	12	20	27	50
1. SINGLE DX	802	5.5	19	<1	1	5	8	11	13	19
2. MULTIPLE DX	2561	8.7	77	1	2	7	11	18	25	49
A. NOT OPERATED	829	6.1	49	1	1	4	7	12	17	36
B. OPERATED	2534	8.6	68	1	1	7	11	17	24	43
TOTAL 0-19 YRS	635	6.9	29	<1	1	6	9	12	17	31
20-34	408	6.6	33	1	1	6	9	13	17	25
35-49	462	6.7	42	1	1	5	9	13	20	32
50-64	800	8.0	77	1	1	6	10	16	23	46
65+	1058	9.6	94	1	2	7	12	20	29	58
GRAND TOTAL	**3363**	**8.0**	**65**	**1**	**1**	**6**	**10**	**16**	**23**	**43**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.3	1	1	1	2	3	4	4	4
20-34	52	2.3	2	1	1	2	3	5	5	7
35-49	65	2.4	4	<1	1	2	3	5	5	14
50-64	62	1.9	1	1	1	2	2	3	4	6
65+	13	3.1	4	<1	1	3	4	6	7	7
B. *Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	27	3.6	6	<1	<1	3	5	7	9	9
35-49	36	4.5	11	1	1	3	6	10	12	13
50-64	59	3.7	7	<1	1	3	4	7	8	16
65+	67	4.0	15	1	1	3	4	7	10	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.4	2	2	2	4	4	5	5	5
20-34	53	2.2	2	1	1	2	3	4	5	7
35-49	47	2.8	4	1	1	2	4	5	6	10
50-64	73	3.3	6	1	1	3	4	6	7	15
65+	61	4.7	16	1	1	4	6	11	14	19
B. *Operated*										
0-19 YRS	9	3.3	10	<1	<1	2	5	8	10	10
20-34	32	5.5	24	1	1	4	8	13	15	21
35-49	63	5.5	20	1	2	5	8	10	12	25
50-64	182	6.4	31	1	2	5	8	15	17	25
65+	442	7.7	45	1	2	6	10	15	19	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	199	2.2	3	1	1	2	3	4	5	8
B. *Operated*	192	3.9	10	1	1	3	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	239	3.3	8	1	1	2	4	6	8	16
B. *Operated*	728	7.0	39	1	2	5	9	15	18	27
1. SINGLE DX	391	3.1	7	1	1	2	4	6	8	13
2. MULTIPLE DX	967	6.1	34	1	1	4	8	13	17	24
A. NOT OPERATED	438	2.8	6	1	1	2	3	5	7	15
B. OPERATED	920	6.4	35	1	2	5	9	13	17	26
TOTAL 0-19 YRS	24	2.8	4	<1	1	2	4	5	7	10
20-34	164	3.1	8	1	1	2	4	6	9	15
35-49	211	3.8	12	1	1	2	5	8	10	16
50-64	376	4.6	21	1	1	3	6	9	15	22
65+	583	6.9	40	1	2	5	9	14	18	29
GRAND TOTAL	**1358**	**5.2**	**28**	**1**	**1**	**4**	**7**	**12**	**15**	**23**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	2.8	3	<1	1	2	4	5	7	8
20-34	36	2.4	2	<1	1	2	3	4	6	7
35-49	18	2.9	2	1	2	3	4	5	5	5
50-64	12	2.9	3	1	1	3	3	6	7	7
65+	16	2.8	2	1	1	3	4	5	5	5
B. *Operated*										
0-19 YRS	36	1.8	2	<1	<1	1	2	4	4	6
20-34	70	2.4	12	<1	<1	2	3	4	4	25
35-49	72	2.3	3	<1	<1	2	3	4	5	10
50-64	100	3.0	24	<1	<1	2	3	5	9	34
65+	133	3.2	8	<1	<1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	4.2	15	1	1	3	5	7	10	22
20-34	78	4.3	10	1	1	4	6	7	10	17
35-49	70	4.6	8	1	1	4	6	8	12	14
50-64	91	5.7	41	1	2	4	7	10	12	42
65+	320	7.5	52	2	2	6	9	13	17	35
B. *Operated*										
0-19 YRS	63	2.7	9	<1	<1	1	4	6	9	17
20-34	150	4.0	21	<1	1	2	4	9	13	24
35-49	183	4.1	14	<1	<1	3	6	10	12	18
50-64	444	4.8	23	1	1	3	6	11	14	24
65+	1077	6.8	52	1	2	5	8	14	20	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	105	2.7	2	1	1	2	3	5	6	8
B. *Operated*	411	2.7	11	<1	<1	2	3	5	7	16
2. MULTIPLE DX										
A. *Not Operated*	621	6.2	39	1	2	5	7	11	14	28
B. *Operated*	1917	5.7	39	1	1	4	7	12	17	33
1. SINGLE DX	516	2.7	9	<1	<1	2	3	5	6	12
2. MULTIPLE DX	2538	5.8	39	1	1	4	7	12	16	32
A. NOT OPERATED	726	5.7	35	1	2	4	7	11	14	28
B. OPERATED	2328	5.2	35	<1	1	3	6	11	16	31
TOTAL 0-19 YRS	184	3.0	10	<1	<1	2	4	6	7	20
20-34	334	3.6	15	<1	1	2	4	7	10	23
35-49	343	3.7	10	<1	<1	3	5	8	11	15
50-64	647	4.7	26	<1	1	3	6	10	13	25
65+	1546	6.6	49	1	2	5	8	13	18	39
GRAND TOTAL	**3054**	**5.3**	**35**	**<1**	**1**	**3**	**7**	**11**	**15**	**31**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	3	1.7		1	1	2	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65+	7	2.6	5	<1	<1	2	3	6	7	7
B. *Operated*										
0-19 YRS	255	1.6	5	<1	<1	<1	1	3	4	15
20-34	174	3.0	8	<1	<1	2	4	6	8	13
35-49	123	2.7	3	<1	<1	2	4	5	6	8
50-64	123	3.0	8	<1	<1	2	4	6	9	16
65+	165	3.3	7	<1	1	2	4	7	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	1.4	1	<1	<1	<1	1	3	4	4
20-34	5	3.0	7	<1	<1	2	5	7	7	7
35-49	10	2.1	2	<1	<1	1	3	4	5	5
50-64	14	4.0	7	<1	1	3	6	8	9	9
65+	59	5.3	17	1	1	4	7	11	14	21
B. *Operated*										
0-19 YRS	150	2.1	13	<1	<1	1	2	4	6	23
20-34	166	4.2	38	<1	<1	2	4	10	15	29
35-49	195	3.3	10	<1	1	2	4	7	9	18
50-64	318	4.3	44	<1	1	3	5	8	11	25
65+	749	5.6	28	1	2	4	7	11	15	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.1	3	<1	1	2	3	4	6	7
B. *Operated*	840	2.6	6	<1	<1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	101	4.2	14	<1	<1	3	6	9	11	19
B. *Operated*	1578	4.6	30	<1	<1	3	6	10	13	23
1. SINGLE DX	854	2.6	6	<1	<1	2	3	5	7	12
2. MULTIPLE DX	1679	4.5	29	<1	<1	3	6	9	13	23
A. NOT OPERATED	115	3.9	13	<1	<1	3	5	8	11	18
B. OPERATED	2418	3.9	23	<1	<1	2	5	8	11	21
TOTAL 0-19 YRS	420	1.8	8	<1	<1	<1	1	3	4	15
20-34	348	3.5	23	<1	<1	2	4	7	10	23
35-49	329	3.0	7	<1	<1	2	4	6	8	16
50-64	456	4.0	33	<1	<1	3	5	8	11	22
65+	980	5.1	24	1	1	4	7	10	14	23
GRAND TOTAL	**2533**	**3.9**	**22**	**<1**	**<1**	**2**	**5**	**8**	**11**	**21**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	287	3.3	4	1	1	3	4	6	7	10
20-34	167	3.3	6	<1	1	3	4	6	8	12
35-49	89	3.3	4	1	1	3	4	6	8	10
50-64	94	3.9	6	<1	1	3	5	7	9	12
65+	164	5.1	20	1	1	4	6	10	12	26
B. *Operated*										
0-19 YRS	166	2.2	7	<1	<1	1	2	5	7	14
20-34	170	2.4	5	<1	<1	2	3	6	7	10
35-49	181	3.0	15	<1	<1	2	3	6	8	16
50-64	233	3.0	9	<1	<1	2	4	7	9	17
65+	312	3.5	10	<1	<1	3	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	862	4.4	10	1	1	4	5	8	11	17
20-34	618	4.7	12	1	1	4	6	9	11	17
35-49	513	6.3	35	2	2	5	8	11	14	32
50-64	1100	6.9	32	2	2	6	9	13	15	28
65+	5646	9.9	77	2	3	8	12	18	24	67
B. *Operated*										
0-19 YRS	267	4.4	19	<1	<1	3	7	10	12	24
20-34	322	6.3	73	<1	1	4	8	13	17	60
35-49	452	6.5	69	<1	1	4	8	13	21	52
50-64	924	7.3	77	1	1	5	9	15	21	44
65+	2853	10.8	132	1	2	7	14	23	35	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	801	3.7	9	1	1	3	5	7	9	12
B. *Operated*	1062	2.9	9	<1	<1	2	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*	8739	8.4	62	2	2	7	10	15	21	52
B. *Operated*	4818	9.0	110	1	1	6	11	20	29	70
1. SINGLE DX	1863	3.3	9	<1	<1	2	4	7	8	14
2. MULTIPLE DX	13557	8.6	79	1	2	6	11	17	24	62
A. NOT OPERATED	9540	8.0	59	2	2	6	10	15	20	49
B. OPERATED	5880	7.9	97	<1	1	5	10	17	26	66
TOTAL 0-19 YRS	1582	4.0	11	<1	1	3	5	8	10	17
20-34	1277	4.6	27	<1	1	3	6	10	12	21
35-49	1235	5.7	44	<1	1	4	7	11	15	40
50-64	2351	6.5	48	1	1	5	8	13	17	35
65+	8975	9.8	93	2	2	7	12	19	27	70
GRAND TOTAL	**15420**	**8.0**	**74**	**1**	**2**	**6**	**10**	**16**	**22**	**57**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	4.0		4	4	4	4	4	4	4
50-64	8	4.3	32	<1	<1	3	4	14	18	18
65+	26	5.4	154	<1	<1	2	6	8	20	65
B. *Operated*										
0-19 YRS	2	5.5	1	5	5	5	6	6	6	6
20-34	5	4.2	20	<1	<1	2	6	12	12	12
35-49	79	3.4	8	<1	<1	3	5	6	8	15
50-64	1285	5.2	7	<1	2	5	6	8	10	13
65+	2280	5.9	9	1	2	6	7	10	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	8	2.9	3	<1	<1	3	4	5	5	5
50-64	140	3.8	24	<1	<1	3	5	7	10	55
65+	482	5.7	45	<1	1	4	7	12	17	38
B. *Operated*										
0-19 YRS	3	6.0	25	1	1	6	10	11	11	11
20-34	15	3.6	6	<1	<1	3	6	8	8	8
35-49	138	5.5	15	<1	1	5	7	10	13	21
50-64	3278	6.8	22	2	3	6	8	11	14	26
65+	10012	8.6	39	3	4	7	10	15	20	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	5.1	117	<1	<1	2	4	8	15	65
B. *Operated*	3651	5.6	9	1	2	5	7	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	631	5.2	40	<1	1	3	6	11	15	39
B. *Operated*	13446	8.1	35	2	4	7	9	14	18	32
1. SINGLE DX	3687	5.6	10	1	2	5	7	9	11	15
2. MULTIPLE DX	14077	8.0	36	2	3	7	9	14	18	32
A. NOT OPERATED	667	5.2	44	<1	1	3	6	11	15	40
B. OPERATED	17097	7.6	31	2	3	6	9	13	17	29
TOTAL 0-19 YRS	5	5.8	13	1	1	6	7	11	11	11
20-34	21	3.8	8	<1	<1	3	5	8	10	12
35-49	227	4.6	13	<1	<1	4	6	9	11	18
50-64	4711	6.3	18	1	2	6	8	10	13	22
65+	12800	8.0	35	2	3	7	9	14	18	32
GRAND TOTAL	**17764**	**7.5**	**31**	**2**	**3**	**6**	**9**	**13**	**17**	**30**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	29	3.2	2	1	1	3	4	5	6	6
35-49	31	4.0	4	<1	1	4	6	7	8	8
50-64	34	4.4	2	2	2	4	5	7	8	8
65+	13	4.8	1	3	3	5	6	6	7	7
B. *Operated*										
0-19 YRS	9	1.3		<1	<1	1	2	2	2	2
20-34	57	1.6	1	<1	<1	1	2	3	3	7
35-49	67	1.6	2	<1	<1	1	2	3	4	8
50-64	44	2.8	10	<1	<1	2	3	5	7	20
65+	24	2.9	5	<1	<1	2	4	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	46	4.3	5	1	2	4	5	8	8	10
35-49	81	4.6	6	1	2	4	6	8	9	13
50-64	152	5.5	8	2	3	5	7	9	11	14
65+	153	5.8	12	2	2	5	7	10	13	21
B. *Operated*										
0-19 YRS	6	3.5	8	<1	<1	2	6	8	8	8
20-34	70	3.7	24	<1	<1	2	4	9	13	28
35-49	125	3.9	19	<1	<1	2	5	8	14	44
50-64	202	4.9	24	<1	1	3	6	10	13	27
65+	257	6.9	48	1	2	5	9	14	18	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	109	4.0	3	1	2	4	5	6	7	8
B. *Operated*	201	2.0	4	<1	<1	1	2	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	433	5.3	9	2	2	5	7	9	11	15
B. *Operated*	660	5.4	34	<1	1	4	7	12	16	31
1. SINGLE DX	310	2.7	4	<1	<1	2	4	5	7	8
2. MULTIPLE DX	1093	5.3	24	<1	1	4	7	11	14	27
A. NOT OPERATED	542	5.0	8	2	2	5	6	8	10	14
B. OPERATED	861	4.6	29	<1	<1	2	6	11	14	29
TOTAL 0-19 YRS	18	2.2	4	<1	<1	1	3	5	7	8
20-34	202	3.1	11	<1	<1	2	4	6	8	18
35-49	304	3.6	11	<1	<1	3	5	7	9	21
50-64	432	4.9	16	<1	1	4	6	9	11	19
65+	447	6.3	33	1	2	5	8	12	15	29
GRAND TOTAL	**1403**	**4.8**	**21**	**<1**	**1**	**4**	**6**	**9**	**13**	**24**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	1	5.0		5	5	5	5	5	5	5
35-49	3	1.7		1	1	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	191	1.7	1	<1	<1	1	2	3	4	5
20-34	93	2.4	1	<1	1	2	3	4	4	8
35-49	114	2.4	2	<1	1	2	3	4	5	8
50-64	203	2.6	2	1	1	3	3	4	5	7
65+	117	2.7	2	1	1	3	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	1.2		<1	<1	<1	1	2	2	3
20-34	4	2.5	4	<1	<1	2	4	5	5	5
35-49	1	11.0		11	11	11	11	11	11	11
50-64	5	3.2	19	<1	<1	1	4	11	11	11
65+	9	4.2	30	<1	<1	3	4	13	18	18
B. *Operated*										
0-19 YRS	183	1.7	1	<1	<1	1	2	3	4	7
20-34	69	2.9	3	1	1	3	4	5	5	9
35-49	83	2.8	2	1	1	3	4	5	6	7
50-64	241	3.5	10	1	1	3	4	6	8	23
65+	208	3.7	6	1	1	3	4	7	9	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.1	2	1	1	2	3	5	5	5
B. *Operated*	718	2.3	2	<1	<1	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	39	2.5	12	<1	<1	1	3	6	11	18
B. *Operated*	784	3.0	6	<1	1	3	4	5	7	12
1. SINGLE DX	725	2.3	2	<1	<1	2	3	4	4	7
2. MULTIPLE DX	823	3.0	6	<1	<1	2	4	5	7	13
A. NOT OPERATED	46	2.5	11	<1	<1	1	3	5	11	18
B. OPERATED	1502	2.7	4	<1	1	2	3	5	6	10
TOTAL 0-19 YRS	397	1.7	1	<1	<1	1	2	3	4	6
20-34	167	2.6	2	<1	1	2	3	4	5	9
35-49	201	2.6	3	1	1	2	3	5	6	8
50-64	449	3.1	6	1	1	3	4	5	6	12
65+	334	3.3	5	1	1	3	4	6	8	13
GRAND TOTAL	**1548**	**2.7**	**4**	**<1**	**<1**	**2**	**3**	**5**	**6**	**11**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	71	3.5	4	1	1	3	5	6	8	10
20-34	182	4.1	8	1	2	4	5	7	9	15
35-49	97	4.9	6	2	2	5	6	7	9	16
50-64	76	5.5	9	2	2	5	7	10	11	15
65+	56	6.1	9	2	3	6	8	10	11	16
B. *Operated*										
0-19 YRS	34	2.2	3	1	1	2	3	4	4	10
20-34	44	3.0	7	<1	1	2	4	5	9	14
35-49	32	3.7	8	1	1	3	4	8	11	12
50-64	20	4.0	17	1	2	3	4	5	13	21
65+	21	5.1	10	1	2	4	7	9	12	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	4.1	8	1	1	3	5	7	11	13
20-34	81	5.2	7	1	2	5	7	8	9	14
35-49	80	5.5	8	2	2	5	7	9	11	74
50-64	142	6.3	11	2	3	6	8	10	11	18
65+	210	7.4	16	3	3	7	9	12	14	22
B. *Operated*										
0-19 YRS	19	4.2	7	<1	1	4	5	8	11	11
20-34	38	5.1	13	1	1	4	6	9	12	19
35-49	46	5.5	15	1	2	5	7	9	15	18
50-64	66	7.9	55	1	1	6	10	16	19	46
65+	113	10.3	101	2	2	8	13	20	28	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	482	4.6	8	1	2	4	6	8	10	15
B. *Operated*	151	3.4	8	1	1	3	4	7	10	14
2. MULTIPLE DX										
A. *Not Operated*	546	6.3	13	2	3	6	8	10	12	21
B. *Operated*	282	7.9	63	1	2	6	10	15	20	38
1. SINGLE DX	633	4.3	8	1	1	4	6	8	10	14
2. MULTIPLE DX	828	6.8	30	2	2	6	8	12	15	29
A. NOT OPERATED	1028	5.5	11	1	2	5	7	9	11	17
B. OPERATED	433	6.3	48	1	1	4	8	13	17	33
TOTAL 0-19 YRS	157	3.4	5	1	1	3	4	6	8	12
20-34	345	4.4	8	1	1	4	6	7	9	14
35-49	255	5.0	9	1	2	4	7	8	11	18
50-64	304	6.3	21	2	2	5	8	10	14	22
65+	400	7.9	41	2	3	7	10	13	17	33
GRAND TOTAL	**1461**	**5.8**	**22**	**1**	**2**	**5**	**7**	**10**	**13**	**22**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	1.3		<1	<1	1	1	2	3	3
20-34	4	1.5		1	1	1	2	2	2	2
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	3	1.3		<1	<1	1	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	635	1.2		<1	<1	1	1	2	2	3
20-34	134	1.4		<1	<1	1	2	2	3	3
35-49	87	1.4		<1	<1	1	2	2	3	3
50-64	80	1.6		<1	<1	2	2	2	3	4
65+	40	1.8	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	1.1		<1	<1	<1	1	2	2	3
20-34	7	1.7	4	<1	<1	<1	1	5	6	6
35-49	10	1.2		<1	<1	1	1	2	2	2
50-64	6	1.8	4	<1	<1	1	1	6	6	6
65+	14	3.1	22	<1	1	2	3	5	16	19
B. *Operated*										
0-19 YRS	136	1.5	1	<1	<1	1	2	3	3	5
20-34	73	1.9	1	<1	<1	2	2	3	4	7
35-49	124	2.0	3	<1	<1	2	2	3	4	10
50-64	144	2.5	19	<1	<1	2	3	4	5	18
65+	146	2.9	11	<1	1	2	3	6	7	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	1.3		<1	<1	1	2	2	3	3
B. *Operated*	976	1.3		<1	<1	1	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	80	1.6	5	<1	<1	1	1	3	3	15
B. *Operated*	623	2.2	8	<1	<1	2	2	4	5	13
1. SINGLE DX	995	1.3		<1	<1	1	2	2	2	3
2. MULTIPLE DX	703	2.2	8	<1	<1	2	2	3	5	13
A. NOT OPERATED	99	1.5	4	<1	<1	1	1	3	3	13
B. OPERATED	1599	1.7	4	<1	<1	1	2	2	3	7
TOTAL 0-19 YRS	825	1.3		<1	<1	1	1	2	2	3
20-34	218	1.6	1	<1	<1	1	2	2	3	5
35-49	222	1.8	2	<1	<1	2	2	2	3	8
50-64	233	2.2	12	<1	<1	2	2	3	4	9
65+	200	2.7	10	<1	1	2	3	5	7	18
GRAND TOTAL	**1698**	**1.7**	**4**	**<1**	**<1**	**1**	**2**	**2**	**3**	**7**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	2.1	2	<1	<1	2	3	4	5	6
20-34	34	2.6	5	<1	<1	2	4	5	7	10
35-49	19	3.5	8	<1	1	3	5	8	10	10
50-64	9	4.8	9	2	2	3	7	9	11	11
65+	5	2.0	1	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	563	1.8	1	<1	<1	1	2	3	4	6
20-34	335	2.1	2	<1	<1	2	3	4	5	9
35-49	216	2.3	3	<1	<1	2	3	4	6	9
50-64	198	2.8	3	<1	1	3	4	5	6	11
65+	105	2.9	4	<1	1	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	2.8	4	<1	<1	2	3	6	6	11
20-34	36	4.4	14	1	1	3	6	11	12	14
35-49	27	4.7	17	<1	<1	3	7	12	13	14
50-64	36	4.1	23	<1	<1	3	5	8	11	27
65+	30	6.2	27	<1	1	5	10	16	19	99+
B. *Operated*										
0-19 YRS	211	2.3	3	<1	<1	2	3	5	6	9
20-34	213	3.0	7	<1	1	2	4	6	8	14
35-49	271	3.9	29	<1	1	3	5	7	8	31
50-64	388	5.1	48	1	2	3	5	8	12	51
65+	293	5.8	51	1	2	4	6	10	18	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	123	2.7	4	<1	<1	2	3	5	7	10
B. *Operated*	1417	2.2	2	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	165	4.3	17	<1	1	3	6	11	13	26
B. *Operated*	1376	4.3	33	1	1	3	5	8	10	33
1. SINGLE DX	1540	2.2	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX	1541	4.3	31	<1	1	3	5	8	11	33
A. NOT OPERATED	288	3.6	12	<1	1	2	5	8	11	19
B. OPERATED	2793	3.2	19	<1	1	2	4	6	8	20
TOTAL 0-19 YRS	866	2.0	2	<1	<1	2	2	3	5	7
20-34	618	2.6	5	<1	<1	2	3	5	7	12
35-49	533	3.3	18	<1	1	2	4	6	8	17
50-64	631	4.3	33	1	1	3	5	7	10	34
65+	433	5.1	39	1	1	3	6	9	15	41
GRAND TOTAL	**3081**	**3.3**	**18**	**<1**	**1**	**2**	**4**	**6**	**8**	**20**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	5.0	18	2	2	5	8	8	8	8
35-49	8	1.4	1	<1	<1	1	2	3	3	3
50-64	8	1.9	3	1	1	1	2	5	6	6
65+	2	4.5	25	1	1	4	8	8	8	8
B. *Operated*										
0-19 YRS	43	1.8	1	<1	<1	2	2	3	4	5
20-34	399	1.7	1	<1	<1	2	2	3	3	5
35-49	1133	1.8	1	<1	<1	2	2	3	3	6
50-64	729	1.9	1	<1	<1	2	2	3	3	6
65+	291	2.0	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	1.0		<1	<1	<1	1	1	1	1
35-49	18	3.3	13	<1	<1	2	3	7	12	15
50-64	17	1.8	3	<1	<1	1	2	4	7	8
65+	3	3.0	1	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	10	2.2		<1	1	2	3	3	3	3
20-34	232	2.2	2	<1	<1	2	2	4	5	8
35-49	734	2.5	5	<1	<1	2	3	4	6	11
50-64	617	2.6	9	<1	<1	2	3	4	6	14
65+	418	2.9	7	1	1	2	3	5	7	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	2.3	5	<1	<1	1	2	7	8	8
B. *Operated*	2595	1.8	1	<1	<1	2	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	42	2.5	7	<1	<1	1	3	6	8	15
B. *Operated*	2011	2.6	7	<1	<1	2	3	4	6	12
1. SINGLE DX	2615	1.8	1	<1	<1	2	2	3	3	6
2. MULTIPLE DX	2053	2.6	7	<1	<1	2	3	4	6	12
A. NOT OPERATED	62	2.4	7	<1	<1	1	3	6	8	14
B. OPERATED	4606	2.2	4	<1	<1	2	2	3	5	9
TOTAL 0-19 YRS	53	1.9	1	<1	<1	2	2	3	4	5
20-34	637	1.9	1	<1	<1	2	2	3	4	6
35-49	1893	2.1	3	<1	<1	2	2	3	5	9
50-64	1371	2.2	5	<1	<1	2	2	3	5	11
65+	714	2.5	5	<1	<1	2	3	4	5	11
GRAND TOTAL	**4668**	**2.2**	**4**	**<1**	**<1**	**2**	**2**	**3**	**5**	**9**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	4.2	4	1	2	4	5	8	8	8
20-34	30	3.6	3	1	2	4	5	6	7	7
35-49	26	3.7	5	<1	1	4	5	6	8	10
50-64	9	2.8	3	1	1	3	4	5	6	6
65+	5	5.4	13	1	1	7	8	9	9	9
B. *Operated*										
0-19 YRS	319	2.7	2	<1	1	3	3	4	5	11
20-34	609	2.8	4	<1	1	3	3	5	5	8
35-49	348	2.6	12	<1	<1	2	3	4	5	9
50-64	247	2.4	2	<1	1	2	3	4	5	9
65+	109	2.4	6	<1	<1	2	3	4	5	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	3.3	7	<1	1	3	5	8	8	8
20-34	33	2.9	5	<1	<1	2	4	6	7	10
35-49	33	3.5	13	<1	1	2	5	9	11	15
50-64	42	3.3	8	<1	<1	2	5	7	9	12
65+	44	5.6	128	<1	<1	2	5	9	28	64
B. *Operated*										
0-19 YRS	91	3.1	2	1	1	3	4	5	6	8
20-34	289	3.5	12	1	1	3	4	6	7	11
35-49	356	3.7	20	1	1	3	4	6	8	29
50-64	298	3.6	14	1	1	3	4	7	9	22
65+	181	3.8	21	<1	1	3	4	8	11	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	3.8	4	1	1	4	5	7	8	10
B. *Operated*	1632	2.7	5	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	170	3.9	40	<1	<1	2	5	8	11	37
B. *Operated*	1215	3.6	15	1	1	3	4	6	8	22
1. SINGLE DX	1720	2.7	5	<1	1	2	3	4	5	9
2. MULTIPLE DX	1385	3.6	18	<1	1	3	4	6	8	22
A. NOT OPERATED	258	3.8	28	<1	1	3	5	7	8	22
B. OPERATED	2847	3.1	10	<1	1	3	4	5	7	13
TOTAL 0-19 YRS	446	2.9	3	<1	1	3	3	5	6	8
20-34	961	3.0	6	<1	1	3	4	5	6	10
35-49	763	3.2	16	<1	1	3	4	5	7	15
50-64	596	3.1	9	<1	1	2	4	6	7	13
65+	339	3.6	31	<1	<1	2	4	7	10	32
GRAND TOTAL	**3105**	**3.1**	**11**	**<1**	**1**	**3**	**4**	**5**	**7**	**13**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	364	2.2	2	1	1	2	3	4	5	7
20-34	675	2.2	2	1	1	2	3	4	5	7
35-49	138	2.5	3	1	1	2	3	5	6	9
50-64	6	3.7	11	1	1	3	4	9	10	10
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	321	3.8	4	<1	1	4	5	6	7	10
20-34	1136	3.9	5	1	1	4	5	6	7	9
35-49	301	5.0	5	1	1	5	6	7	8	11
50-64	45	5.7	6	<1	2	6	7	8	9	13
65+	39	6.5	8	1	2	7	8	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	195	2.9	5	1	1	2	4	5	6	13
20-34	430	3.1	5	1	1	2	4	6	7	12
35-49	128	3.7	7	1	1	3	5	8	8	14
50-64	9	5.1	10	<1	<1	5	8	9	10	10
65+	12	7.3	24	1	2	9	11	34	87	99+
B. *Operated*										
0-19 YRS	344	4.6	5	1	1	5	6	7	8	13
20-34	2070	4.9	9	<1	1	5	6	8	9	14
35-49	1132	6.0	12	1	2	6	7	9	11	18
50-64	172	7.1	11	2	5	7	8	10	13	17
65+	126	9.5	21	5	6	8	11	16	20	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1184	2.3	2	1	1	2	3	4	5	7
B. *Operated*	1842	4.1	5	1	1	4	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	774	3.2	6	1	1	3	4	6	8	14
B. *Operated*	3844	5.4	11	1	1	5	7	8	10	17
1. SINGLE DX	3026	3.4	5	1	1	3	5	6	7	9
2. MULTIPLE DX	4618	5.1	11	1	1	5	7	8	10	16
A. NOT OPERATED	1958	2.7	4	1	1	2	3	5	6	11
B. OPERATED	5686	5.0	9	1	1	5	6	8	9	15
TOTAL 0-19 YRS	1224	3.4	5	1	1	3	5	6	7	10
20-34	4311	4.0	7	1	1	4	6	7	8	12
35-49	1699	5.3	11	1	1	5	7	8	10	16
50-64	232	6.6	11	1	3	6	8	9	13	17
65+	178	8.6	20	2	4	8	10	15	18	25
GRAND TOTAL	**7644**	**4.4**	**9**	**1**	**1**	**4**	**6**	**8**	**9**	**14**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	644	4.5	6	2	2	4	6	8	9	12
20-34	1548	4.4	6	2	2	4	5	7	9	13
35-49	243	5.0	8	2	2	4	6	9	11	14
50-64	9	5.8	5	3	3	5	7	9	9	9
65+	3	3.0	1	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	145	5.3	12	1	1	5	7	9	11	18
20-34	684	4.0	9	<1	<1	3	6	8	9	15
35-49	231	4.5	12	<1	<1	4	6	9	11	17
50-64	26	6.8	20	1	2	6	8	14	16	20
65+	4	3.3	7	1	1	2	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	354	4.8	8	1	2	4	6	8	10	15
20-34	1070	5.0	8	1	2	4	6	9	10	15
35-49	270	6.5	17	2	3	5	8	12	14	19
50-64	24	8.2	35	3	4	6	10	15	23	27
65+	19	9.6	45	3	4	7	12	19	26	30
B. *Operated*										
0-19 YRS	253	5.6	21	<1	1	5	7	10	13	24
20-34	2432	5.0	14	<1	1	5	6	9	11	18
35-49	1012	6.6	27	<1	1	6	8	12	16	25
50-64	107	9.4	76	1	2	8	10	17	26	50
65+	40	10.8	47	2	4	10	15	22	28	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2447	4.5	6	2	2	4	5	8	9	13
B. *Operated*	1090	4.3	11	<1	<1	4	6	8	11	15
2. MULTIPLE DX										
A. *Not Operated*	1737	5.3	11	2	2	5	6	9	11	17
B. *Operated*	3844	5.7	21	<1	1	5	7	10	13	23
1. SINGLE DX	3537	4.5	8	1	1	4	6	8	10	14
2. MULTIPLE DX	5581	5.5	18	<1	1	5	7	10	13	21
A. NOT OPERATED	4184	4.8	8	2	2	4	6	8	10	15
B. OPERATED	4934	5.4	19	<1	1	5	7	10	13	21
TOTAL 0-19 YRS	1396	4.9	10	1	2	4	6	8	10	16
20-34	5734	4.7	10	<1	1	4	6	8	10	16
35-49	1756	6.1	21	1	1	5	7	11	14	23
50-64	166	8.7	58	1	2	7	10	16	23	41
65+	66	9.6	46	2	3	7	13	21	24	89
GRAND TOTAL	**9118**	**5.1**	**14**	**<1**	**1**	**5**	**6**	**9**	**11**	**18**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.5	4	<1	<1	2	3	6	6	6
20-34	43	2.9	4	1	1	3	4	5	8	8
35-49	13	2.7	6	1	1	2	3	5	9	10
50-64										
65+										
B. *Operated*										
0-19 YRS	36	2.3	3	<1	<1	2	3	5	7	7
20-34	551	3.4	6	<1	<1	2	6	6	7	10
35-49	317	5.0	6	<1	1	6	6	7	8	12
50-64	17	5.3	10	<1	1	6	7	8	11	13
65+	2	7.0	2	6	6	7	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	68	2.6	4	<1	<1	2	3	6	7	10
35-49	32	2.9	10	<1	<1	1	3	8	10	13
50-64										
65+										
B. *Operated*										
0-19 YRS	47	3.4	5	<1	<1	3	5	6	7	7
20-34	1998	4.9	7	<1	1	5	6	7	8	12
35-49	2599	6.1	7	1	2	6	7	8	10	15
50-64	285	6.7	5	4	5	7	7	9	10	16
65+	28	9.8	63	5	5	8	11	13	17	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	2.8	4	<1	1	2	3	5	8	10
B. *Operated*	923	4.0	7	<1	<1	4	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	103	2.7	6	<1	<1	2	3	6	8	12
B. *Operated*	4957	5.7	8	<1	1	6	7	8	9	14
1. SINGLE DX	985	3.9	6	<1	<1	4	6	7	8	11
2. MULTIPLE DX	5060	5.6	8	<1	1	6	7	8	9	14
A. NOT OPERATED	165	2.7	5	<1	<1	2	3	6	8	10
B. OPERATED	5880	5.4	8	<1	1	6	7	8	9	14
TOTAL 0-19 YRS	92	2.8	4	<1	<1	2	5	6	7	7
20-34	2660	4.5	7	<1	1	5	6	7	8	12
35-49	2961	6.0	7	1	2	6	7	8	10	15
50-64	302	6.6	5	2	5	7	7	9	10	15
65+	30	9.6	59	5	5	8	11	12	13	48
GRAND TOTAL	**6045**	**5.3**	**8**	**<1**	**1**	**6**	**7**	**8**	**9**	**14**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	3.3	3	1	1	3	4	5	5	5
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	64	1.8	2	<1	<1	1	2	4	5	6
35-49	63	2.2	3	<1	<1	2	2	5	6	7
50-64	38	1.7	1	<1	<1	2	2	2	3	7
65+	10	2.9	11	<1	<1	2	3	8	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	5	<1	<1	5	5	5	5	5
20-34	7	5.1	8	<1	1	4	7	9	10	10
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	2	1.5	1	<1	<1	1	2	2	2	2
65+	3	10.0	67	<1	<1	12	16	17	17	17
B. *Operated*										
0-19 YRS	8	2.1	4	<1	<1	1	3	5	6	6
20-34	200	2.7	5	<1	<1	2	4	6	7	10
35-49	362	3.2	10	<1	<1	2	5	7	8	13
50-64	157	2.4	8	<1	<1	2	2	6	7	18
65+	48	3.6	11	<1	<1	2	4	9	11	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.2	2	1	1	3	4	5	5	5
B. *Operated*	177	2.0	2	<1	<1	2	2	4	6	7
2. MULTIPLE DX										
A. *Not Operated*	17	4.9	20	<1	<1	4	6	12	15	17
B. *Operated*	775	2.9	8	<1	<1	2	4	7	8	13
1. SINGLE DX	182	2.0	2	<1	<1	2	2	4	6	7
2. MULTIPLE DX	792	2.9	9	<1	<1	2	4	7	8	14
A. NOT OPERATED	22	4.5	16	<1	<1	4	5	11	14	17
B. OPERATED	952	2.7	7	<1	<1	2	3	6	7	12
TOTAL 0-19 YRS	13	2.4	4	<1	<1	1	4	5	6	6
20-34	275	2.6	5	<1	<1	2	3	6	7	10
35-49	428	3.0	9	<1	<1	2	5	7	8	11
50-64	197	2.3	7	<1	<1	2	2	4	7	17
65+	61	3.8	15	<1	<1	2	4	11	12	17
GRAND TOTAL	**974**	**2.8**	**8**	**<1**	**<1**	**2**	**3**	**6**	**7**	**12**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	3.2	7	<1	<1	2	4	6	9	12
20-34	84	3.1	3	1	1	3	4	6	7	9
35-49	18	3.7	8	1	1	3	6	8	9	9
50-64	4	3.3	2	<1	<1	4	4	4	4	4
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	83	1.8	3	<1	<1	1	2	3	5	9
20-34	532	1.6	1	<1	<1	1	2	3	3	5
35-49	280	1.7	2	<1	<1	1	2	3	3	6
50-64	71	1.8	1	<1	<1	1	2	3	4	7
65+	18	2.2	4	<1	<1	2	2	4	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	4.7	7	<1	2	4	6	9	9	13
20-34	131	4.2	8	1	2	4	5	7	10	17
35-49	35	5.5	13	2	2	5	7	10	15	16
50-64	18	7.8	85	1	1	5	10	12	30	42
65+	34	11.0	47	3	4	9	16	22	25	28
B. *Operated*										
0-19 YRS	23	3.3	9	<1	1	2	4	8	10	11
20-34	227	3.1	6	<1	<1	2	5	7	8	11
35-49	227	3.1	13	<1	<1	2	3	7	9	21
50-64	92	4.3	27	<1	<1	2	5	12	15	25
65+	73	5.5	30	<1	1	4	8	14	17	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	147	3.2	5	<1	1	3	4	6	7	11
B. *Operated*	984	1.7	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	274	5.6	23	1	2	4	7	10	15	25
B. *Operated*	642	3.6	15	<1	<1	2	5	8	11	23
1. SINGLE DX	1131	1.9	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX	916	4.2	18	<1	<1	3	5	9	12	23
A. NOT OPERATED	421	4.7	18	1	1	4	6	9	12	22
B. OPERATED	1626	2.4	8	<1	<1	2	2	5	7	14
TOTAL 0-19 YRS	202	3.0	6	<1	<1	2	4	6	9	12
20-34	974	2.4	4	<1	<1	2	3	5	6	10
35-49	560	2.6	8	<1	<1	2	3	6	8	16
50-64	185	3.7	25	<1	<1	2	4	8	13	25
65+	126	6.5	39	<1	1	5	9	16	22	99+
GRAND TOTAL	**2047**	**2.9**	**11**	**<1**	**<1**	**2**	**3**	**6**	**9**	**17**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	4	3.0	11	<1	<1	1	5	8	8	8
65+	10	4.3	6	1	1	4	6	8	9	9
B. *Operated*										
0-19 YRS	2	6.5	13	4	4	6	9	9	9	9
20-34	123	4.8	5	1	2	5	6	8	8	11
35-49	340	6.0	4	2	3	6	7	8	9	12
50-64	667	6.4	4	3	4	6	7	9	10	13
65+	642	6.7	5	4	5	7	8	9	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	11	1.0		<1	<1	<1	1	1	1	1
35-49	28	1.3	1	<1	<1	1	1	2	3	4
50-64	42	2.1	5	<1	<1	1	2	5	8	11
65+	64	4.0	23	<1	<1	2	6	10	14	23
B. *Operated*										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	517	6.0	11	2	4	6	7	8	10	14
35-49	1659	6.6	7	3	4	6	8	9	11	16
50-64	1835	7.1	6	4	5	7	8	10	12	16
65+	1932	7.8	14	4	5	7	9	11	14	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	3.8	7	<1	1	3	6	8	9	9
B. *Operated*	1774	6.3	5	3	4	6	7	9	10	13
2. MULTIPLE DX										
A. *Not Operated*	145	2.7	13	<1	<1	1	2	7	10	20
B. *Operated*	5945	7.1	10	4	4	7	8	10	12	18
1. SINGLE DX	1789	6.3	5	3	4	6	7	9	10	13
2. MULTIPLE DX	6090	7.0	10	3	4	7	8	10	12	18
A. NOT OPERATED	160	2.8	13	<1	<1	1	3	7	10	19
B. OPERATED	7719	6.9	9	3	4	7	8	10	12	18
TOTAL 0-19 YRS	4	5.8	6	4	4	5	7	9	9	9
20-34	651	5.7	10	1	3	5	7	8	9	14
35-49	2028	6.4	7	2	4	6	7	9	10	15
50-64	2548	6.9	6	3	4	7	8	10	11	15
65+	2648	7.5	13	4	4	7	8	11	13	21
GRAND TOTAL	**7879**	**6.9**	**9**	**3**	**4**	**7**	**8**	**10**	**12**	**18**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	1.6		<1	<1	2	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	7	1.6		1	1	2	2	2	2	2
20-34	56	1.4	1	<1	<1	1	2	2	3	5
35-49	98	1.4	1	<1	<1	1	2	2	3	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	7	4.4	21	<1	<1	2	9	11	11	11
35-49	6	2.7	2	1	1	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	83	2.7	9	<1	<1	1	3	6	8	16
35-49	164	2.5	6	<1	<1	2	2	6	8	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	1.6		<1	<1	2	2	2	2	2
B. *Operated*	161	1.4	1	<1	<1	1	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	14	3.4	12	<1	1	2	4	11	11	11
B. *Operated*	249	2.6	7	<1	<1	1	3	6	8	12
1. SINGLE DX	169	1.4	1	<1	<1	1	2	2	2	6
2. MULTIPLE DX	263	2.6	7	<1	<1	1	3	6	8	12
A. NOT OPERATED	22	2.8	8	<1	<1	2	3	6	11	11
B. OPERATED	410	2.1	5	<1	<1	1	2	5	7	11
TOTAL 0-19 YRS	10	1.4		<1	<1	1	2	2	2	2
20-34	153	2.2	6	<1	<1	1	2	5	7	14
35-49	269	2.1	4	<1	<1	1	2	5	7	10
50-64										
65+										
GRAND TOTAL	**432**	**2.2**	**5**	**<1**	**<1**	**1**	**2**	**5**	**7**	**11**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58	2.1	2	<1	<1	2	3	4	5	7
20-34	130	1.6	1	<1	<1	1	2	3	4	5
35-49	55	1.5	1	<1	<1	1	2	3	3	5
50-64										
65+										
B. *Operated*										
0-19 YRS	82	1.5	1	<1	<1	1	2	2	3	7
20-34	1278	1.5	1	<1	<1	1	2	2	4	7
35-49	2108	1.6	2	<1	<1	1	2	2	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	2.4	2	1	1	2	3	4	5	6
20-34	160	2.3	3	<1	<1	2	3	4	6	8
35-49	148	2.0	3	<1	<1	1	2	4	6	10
50-64										
65+										
B. *Operated*										
0-19 YRS	97	2.2	3	<1	<1	2	3	4	6	10
20-34	1595	2.7	7	<1	<1	2	4	6	7	10
35-49	3810	3.1	7	<1	<1	2	5	7	8	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	243	1.7	1	<1	<1	1	2	3	4	5
B. *Operated*	3468	1.5	1	<1	<1	1	2	2	4	7
2. MULTIPLE DX										
A. *Not Operated*	381	2.2	3	<1	<1	2	3	4	5	8
B. *Operated*	5502	2.9	7	<1	<1	2	5	7	8	11
1. SINGLE DX	3711	1.5	1	<1	<1	1	2	2	4	7
2. MULTIPLE DX	5883	2.9	7	<1	<1	2	5	7	8	11
A. NOT OPERATED	624	2.0	2	<1	<1	1	3	4	5	7
B. OPERATED	8970	2.4	5	<1	<1	1	2	6	7	10
TOTAL 0-19 YRS	310	2.0	2	<1	<1	2	3	4	5	7
20-34	3163	2.2	5	<1	<1	1	2	5	6	9
35-49	6121	2.5	6	<1	<1	1	3	6	7	10
50-64										
65+										
GRAND TOTAL	**9594**	**2.4**	**5**	**<1**	**<1**	**1**	**2**	**6**	**7**	**10**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	5	3.0	16	<1	<1	1	4	10	10	10
65+	7	1.6		<1	<1	2	2	2	2	2
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	1.5		<1	<1	1	2	2	2	2
35-49	208	1.4	1	<1	<1	1	2	2	2	4
50-64	740	1.4		<1	<1	1	2	2	2	4
65+	209	1.8	2	<1	<1	2	2	2	4	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	20	3.1	7	<1	<1	2	4	8	9	9
50-64	35	2.5	5	<1	<1	1	4	6	7	8
65+	47	3.4	12	<1	1	2	4	8	10	18
B. *Operated*										
0-19 YRS										
20-34	2	3.0	8	<1	<1	2	5	5	5	5
35-49	238	2.1	3	<1	<1	1	2	5	6	8
50-64	977	2.2	5	<1	<1	2	2	4	7	12
65+	588	3.2	24	<1	1	2	3	7	9	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	1.9	5	<1	<1	1	2	2	8	10
B. *Operated*	1162	1.5	1	<1	<1	1	2	2	2	5
2. MULTIPLE DX										
A. *Not Operated*	103	3.0	8	<1	<1	2	4	7	8	15
B. *Operated*	1805	2.5	11	<1	<1	2	2	6	8	14
1. SINGLE DX	1177	1.5	1	<1	<1	1	2	2	2	5
2. MULTIPLE DX	1908	2.5	11	<1	<1	2	2	6	8	14
A. NOT OPERATED	118	2.9	8	<1	<1	2	3	7	9	14
B. OPERATED	2967	2.1	7	<1	<1	2	2	3	6	12
TOTAL 0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	8	1.9	2	<1	<1	1	2	4	5	5
35-49	468	1.8	2	<1	<1	1	2	3	5	8
50-64	1757	1.9	3	<1	<1	1	2	2	5	9
65+	851	2.8	18	<1	<1	2	2	6	8	17
GRAND TOTAL	**3085**	**2.1**	**7**	**<1**	**<1**	**2**	**2**	**4**	**7**	**12**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	3.0	7	<1	1	2	4	6	8	13
20-34	66	2.0	3	<1	<1	2	2	3	5	11
35-49	25	2.4	3	<1	1	2	3	4	6	8
50-64	6	4.7	27	1	1	3	4	14	15	15
65+	4	4.0	29	<1	<1	1	7	12	12	12
B. *Operated*										
0-19 YRS	74	3.3	8	<1	<1	3	5	6	7	16
20-34	850	2.2	3	<1	<1	2	3	5	6	8
35-49	723	2.3	4	<1	<1	2	2	6	6	9
50-64	420	2.3	5	<1	<1	1	2	6	7	11
65+	127	2.4	5	<1	<1	2	2	6	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	3.4	14	<1	1	2	4	6	9	23
20-34	102	2.9	5	<1	<1	2	4	6	7	10
35-49	57	2.6	6	<1	<1	2	3	5	8	13
50-64	39	3.7	9	<1	1	3	5	9	10	12
65+	70	6.0	34	1	2	4	7	11	15	33
B. *Operated*										
0-19 YRS	95	4.1	13	<1	<1	3	6	7	10	22
20-34	1235	3.3	7	<1	<1	2	5	7	7	11
35-49	2295	3.8	17	<1	<1	2	6	7	9	16
50-64	1366	4.0	25	<1	<1	2	6	8	10	18
65+	626	6.2	55	<1	1	3	8	16	21	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	132	2.5	6	<1	<1	2	3	5	7	13
B. *Operated*	2194	2.3	4	<1	<1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	308	3.7	15	<1	1	3	5	8	10	21
B. *Operated*	5617	4.0	22	<1	<1	2	6	8	10	21
1. SINGLE DX	2326	2.3	4	<1	<1	2	3	5	6	10
2. MULTIPLE DX	5925	4.0	21	<1	<1	2	6	8	10	21
A. NOT OPERATED	440	3.3	12	<1	1	2	4	7	9	16
B. OPERATED	7811	3.5	17	<1	<1	2	5	7	9	18
TOTAL 0-19 YRS	240	3.6	11	<1	<1	3	5	7	9	21
20-34	2253	2.8	6	<1	<1	2	4	6	7	10
35-49	3100	3.4	14	<1	<1	2	6	7	8	14
50-64	1831	3.6	20	<1	<1	2	6	8	9	17
65+	827	5.6	48	<1	1	3	7	13	19	44
GRAND TOTAL	**8251**	**3.5**	**17**	**<1**	**<1**	**2**	**5**	**7**	**9**	**18**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	168	1.7	1	<1	1	1	2	3	3	5
20-34	199	1.9	2	<1	1	1	2	4	5	7
35-49	37	1.9	2	<1	<1	1	3	4	5	6
50-64	4	2.8	1	2	2	3	3	4	4	4
65+										
B. *Operated*										
0-19 YRS	76	2.4	4	<1	<1	2	3	6	7	10
20-34	799	2.5	4	<1	<1	2	4	6	7	9
35-49	402	4.6	8	<1	1	5	6	8	9	13
50-64	181	6.5	6	1	3	7	8	9	10	13
65+	78	6.6	8	2	3	7	8	10	10	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	115	2.2	3	<1	<1	2	3	4	5	11
20-34	221	2.2	3	<1	<1	2	3	4	6	10
35-49	57	3.2	13	<1	<1	2	4	5	9	22
50-64	20	3.3	8	1	1	2	4	7	10	12
65+	18	4.2	6	<1	1	4	7	7	7	7
B. *Operated*										
0-19 YRS	59	2.8	7	<1	<1	2	4	7	9	11
20-34	1632	3.5	6	<1	<1	3	5	7	7	10
35-49	890	5.2	9	<1	1	5	7	9	10	14
50-64	312	7.7	16	2	4	7	9	12	16	23
65+	198	8.2	17	2	3	8	10	13	16	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	408	1.9	2	<1	1	1	2	3	4	7
B. *Operated*	1536	3.7	8	<1	<1	3	6	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	431	2.5	5	<1	<1	2	3	5	7	12
B. *Operated*	3091	4.7	11	<1	<1	5	6	8	10	16
1. SINGLE DX	1944	3.3	7	<1	<1	2	5	7	8	10
2. MULTIPLE DX	3522	4.4	11	<1	<1	4	6	8	10	16
A. NOT OPERATED	839	2.2	4	<1	<1	2	3	4	6	9
B. OPERATED	4627	4.4	10	<1	<1	4	6	8	10	15
TOTAL 0-19 YRS	418	2.1	3	<1	<1	2	2	4	6	10
20-34	2851	3.0	5	<1	<1	2	5	6	7	9
35-49	1386	4.8	9	<1	1	5	7	8	10	14
50-64	517	7.1	13	2	3	7	8	10	14	21
65+	294	7.5	15	2	3	7	9	12	14	21
GRAND TOTAL	**5466**	**4.0**	**10**	**<1**	**<1**	**3**	**6**	**8**	**9**	**14**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	<1	1	1	1	1
20-34	32	1.8	2	<1	<1	1	2	4	4	7
35-49	5	2.2	2	<1	<1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	80	4.9	2	2	3	5	6	6	7	10
20-34	1438	4.7	2	2	3	5	6	6	7	9
35-49	204	4.9	3	2	3	5	6	7	7	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.8	2	<1	<1	1	3	4	4	4
20-34	25	2.0	2	<1	1	2	2	4	5	5
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	81	5.8	13	3	3	5	6	8	10	25
20-34	1468	5.2	4	3	3	5	6	7	8	12
35-49	315	5.6	7	3	3	5	6	8	9	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	1.8	2	<1	<1	1	2	4	4	7
B. *Operated*	1722	4.8	2	2	3	5	6	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	29	1.9	2	<1	1	1	2	4	5	5
B. *Operated*	1864	5.3	5	3	3	5	6	7	8	12
1. SINGLE DX	1762	4.7	3	2	3	5	6	7	7	9
2. MULTIPLE DX	1893	5.3	5	3	3	5	6	7	8	12
A. NOT OPERATED	69	1.8	2	<1	<1	1	2	4	4	7
B. OPERATED	3586	5.0	4	3	3	5	6	7	8	10
TOTAL 0-19 YRS	168	5.2	8	1	3	5	6	7	8	22
20-34	2963	4.9	3	2	3	5	6	7	8	10
35-49	524	5.3	5	3	3	5	6	7	8	11
50-64										
65+										
GRAND TOTAL	**3655**	**5.0**	**4**	**2**	**3**	**5**	**6**	**7**	**8**	**10**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	1.6	1	<1	1	1	2	2	3	5
20-34	66	1.4		<1	<1	1	2	2	3	4
35-49	15	1.3		1	1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	1851	1.3		<1	<1	<1	2	2	2	3
20-34	5771	1.2		<1	<1	<1	1	2	2	3
35-49	730	1.2	1	<1	<1	<1	<1	2	2	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	1.1		<1	<1	<1	<1	1	2	3
20-34	117	1.5	3	<1	<1	<1	1	2	3	12
35-49	33	1.4	1	<1	<1	1	1	2	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	793	1.2	2	<1	<1	<1	<1	1	2	5
20-34	2543	1.4	2	<1	<1	<1	<1	2	4	8
35-49	562	1.8	2	<1	<1	1	2	3	5	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	110	1.4		<1	1	1	2	2	2	4
B. *Operated*	8352	1.2		<1	<1	<1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	198	1.4	2	<1	<1	<1	1	2	3	10
B. *Operated*	3898	1.4	2	<1	<1	<1	1	2	4	7
1. SINGLE DX	8462	1.2		<1	<1	<1	1	2	2	3
2. MULTIPLE DX	4096	1.4	2	<1	<1	<1	1	2	4	7
A. NOT OPERATED	308	1.4	1	<1	<1	1	2	2	2	6
B. OPERATED	12250	1.3	1	<1	<1	<1	1	2	2	5
TOTAL 0-19 YRS	2721	1.3	1	<1	<1	<1	1	2	2	4
20-34	8497	1.3	1	<1	<1	<1	1	2	2	5
35-49	1340	1.4	2	<1	<1	<1	1	2	3	6
50-64										
65+										
GRAND TOTAL	**12558**	**1.3**	**1**	**<1**	**<1**	**<1**	**1**	**2**	**2**	**5**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	3	3.3	4	1	1	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX	3	3.3	4	1	1	4	5	5	5	5
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED	3	3.3	4	1	1	4	5	5	5	5
TOTAL 0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
GRAND TOTAL	**3**	**3.3**	**4**	**1**	**1**	**4**	**5**	**5**	**5**	**5**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	129	1.6	1	<1	<1	1	2	2	3	8
20-34	642	1.5	1	<1	<1	1	2	3	4	6
35-49	71	1.7	4	<1	<1	1	2	3	6	13
50-64										
65+										
B. *Operated*										
0-19 YRS	1201	1.3	1	<1	<1	1	1	2	2	4
20-34	8489	1.2		<1	<1	1	1	2	2	4
35-49	1662	1.2		<1	<1	1	1	2	2	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	2.1	3	<1	<1	2	3	3	6	8
20-34	132	2.2	3	<1	<1	2	3	4	6	10
35-49	10	2.5	4	<1	<1	2	4	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	153	2.0	2	<1	1	1	2	4	5	8
20-34	1259	1.9	3	<1	<1	1	2	4	5	9
35-49	403	2.0	6	<1	<1	1	2	3	6	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	842	1.5	2	<1	<1	1	2	3	4	6
B. *Operated*	11352	1.2		<1	<1	1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	177	2.2	3	<1	<1	2	3	4	6	10
B. *Operated*	1815	1.9	4	<1	<1	1	2	4	5	10
1. SINGLE DX	12194	1.2		<1	<1	1	1	2	2	4
2. MULTIPLE DX	1992	1.9	4	<1	<1	1	2	4	5	10
A. NOT OPERATED	1019	1.6	2	<1	<1	1	2	3	4	7
B. OPERATED	13167	1.3	1	<1	<1	1	1	2	3	5
TOTAL 0-19 YRS	1518	1.4	1	<1	<1	1	1	2	3	5
20-34	10522	1.3	1	<1	<1	1	1	2	3	5
35-49	2146	1.3	2	<1	<1	1	1	2	3	6
50-64										
65+										
GRAND TOTAL	**14186**	**1.3**	**1**	**<1**	**<1**	**1**	**1**	**2**	**3**	**5**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	66	3.3	5	1	1	3	4	6	7	12
20-34	249	2.4	3	<1	1	2	3	5	6	9
35-49	36	1.8	3	<1	1	1	2	4	5	10
50-64										
65+										
B. *Operated*										
0-19 YRS	133	1.9	4	<1	<1	1	2	4	5	12
20-34	1706	1.3	1	<1	<1	1	1	2	3	5
35-49	296	1.4	1	<1	<1	1	1	2	3	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	3.2	3	1	1	3	4	6	7	9
20-34	95	3.0	6	<1	1	2	4	7	8	10
35-49	14	2.6	8	1	1	1	3	7	9	10
50-64										
65+										
B. *Operated*										
0-19 YRS	48	3.6	19	1	1	2	4	7	12	25
20-34	405	2.5	6	<1	1	2	3	6	8	12
35-49	121	2.7	6	<1	1	2	3	7	9	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	351	2.5	4	<1	1	2	3	5	6	10
B. *Operated*	2135	1.4	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	134	3.0	5	1	1	2	4	7	8	10
B. *Operated*	574	2.6	7	<1	1	2	3	6	8	13
1. SINGLE DX	2486	1.5	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX	708	2.7	7	<1	1	2	3	6	8	11
A. NOT OPERATED	485	2.6	4	<1	1	2	4	5	7	10
B. OPERATED	2709	1.6	3	<1	<1	1	2	3	4	9
TOTAL 0-19 YRS	272	2.7	7	<1	1	2	3	5	7	15
20-34	2455	1.7	2	<1	<1	1	2	3	5	8
35-49	467	1.8	3	<1	<1	1	2	3	5	10
50-64										
65+										
GRAND TOTAL	**3194**	**1.8**	**3**	**<1**	**<1**	**1**	**2**	**3**	**5**	**9**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	124	1.6	1	<1	1	1	2	3	3	5
20-34	949	1.9	1	<1	1	2	2	3	4	7
35-49	93	2.1	2	1	1	2	3	4	4	9
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	13	2.2	2	<1	<1	1	4	4	5	5
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	2.3	2	<1	<1	2	3	4	4	8
20-34	211	2.9	6	1	1	2	4	5	8	12
35-49	32	2.8	5	1	1	2	4	6	11	99+
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	28	3.8	82	1	1	1	3	5	14	49
35-49	4	4.3	6	1	1	4	6	7	7	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1166	1.9	1	<1	1	2	2	3	4	7
B. *Operated*	15	2.1	2	<1	1	1	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*	274	2.8	5	1	1	2	4	5	8	13
B. *Operated*	33	3.7	70	1	1	1	3	6	10	49
1. SINGLE DX	1181	1.9	1	<1	1	2	2	3	4	7
2. MULTIPLE DX	307	2.9	12	1	1	2	4	5	8	15
A. NOT OPERATED	1440	2.1	2	<1	1	2	3	4	5	9
B. OPERATED	48	3.2	49	1	1	1	3	5	7	49
TOTAL 0-19 YRS	157	1.8	1	<1	1	1	2	3	4	6
20-34	1201	2.1	4	<1	1	2	3	4	5	9
35-49	130	2.3	3	1	1	2	3	4	6	28
50-64										
65+										
GRAND TOTAL	**1488**	**2.1**	**4**	**<1**	**1**	**2**	**3**	**4**	**5**	**9**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.6	1	<1	<1	1	2	3	4	4
20-34	56	2.0	2	<1	1	2	3	4	5	6
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	4	1.5		<1	<1	1	2	2	2	2
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	1.6	1	1	1	1	2	3	3	3
20-34	25	4.2	35	<1	1	2	4	6	21	26
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67	2.0	2	<1	1	2	2	4	5	6
B. *Operated*	5	1.4		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	32	3.6	28	1	1	2	3	5	19	26
B. *Operated*	2	4.0	8	2	2	4	6	6	6	6
1. SINGLE DX	72	1.9	2	<1	<1	2	2	4	4	6
2. MULTIPLE DX	34	3.6	27	1	1	2	3	6	17	26
A. NOT OPERATED	99	2.5	11	<1	1	2	3	4	6	23
B. OPERATED	7	2.1	3	<1	<1	2	2	5	6	6
TOTAL 0-19 YRS	14	1.6	1	<1	<1	1	2	3	4	4
20-34	87	2.7	12	<1	1	2	3	5	6	24
35-49	5	1.8	2	<1	<1	1	2	4	4	4
50-64										
65+										
GRAND TOTAL	**106**	**2.5**	**10**	**<1**	**1**	**2**	**3**	**4**	**6**	**23**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	199	3.2	8	<1	1	2	4	6	7	16
20-34	1027	2.9	4	1	1	2	4	5	7	11
35-49	111	3.9	9	1	1	3	5	8	9	14
50-64										
65+										
B. *Operated*										
0-19 YRS	26	3.4	3	1	2	3	5	6	7	8
20-34	116	3.8	8	<1	1	3	4	7	10	15
35-49	17	3.9	8	1	1	3	4	8	11	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	3.7	12	<1	<1	3	4	8	9	21
20-34	344	3.7	12	<1	1	3	5	7	9	18
35-49	53	3.8	7	1	1	3	6	7	9	11
50-64										
65+										
B. *Operated*										
0-19 YRS	7	3.0	11	<1	<1	1	4	9	10	10
20-34	101	3.5	12	<1	<1	2	5	7	10	19
35-49	10	1.4		<1	<1	1	2	3	3	3
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1337	3.1	5	1	1	2	4	5	7	13
B. *Operated*	159	3.7	7	1	2	3	4	7	9	12
2. MULTIPLE DX										
A. *Not Operated*	451	3.8	11	<1	1	3	5	7	9	18
B. *Operated*	118	3.3	12	<1	<1	2	4	7	10	19
1. SINGLE DX	1496	3.1	5	1	1	3	4	6	7	13
2. MULTIPLE DX	569	3.7	11	<1	1	3	5	7	9	19
A. NOT OPERATED	1788	3.2	7	1	1	3	4	6	8	14
B. OPERATED	277	3.5	9	<1	<1	3	4	7	10	18
TOTAL 0-19 YRS	286	3.3	9	<1	1	3	4	6	8	17
20-34	1588	3.2	7	<1	1	3	4	6	7	14
35-49	191	3.7	8	1	1	3	5	8	9	14
50-64										
65+										
GRAND TOTAL	**2065**	**3.3**	**7**	**<1**	**1**	**3**	**4**	**6**	**8**	**14**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	257	2.9	3	1	1	3	3	5	6	10
20-34	1555	3.9	9	1	2	3	5	7	9	14
35-49	72	4.6	9	1	2	4	5	9	10	17
50-64										
65+										
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	5	6.4	34	<1	<1	7	10	15	15	15
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	88	3.5	6	1	1	3	4	7	9	13
20-34	602	4.1	11	1	1	3	5	7	10	17
35-49	45	4.5	11	1	2	4	6	8	10	18
50-64										
65+										
B. *Operated*										
0-19 YRS	7	4.0	3	2	2	4	5	7	7	7
20-34	31	7.3	207	1	1	4	7	11	22	81
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1884	3.8	8	1	2	3	4	7	9	14
B. *Operated*	6	6.3	27	<1	<1	6	8	14	15	15
2. MULTIPLE DX										
A. *Not Operated*	735	4.1	11	1	1	3	5	7	10	17
B. *Operated*	38	6.7	170	1	1	4	7	9	19	81
1. SINGLE DX	1890	3.8	8	1	2	3	5	7	9	14
2. MULTIPLE DX	773	4.2	19	1	1	3	5	8	10	18
A. NOT OPERATED	2619	3.9	9	1	2	3	5	7	9	15
B. OPERATED	44	6.6	149	<1	1	4	7	9	17	81
TOTAL 0-19 YRS	353	3.1	4	1	1	3	4	5	7	11
20-34	2193	4.0	12	1	2	3	5	7	9	16
35-49	117	4.6	10	1	2	4	6	9	10	17
50-64										
65+										
GRAND TOTAL	**2663**	**3.9**	**11**	**1**	**1**	**3**	**5**	**7**	**9**	**15**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	957	1.1		<1	<1	<1	1	1	2	3
20-34	4150	1.1	1	<1	<1	<1	1	1	2	3
35-49	295	1.1		<1	<1	<1	1	1	1	3
50-64										
65+										
B. *Operated*										
0-19 YRS	81	1.2	1	<1	<1	<1	1	1	2	7
20-34	298	1.1		<1	<1	<1	1	1	2	4
35-49	29	1.0		<1	<1	1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	94	1.6	3	<1	<1	1	1	3	5	10
20-34	455	1.6	3	<1	<1	1	1	3	4	9
35-49	37	1.6	2	<1	<1	1	2	3	6	7
50-64										
65+										
B. *Operated*										
0-19 YRS	7	2.6	9	<1	<1	1	3	8	9	9
20-34	45	2.2	28	<1	<1	1	1	4	5	36
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5402	1.1	1	<1	<1	<1	1	1	2	3
B. *Operated*	408	1.1		<1	<1	<1	1	1	2	4
2. MULTIPLE DX										
A. *Not Operated*	586	1.6	3	<1	<1	1	1	3	5	9
B. *Operated*	54	2.3	24	<1	<1	1	2	4	5	35
1. SINGLE DX	5810	1.1	1	<1	<1	<1	1	1	2	3
2. MULTIPLE DX	640	1.6	4	<1	<1	1	1	3	5	9
A. NOT OPERATED	5988	1.1	1	<1	<1	<1	1	1	2	4
B. OPERATED	462	1.3	3	<1	<1	<1	1	1	2	5
TOTAL 0-19 YRS	1139	1.2	1	<1	<1	<1	1	1	2	4
20-34	4948	1.2	1	<1	<1	<1	1	1	2	4
35-49	363	1.1		<1	<1	1	1	1	2	5
50-64										
65+										
GRAND TOTAL	**6450**	**1.2**	**1**	**<1**	**<1**	**<1**	**1**	**1**	**2**	**4**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	2.1	2	<1	<1	1	3	4	5	6
20-34	423	3.1	8	1	1	2	4	6	8	16
35-49	52	4.6	38	<1	1	2	5	13	16	31
50-64										
65+										
B. *Operated*										
0-19 YRS	4	2.0		2	2	2	2	2	2	2
20-34	22	4.4	14	<1	1	3	6	11	13	14
35-49	5	3.0	4	1	1	2	4	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	3.1	4	1	1	3	4	6	7	8
20-34	128	4.5	23	<1	1	3	5	10	16	25
35-49	18	5.9	36	1	1	4	10	14	20	23
50-64										
65+										
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	9	2.4	4	<1	<1	1	3	6	7	7
35-49	4	6.8	40	2	2	4	10	16	16	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	500	3.2	11	<1	1	2	4	6	9	17
B. *Operated*	31	3.8	11	<1	1	3	5	9	12	14
2. MULTIPLE DX										
A. *Not Operated*	161	4.6	23	<1	1	3	5	10	15	25
B. *Operated*	14	3.8	16	<1	1	3	4	8	14	16
1. SINGLE DX	531	3.3	11	<1	1	2	4	6	9	17
2. MULTIPLE DX	175	4.5	22	<1	1	3	5	10	16	25
A. NOT OPERATED	661	3.6	14	<1	1	2	4	7	11	20
B. OPERATED	45	3.8	12	<1	1	3	5	8	12	16
TOTAL 0-19 YRS	45	2.5	3	<1	1	2	3	5	6	8
20-34	582	3.5	12	<1	1	2	4	7	10	18
35-49	79	4.9	35	<1	1	2	5	13	16	30
50-64										
65+										
GRAND TOTAL	**706**	**3.6**	**14**	**<1**	**1**	**2**	**4**	**7**	**11**	**20**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	114	1.7	2	<1	<1	1	2	3	4	8
20-34	525	2.0	3	<1	<1	1	2	4	5	9
35-49	62	2.6	8	<1	<1	2	3	5	8	16
50-64										
65+										
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	37	1.7	2	<1	<1	1	2	4	5	7
35-49	4	2.0	2	1	1	2	3	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	2.9	14	<1	<1	1	2	7	13	17
20-34	188	3.0	10	<1	<1	2	4	6	9	15
35-49	25	4.6	50	1	1	3	4	11	19	35
50-64										
65+										
B. *Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	21	3.6	22	<1	<1	2	4	7	14	22
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	701	2.0	3	<1	<1	1	2	4	5	9
B. *Operated*	43	1.7	2	<1	<1	1	2	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	251	3.1	15	<1	1	2	4	6	9	17
B. *Operated*	25	3.4	18	<1	1	2	4	7	11	22
1. SINGLE DX	744	2.0	3	<1	<1	1	2	4	5	9
2. MULTIPLE DX	276	3.1	15	<1	1	2	4	6	9	21
A. NOT OPERATED	952	2.3	6	<1	<1	1	3	4	6	12
B. OPERATED	68	2.4	9	<1	<1	1	3	5	7	19
TOTAL 0-19 YRS	156	2.0	5	<1	<1	1	2	4	6	14
20-34	771	2.3	5	<1	<1	1	3	5	6	11
35-49	93	3.1	19	<1	1	2	3	6	10	27
50-64										
65+										
GRAND TOTAL	**1020**	**2.3**	**7**	**<1**	**<1**	**1**	**3**	**4**	**6**	**13**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	215	2.8	6	<1	<1	2	4	5	6	11
20-34	497	2.9	4	<1	<1	2	4	5	7	11
35-49	21	4.1	5	1	1	4	5	8	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	6	3.2	6	1	1	2	3	8	8	8
20-34	31	2.9	4	<1	1	3	4	6	7	8
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	267	3.1	4	<1	<1	3	4	6	7	9
20-34	588	3.3	6	<1	<1	3	5	6	8	11
35-49	35	4.1	14	<1	1	3	5	8	11	19
50-64										
65+										
B. *Operated*										
0-19 YRS	12	5.4	11	1	2	4	6	10	13	14
20-34	40	4.5	12	<1	1	4	6	8	9	20
35-49	3	6.3	6	4	4	6	8	9	9	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	733	2.9	5	<1	<1	2	4	5	7	10
B. *Operated*	38	2.9	4	<1	1	2	4	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	890	3.3	5	<1	<1	3	4	6	7	11
B. *Operated*	55	4.8	11	1	1	4	6	9	9	20
1. SINGLE DX	771	2.9	5	<1	<1	2	4	5	7	10
2. MULTIPLE DX	945	3.4	6	<1	<1	3	5	7	8	11
A. NOT OPERATED	1623	3.1	5	<1	<1	3	4	6	7	11
B. OPERATED	93	4.0	9	1	1	3	5	8	9	17
TOTAL 0-19 YRS	500	3.1	5	<1	<1	3	4	6	7	9
20-34	1156	3.2	5	<1	<1	3	4	6	7	11
35-49	60	4.2	10	<1	1	4	5	8	10	18
50-64										
65+										
GRAND TOTAL	**1716**	**3.2**	**5**	**<1**	**<1**	**3**	**4**	**6**	**7**	**11**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	98	3.2	7	<1	1	2	4	7	8	14
20-34	655	3.5	8	<1	1	3	4	7	8	15
35-49	128	4.1	7	1	1	3	5	9	10	12
50-64										
65+										
B. *Operated*										
0-19 YRS	3	7.0	37	3	3	4	11	14	14	14
20-34	47	4.1	11	<1	<1	4	5	8	9	18
35-49	12	5.7	13	2	2	5	8	11	11	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	289	2.7	5	<1	<1	2	3	6	7	11
20-34	1615	3.4	17	<1	1	2	4	7	9	19
35-49	200	4.7	20	1	1	3	6	9	12	25
50-64										
65+										
B. *Operated*										
0-19 YRS	39	3.4	8	<1	<1	3	4	8	9	9
20-34	187	4.9	48	<1	1	3	6	10	14	23
35-49	24	6.3	22	<1	1	5	9	13	14	17
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	881	3.5	8	1	1	3	4	7	9	14
B. *Operated*	62	4.5	12	<1	1	4	6	9	12	18
2. MULTIPLE DX										
A. *Not Operated*	2104	3.4	16	<1	<1	2	4	7	9	19
B. *Operated*	250	4.8	39	<1	1	3	6	10	13	22
1. SINGLE DX	943	3.6	8	<1	1	3	4	7	9	14
2. MULTIPLE DX	2354	3.6	19	<1	<1	2	4	7	10	21
A. NOT OPERATED	2985	3.5	14	<1	1	3	4	7	9	17
B. OPERATED	312	4.8	34	<1	1	3	6	10	13	21
TOTAL 0-19 YRS	429	2.9	6	<1	<1	2	4	6	8	12
20-34	2504	3.6	17	<1	1	3	4	7	9	18
35-49	364	4.6	16	1	1	3	6	9	12	22
50-64										
65+										
GRAND TOTAL	**3297**	**3.6**	**16**	**<1**	**1**	**3**	**4**	**7**	**9**	**17**

268: Miscellaneous complications of pregnancy without delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	681	2.1	5	<1	<1	1	2	4	6	11
20-34	3032	2.3	10	<1	<1	1	3	4	7	13
35-49	255	2.5	9	<1	<1	1	3	6	9	16
50-64										
65+										
B. *Operated*										
0-19 YRS	108	2.0	3	<1	<1	1	3	4	5	10
20-34	1014	2.5	9	<1	<1	2	3	4	6	13
35-49	111	2.2	4	<1	<1	2	3	4	5	13
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	306	2.6	6	<1	<1	2	3	5	7	14
20-34	1730	3.2	22	<1	<1	2	4	6	9	22
35-49	169	4.2	29	<1	<1	3	5	9	11	28
50-64										
65+										
B. *Operated*										
0-19 YRS	81	2.9	10	<1	<1	2	3	6	9	17
20-34	597	3.6	25	<1	<1	2	4	7	10	25
35-49	67	4.2	22	<1	<1	3	5	9	17	21
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3968	2.2	9	<1	<1	1	3	4	7	13
B. *Operated*	1233	2.4	8	<1	<1	2	3	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	2205	3.2	20	<1	<1	2	4	6	9	22
B. *Operated*	745	3.6	23	<1	<1	2	4	7	10	23
1. SINGLE DX	5201	2.3	9	<1	<1	1	3	4	6	13
2. MULTIPLE DX	2950	3.3	21	<1	<1	2	4	6	10	22
A. NOT OPERATED	6173	2.6	13	<1	<1	1	3	5	7	17
B. OPERATED	1978	2.9	14	<1	<1	2	3	5	8	17
TOTAL 0-19 YRS	1176	2.3	6	<1	<1	1	3	5	6	12
20-34	6373	2.7	15	<1	<1	2	3	5	7	17
35-49	602	3.1	16	<1	<1	2	3	7	10	19
50-64										
65+										
GRAND TOTAL	**8151**	**2.7**	**13**	**<1**	**<1**	**2**	**3**	**5**	**7**	**17**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	94	3.2	2	1	2	3	4	4	5	9
20-34	735	3.1	1	2	2	3	3	4	4	5
35-49	71	3.1	1	2	2	3	3	4	4	7
50-64										
65+										
B. *Operated*										
0-19 YRS	51	3.5	2	2	2	3	4	6	6	7
20-34	359	4.2	11	2	2	3	5	6	7	20
35-49	40	3.8	2	2	2	4	5	6	6	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	100	3.4	4	2	2	3	4	5	6	59
20-34	859	3.2	2	2	2	3	4	4	5	9
35-49	94	3.7	22	2	2	3	4	5	6	30
50-64										
65+										
B. *Operated*										
0-19 YRS	136	5.5	29	2	2	4	6	9	13	30
20-34	1397	5.3	37	2	3	4	6	8	10	31
35-49	240	6.0	25	2	3	5	7	10	15	25
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	900	3.1	1	2	2	3	3	4	4	6
B. *Operated*	450	4.1	9	2	2	3	5	6	7	19
2. MULTIPLE DX										
A. *Not Operated*	1053	3.3	4	2	2	3	4	4	5	9
B. *Operated*	1773	5.4	35	2	3	4	6	8	11	29
1. SINGLE DX	1350	3.4	4	2	2	3	4	5	6	8
2. MULTIPLE DX	2826	4.6	24	2	2	4	5	7	9	25
A. NOT OPERATED	1953	3.2	3	2	2	3	3	4	5	7
B. OPERATED	2223	5.2	30	2	3	4	6	8	10	27
TOTAL 0-19 YRS	381	4.1	13	2	2	3	4	6	8	28
20-34	3350	4.2	19	2	2	3	4	6	8	20
35-49	445	4.9	20	2	2	4	5	8	11	21
50-64										
65+										
GRAND TOTAL	**4176**	**4.2**	**18**	**2**	**2**	**3**	**5**	**6**	**8**	**21**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4897	2.9	1	2	2	3	3	4	4	5
20-34	36224	2.8	1	2	2	3	3	4	4	5
35-49	2561	2.9	1	2	2	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	980	2.8	1	2	2	3	3	4	4	5
20-34	6910	2.9	1	2	2	3	3	4	4	5
35-49	501	3.0	1	2	2	3	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	118	2.9	1	1	2	3	3	4	5	7
20-34	911	3.1	3	2	2	3	3	4	5	6
35-49	74	3.0	1	2	2	3	3	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	58	3.2	2	2	2	3	4	4	6	10
20-34	3273	3.5	1	2	3	3	4	5	5	6
35-49	581	3.7	1	2	3	4	4	5	5	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43682	2.8	1	2	2	3	3	4	4	5
B. *Operated*	8391	2.9	1	2	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	1103	3.1	3	2	2	3	3	4	5	6
B. *Operated*	3912	3.5	1	2	3	3	4	5	5	6
1. SINGLE DX	52073	2.8	1	2	2	3	3	4	4	5
2. MULTIPLE DX	5015	3.4	1	2	2	3	4	5	5	6
A. NOT OPERATED	44785	2.8	1	2	2	3	3	4	4	5
B. OPERATED	12303	3.1	1	2	2	3	3	4	4	5
TOTAL 0-19 YRS	6053	2.9	1	2	2	3	3	4	4	5
20-34	47318	2.9	1	2	2	3	3	4	4	5
35-49	3717	3.0	1	2	2	3	3	4	4	5
50-64										
65+										
GRAND TOTAL	**57088**	**2.9**	**1**	**2**	**2**	**3**	**3**	**4**	**4**	**5**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	4	2	2	3	5	6	6	6
20-34	27	4.1	11	2	3	3	4	5	11	19
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	4	4.0	1	3	3	4	5	5	5	5
20-34	153	8.1	73	3	4	6	7	14	26	56
35-49	20	6.3	7	3	4	6	7	10	13	14
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	21	3.7	9	2	2	3	4	5	10	16
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	14	4.7	4	2	2	5	6	7	8	8
20-34	371	9.2	108	3	4	6	8	18	30	62
35-49	97	9.7	72	3	4	6	11	22	28	43
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	4.0	10	2	2	3	4	6	10	19
B. *Operated*	177	7.8	64	3	4	6	7	13	24	52
2. MULTIPLE DX										
A. *Not Operated*	23	3.6	9	1	2	3	4	5	9	16
B. *Operated*	482	9.2	99	3	4	6	8	19	29	56
1. SINGLE DX	208	7.2	58	3	3	5	7	10	21	48
2. MULTIPLE DX	505	8.9	96	3	3	6	8	19	28	53
A. NOT OPERATED	54	3.8	9	2	2	3	4	5	9	19
B. OPERATED	659	8.8	90	3	4	6	8	17	28	55
TOTAL 0-19 YRS	21	4.4	3	2	2	4	6	7	8	8
20-34	572	8.5	93	3	3	6	7	16	28	59
35-49	120	8.9	62	3	4	6	9	21	26	40
50-64										
65+										
GRAND TOTAL	**713**	**8.4**	**85**	**3**	**3**	**6**	**7**	**16**	**27**	**51**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	2.5	3	<1	<1	2	3	4	6	8
20-34	183	2.5	1	1	1	3	3	3	4	6
35-49	17	3.2	3	1	1	3	4	6	7	8
50-64										
65+										
B. *Operated*										
0-19 YRS	18	4.2	3	2	2	4	6	6	7	7
20-34	159	4.7	4	2	3	5	6	7	7	10
35-49	13	3.8	3	2	2	3	5	6	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	3.3	3	<1	1	3	4	6	7	7
20-34	129	3.3	4	1	2	3	4	6	7	12
35-49	19	3.0	2	1	2	3	4	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	68	5.5	17	2	2	5	6	8	14	23
20-34	597	5.2	16	2	3	5	6	8	10	20
35-49	75	5.2	6	2	3	5	6	7	8	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	223	2.6	1	1	1	3	3	4	4	8
B. *Operated*	190	4.6	4	2	2	5	6	7	7	10
2. MULTIPLE DX										
A. *Not Operated*	168	3.3	4	1	2	3	4	5	7	12
B. *Operated*	740	5.2	15	2	2	5	6	8	10	20
1. SINGLE DX	413	3.5	4	1	1	3	5	6	7	9
2. MULTIPLE DX	908	4.9	13	2	2	4	6	7	10	18
A. NOT OPERATED	391	2.9	2	1	1	3	3	4	6	9
B. OPERATED	930	5.1	13	2	2	5	6	7	9	19
TOTAL 0-19 YRS	129	4.4	12	1	2	4	5	7	8	23
20-34	1068	4.5	11	1	2	4	5	7	8	17
35-49	124	4.4	5	2	2	4	5	7	8	15
50-64										
65+										
GRAND TOTAL	**1321**	**4.4**	**11**	**1**	**2**	**4**	**5**	**7**	**8**	**17**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	34	2.7	1	1	1	3	3	4	4	4
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	41	2.9	1	1	2	3	3	4	4	8
20-34	348	2.8	1	1	2	3	3	4	4	5
35-49	23	2.7	1	1	2	3	3	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	14	2.6	1	1	1	3	3	4	4	4
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	26	3.0	1	1	2	3	4	4	5	5
20-34	268	3.4	3	1	2	3	4	5	6	10
35-49	31	4.5	29	2	3	3	4	5	7	33
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	2.6	1	<1	1	3	3	4	4	4
B. *Operated*	412	2.8	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	17	2.6	1	1	1	3	3	4	4	4
B. *Operated*	325	3.4	5	1	2	3	4	5	6	10
1. SINGLE DX	450	2.8	1	1	2	3	3	4	4	5
2. MULTIPLE DX	342	3.4	5	1	2	3	4	5	6	10
A. NOT OPERATED	55	2.6	1	1	1	3	3	4	4	4
B. OPERATED	737	3.1	3	1	2	3	3	4	5	8
TOTAL 0-19 YRS	70	2.9	1	1	2	3	3	4	4	7
20-34	664	3.0	2	1	2	3	3	4	5	8
35-49	58	3.6	17	1	2	3	4	5	5	31
50-64										
65+										
GRAND TOTAL	**792**	**3.1**	**3**	**1**	**2**	**3**	**3**	**4**	**5**	**8**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	3.1	1	2	2	3	4	4	4	5
20-34	209	2.9	1	1	2	3	3	4	4	5
35-49	12	3.6	3	1	2	3	4	7	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	13	3.5	2	2	2	3	4	5	7	7
20-34	88	3.3	1	1	2	3	4	4	5	8
35-49	8	2.5	1	<1	1	3	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	3.1	2	1	2	3	4	5	6	7
20-34	106	3.2	1	2	2	3	4	5	5	7
35-49	7	3.3	3	1	1	3	4	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	15	3.7	2	2	2	4	4	5	7	8
20-34	142	3.8	8	2	2	3	4	5	7	15
35-49	15	4.1	5	1	2	4	5	5	10	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	250	3.0	1	1	2	3	3	4	4	6
B. *Operated*	109	3.2	1	1	2	3	4	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	135	3.2	1	1	2	3	4	5	5	7
B. *Operated*	172	3.8	7	2	2	3	4	5	7	13
1. SINGLE DX	359	3.0	1	1	2	3	3	4	5	7
2. MULTIPLE DX	307	3.6	5	2	2	3	4	5	6	11
A. NOT OPERATED	385	3.1	1	1	2	3	3	4	5	7
B. OPERATED	281	3.6	5	2	2	3	4	5	6	11
TOTAL 0-19 YRS	79	3.3	1	2	2	3	4	4	5	8
20-34	545	3.3	3	2	2	3	4	4	5	8
35-49	42	3.5	4	1	1	3	4	6	7	11
50-64										
65+										
GRAND TOTAL	**666**	**3.3**	**3**	**2**	**2**	**3**	**4**	**4**	**5**	**8**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.0	1	2	2	3	3	4	4	4
20-34	82	3.3	1	2	2	3	4	4	5	6
35-49	6	3.5		3	3	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	5	4.2	1	3	3	4	5	5	5	5
20-34	88	4.4	3	2	3	4	6	7	7	8
35-49	8	4.6	4	2	2	4	6	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	4.2	2	2	2	4	5	6	7	7
20-34	94	3.9	2	2	3	4	4	5	7	11
35-49	8	3.6	2	1	2	4	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	22	5.8	13	2	3	5	7	10	14	18
20-34	564	5.8	23	3	3	5	6	8	9	28
35-49	61	5.4	3	3	3	6	6	8	8	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	3.3	1	2	2	3	4	4	4	6
B. *Operated*	101	4.4	3	2	3	4	5	7	7	8
2. MULTIPLE DX										
A. *Not Operated*	113	3.9	2	2	3	4	4	5	7	10
B. *Operated*	647	5.8	21	3	3	5	6	8	9	28
1. SINGLE DX	194	3.9	2	2	3	4	5	6	7	8
2. MULTIPLE DX	760	5.5	19	2	3	5	6	8	9	26
A. NOT OPERATED	206	3.6	2	2	2	3	4	5	6	8
B. OPERATED	748	5.6	19	3	3	5	6	8	9	27
TOTAL 0-19 YRS	43	4.9	8	2	3	4	6	8	10	18
20-34	828	5.2	17	2	3	5	6	7	8	23
35-49	83	5.0	3	3	3	5	6	7	8	10
50-64										
65+										
GRAND TOTAL	**954**	**5.1**	**16**	**2**	**3**	**5**	**6**	**7**	**8**	**21**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.2	2	2	2	3	4	5	5	5
20-34	106	3.0	1	1	2	3	3	4	5	7
35-49	10	2.7		<1	1	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	139	4.8	2	3	3	5	5	6	7	9
20-34	1403	4.9	2	3	3	5	6	6	7	8
35-49	105	5.2	2	3	3	5	6	7	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	2.5	1	1	1	2	3	4	5	5
20-34	46	3.0	2	1	1	3	4	5	6	8
35-49	10	2.5	1	1	1	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	173	5.4	4	3	3	5	6	8	9	12
20-34	1846	5.3	5	3	3	5	6	7	8	12
35-49	275	5.7	7	3	3	5	6	8	10	17
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	121	3.0	1	1	2	3	3	4	5	7
B. *Operated*	1647	4.9	2	3	3	5	6	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	68	2.9	2	1	1	3	3	4	6	8
B. *Operated*	2294	5.4	5	3	3	5	6	7	8	12
1. SINGLE DX	1768	4.7	2	2	3	5	6	6	7	8
2. MULTIPLE DX	2362	5.3	5	3	3	5	6	7	8	12
A. NOT OPERATED	189	2.9	1	1	2	3	3	4	5	7
B. OPERATED	3941	5.2	4	3	3	5	6	7	8	11
TOTAL 0-19 YRS	329	5.0	3	2	3	5	6	7	8	11
20-34	3401	5.0	4	3	3	5	6	7	7	10
35-49	400	5.4	6	2	3	5	6	7	8	13
50-64										
65+										
GRAND TOTAL	**4130**	**5.1**	**4**	**3**	**3**	**5**	**6**	**7**	**7**	**11**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	3.1	1	2	2	3	3	4	5	5
20-34	299	2.9	1	1	2	3	3	4	4	5
35-49	19	3.0		2	2	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	74	4.4	3	2	3	4	5	6	8	9
20-34	702	4.3	2	2	3	4	5	6	7	8
35-49	60	4.9	3	3	3	5	6	7	8	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	2.8	1	2	2	3	3	4	5	5
20-34	206	3.1	1	1	2	3	4	4	5	7
35-49	19	3.1		2	3	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	261	4.7	4	2	3	5	6	7	7	11
20-34	2798	5.0	6	3	3	5	6	7	8	11
35-49	329	5.8	9	3	3	6	7	8	9	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	351	2.9	1	2	2	3	3	4	4	5
B. *Operated*	836	4.4	2	2	3	4	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	247	3.0	1	1	2	3	3	4	5	7
B. *Operated*	3388	5.1	6	3	3	5	6	7	8	12
1. SINGLE DX	1187	3.9	2	2	2	3	5	6	7	8
2. MULTIPLE DX	3635	4.9	6	2	3	5	6	7	8	12
A. NOT OPERATED	598	3.0	1	2	2	3	3	4	4	6
B. OPERATED	4224	4.9	6	2	3	5	6	7	7	11
TOTAL 0-19 YRS	390	4.4	4	2	3	4	5	6	7	10
20-34	4005	4.6	5	2	3	5	6	7	7	10
35-49	427	5.5	8	3	3	5	6	7	8	16
50-64										
65+										
GRAND TOTAL	**4822**	**4.7**	**6**	**2**	**3**	**5**	**6**	**7**	**7**	**11**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	41	3.2	1	2	2	3	4	5	6	6
35-49	5	3.0	1	2	2	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	228	5.5	2	4	4	5	6	7	8	10
20-34	1793	5.4	1	4	4	5	6	7	7	8
35-49	115	5.5	2	3	4	6	6	7	7	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	31	3.4	2	2	2	3	4	5	6	7
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	647	5.9	4	4	4	6	6	8	9	13
20-34	4667	5.7	3	4	4	5	6	7	8	12
35-49	383	5.8	1	4	5	6	7	7	8	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	3.2	1	2	2	3	4	4	6	6
B. *Operated*	2136	5.4	1	4	4	5	6	7	7	8
2. MULTIPLE DX										
A. *Not Operated*	34	3.3	2	2	2	3	4	5	6	7
B. *Operated*	5697	5.7	3	4	4	6	6	7	8	12
1. SINGLE DX	2184	5.4	1	4	4	5	6	7	7	8
2. MULTIPLE DX	5731	5.7	3	4	4	6	6	7	8	12
A. NOT OPERATED	82	3.2	1	2	2	3	4	5	6	7
B. OPERATED	7833	5.7	3	4	4	5	6	7	8	11
TOTAL 0-19 YRS	878	5.8	4	4	4	5	6	8	9	13
20-34	6532	5.6	3	4	4	5	6	7	8	11
35-49	505	5.7	2	4	4	6	6	7	8	9
50-64										
65+										
GRAND TOTAL	**7915**	**5.6**	**3**	**4**	**4**	**5**	**6**	**7**	**8**	**11**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	97	3.0	1	2	2	3	3	4	4	6
20-34	778	3.1	1	2	2	3	4	4	4	5
35-49	44	2.9	1	2	2	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	134	4.1	3	2	2	4	5	6	7	9
20-34	1264	4.3	3	2	3	4	5	6	7	8
35-49	85	4.0	2	2	2	4	5	6	6	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	79	3.3	1	2	2	3	4	4	5	7
20-34	509	3.2	1	1	2	3	4	4	5	7
35-49	40	2.9	1	1	2	3	4	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	305	4.6	4	2	2	4	6	7	8	11
20-34	2827	4.6	4	2	3	4	6	7	7	11
35-49	277	5.2	7	2	3	5	6	7	9	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	919	3.0	1	2	2	3	4	4	4	5
B. *Operated*	1483	4.3	3	2	3	4	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	628	3.2	1	2	2	3	4	4	5	7
B. *Operated*	3409	4.7	4	2	3	4	6	7	8	11
1. SINGLE DX	2402	3.8	2	2	2	3	5	6	6	8
2. MULTIPLE DX	4037	4.4	4	2	3	4	6	7	7	11
A. NOT OPERATED	1547	3.1	1	2	2	3	4	4	4	6
B. OPERATED	4892	4.5	4	2	3	4	6	7	7	11
TOTAL 0-19 YRS	615	4.1	3	2	2	4	5	6	7	10
20-34	5378	4.2	3	2	2	4	5	6	7	9
35-49	446	4.5	5	2	2	4	6	7	8	12
50-64										
65+										
GRAND TOTAL	**6439**	**4.2**	**3**	**2**	**2**	**4**	**5**	**6**	**7**	**10**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	3.0		2	2	3	3	4	4	4
20-34	124	3.2	2	1	2	3	4	4	5	8
35-49	16	3.1	1	1	1	3	4	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	34	5.3	2	3	3	5	6	7	8	9
20-34	354	4.6	2	2	3	5	6	7	7	8
35-49	41	4.6	4	2	2	4	6	7	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.1	1	1	1	3	4	5	5	5
20-34	80	3.8	15	2	2	3	4	4	5	29
35-49	17	3.2	1	1	2	3	4	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	66	5.6	5	3	3	5	7	9	9	13
20-34	846	5.4	26	2	3	5	6	7	8	20
35-49	136	5.8	12	2	3	5	6	9	11	17
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	152	3.1	1	1	2	3	4	4	5	7
B. *Operated*	429	4.6	2	2	3	5	6	7	7	8
2. MULTIPLE DX										
A. *Not Operated*	107	3.6	12	2	2	3	4	4	5	24
B. *Operated*	1048	5.4	23	2	3	5	6	7	9	15
1. SINGLE DX	581	4.3	3	2	2	4	5	6	7	8
2. MULTIPLE DX	1155	5.3	22	2	3	5	6	7	9	17
A. NOT OPERATED	259	3.3	6	1	2	3	4	4	5	10
B. OPERATED	1477	5.2	17	2	3	5	6	7	8	14
TOTAL 0-19 YRS	122	5.0	4	2	3	5	6	8	9	11
20-34	1404	4.9	18	2	3	5	6	7	7	14
35-49	210	5.1	10	2	3	5	6	8	9	14
50-64										
65+										
GRAND TOTAL	**1736**	**4.9**	**16**	**2**	**3**	**5**	**6**	**7**	**8**	**13**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	161	3.1	2	1	2	3	4	5	6	8
35-49	22	3.0	1	1	2	3	4	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	208	5.4	2	4	4	5	6	7	8	9
20-34	5887	5.5	1	4	4	5	6	7	7	8
35-49	535	5.9	3	4	4	6	7	7	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	78	3.3	2	1	2	3	4	5	6	9
35-49	8	3.3	3	1	1	3	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	173	5.6	3	4	4	5	6	7	8	10
20-34	7423	5.6	3	4	4	6	6	7	8	10
35-49	1155	6.0	3	4	4	6	7	7	8	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	185	3.1	2	1	2	3	4	5	6	8
B. *Operated*	6630	5.5	1	4	4	5	6	7	7	8
2. MULTIPLE DX										
A. *Not Operated*	86	3.3	2	1	2	3	4	5	6	8
B. *Operated*	8751	5.7	3	4	4	6	6	7	8	10
1. SINGLE DX	6815	5.4	2	3	4	5	6	7	7	8
2. MULTIPLE DX	8837	5.6	3	4	4	6	6	7	8	10
A. NOT OPERATED	271	3.1	2	1	2	3	4	5	6	8
B. OPERATED	15381	5.6	2	4	4	6	6	7	8	9
TOTAL 0-19 YRS	383	5.5	2	4	4	5	6	7	8	10
20-34	13549	5.5	2	3	4	5	6	7	7	9
35-49	1720	5.9	3	4	4	6	7	7	8	10
50-64										
65+										
GRAND TOTAL	**15652**	**5.5**	**2**	**3**	**4**	**6**	**6**	**7**	**8**	**9**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	196	3.3	1	2	2	3	4	4	5	7
20-34	1431	3.2	1	2	2	3	4	4	5	7
35-49	127	3.4	1	2	2	3	4	4	6	7
50-64										
65+										
B. *Operated*										
0-19 YRS	114	3.4	2	2	2	3	4	4	6	9
20-34	928	3.5	2	2	2	3	4	5	6	8
35-49	72	3.7	2	2	2	3	4	6	6	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	119	4.1	5	2	2	3	4	6	9	14
20-34	1113	3.7	8	2	2	3	4	5	7	13
35-49	104	3.6	4	2	2	3	4	5	7	13
50-64										
65+										
B. *Operated*										
0-19 YRS	350	4.8	7	2	3	4	6	7	10	19
20-34	3552	4.7	11	2	3	4	6	7	8	15
35-49	439	4.8	7	2	3	4	6	7	8	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1754	3.3	1	2	2	3	4	4	5	7
B. *Operated*	1114	3.5	2	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	1336	3.8	8	2	2	3	4	5	7	14
B. *Operated*	4341	4.7	10	2	3	4	6	7	8	15
1. SINGLE DX	2868	3.4	1	2	2	3	4	5	5	7
2. MULTIPLE DX	5677	4.5	10	2	2	4	5	7	8	15
A. NOT OPERATED	3090	3.5	4	2	2	3	4	5	5	9
B. OPERATED	5455	4.5	9	2	3	4	5	7	8	14
TOTAL 0-19 YRS	779	4.1	5	2	2	4	5	6	8	14
20-34	7024	4.1	8	2	2	4	5	6	7	12
35-49	742	4.3	5	2	2	4	5	7	8	14
50-64										
65+										
GRAND TOTAL	**8545**	**4.1**	**7**	**2**	**2**	**4**	**5**	**6**	**7**	**12**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	398	2.8	1	2	2	3	3	4	4	5
20-34	3844	2.8	1	2	2	3	3	4	4	5
35-49	302	2.9	1	2	2	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	142	3.0	1	2	2	3	3	4	4	5
20-34	1480	3.0	1	2	2	3	3	4	4	6
35-49	116	3.1	1	2	2	3	3	4	5	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	149	2.9	1	1	2	3	3	4	5	7
20-34	1136	2.9	1	1	2	3	3	4	4	6
35-49	87	3.0	1	1	2	3	4	4	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	207	3.2	2	2	2	3	4	5	5	9
20-34	2107	3.4	2	2	2	3	4	5	6	7
35-49	246	3.6	2	2	2	3	4	5	6	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4544	2.8	1	2	2	3	3	4	4	5
B. *Operated*	1738	3.0	1	2	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	1372	2.9	1	1	2	3	3	4	4	6
B. *Operated*	2560	3.4	2	2	2	3	4	5	6	7
1. SINGLE DX	6282	2.9	1	2	2	3	3	4	4	5
2. MULTIPLE DX	3932	3.2	2	2	2	3	4	5	5	7
A. NOT OPERATED	5916	2.9	1	2	2	3	3	4	4	5
B. OPERATED	4298	3.2	1	2	2	3	4	4	5	7
TOTAL 0-19 YRS	896	2.9	1	2	2	3	3	4	5	7
20-34	8567	3.0	1	2	2	3	3	4	4	6
35-49	751	3.2	1	2	2	3	4	4	5	7
50-64										
65+										
GRAND TOTAL	**10214**	**3.0**	**1**	**2**	**2**	**3**	**3**	**4**	**5**	**6**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	68	2.7	1	1	2	3	3	4	4	5
20-34	491	2.6	1	1	1	3	3	4	4	5
35-49	49	2.5	1	1	1	3	3	3	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	789	2.7	1	1	2	3	3	4	4	5
20-34	8024	2.7	1	1	2	3	3	4	4	5
35-49	794	2.7	1	1	2	3	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	2.8	1	2	2	3	3	4	5	6
20-34	256	2.8	1	1	2	3	3	4	4	5
35-49	22	2.8	1	1	1	3	4	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	367	3.1	3	1	2	3	3	4	5	8
20-34	4713	3.0	1	2	2	3	3	4	5	6
35-49	612	3.2	1	2	2	3	4	4	5	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	608	2.6	1	1	1	3	3	4	4	5
B. *Operated*	9607	2.7	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	311	2.8	1	1	2	3	3	4	4	6
B. *Operated*	5692	3.0	1	2	2	3	4	4	5	6
1. SINGLE DX	10215	2.7	1	1	2	3	3	4	4	5
2. MULTIPLE DX	6003	3.0	1	2	2	3	3	4	5	6
A. NOT OPERATED	919	2.6	1	1	1	3	3	4	4	5
B. OPERATED	15299	2.8	1	1	2	3	3	4	4	5
TOTAL 0-19 YRS	1257	2.8	1	1	2	3	3	4	4	5
20-34	13484	2.8	1	1	2	3	3	4	4	5
35-49	1477	2.9	1	1	2	3	3	4	4	6
50-64										
65+										
GRAND TOTAL	**16218**	**2.8**	**1**	**1**	**2**	**3**	**3**	**4**	**4**	**5**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	2.8	1	2	2	3	3	4	5	5
20-34	249	2.6	1	1	1	3	3	4	4	5
35-49	9	2.8		2	2	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	527	2.9	1	2	2	3	3	4	4	6
20-34	3179	3.0	1	2	2	3	3	4	4	5
35-49	140	3.0		2	2	3	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	2.6	1	1	1	3	3	4	5	5
20-34	61	3.2	2	1	2	3	4	5	6	8
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	365	3.2	1	2	2	3	4	4	5	6
20-34	2277	3.3	1	2	2	3	4	4	5	7
35-49	165	3.3	1	2	2	3	4	4	5	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	288	2.6	1	1	2	3	3	4	4	5
B. *Operated*	3846	3.0	1	2	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	87	3.1	2	1	2	3	4	4	5	8
B. *Operated*	2807	3.3	1	2	2	3	4	4	5	7
1. SINGLE DX	4134	3.0	1	2	2	3	3	4	4	5
2. MULTIPLE DX	2894	3.3	1	2	2	3	4	4	5	7
A. NOT OPERATED	375	2.7	1	1	2	3	3	4	4	6
B. OPERATED	6653	3.1	1	2	2	3	4	4	5	6
TOTAL 0-19 YRS	947	3.0	1	2	2	3	3	4	5	6
20-34	5766	3.1	1	2	2	3	4	4	5	6
35-49	315	3.2	1	2	2	3	4	4	5	6
50-64										
65+										
GRAND TOTAL	**7028**	**3.1**	**1**	**2**	**2**	**3**	**4**	**4**	**5**	**6**

286: Other obstetrical trauma (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	2.7	2	1	1	3	3	4	6	7
20-34	200	2.8	1	1	2	3	3	4	4	7
35-49	12	3.3	2	2	2	3	4	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	211	2.8	1	2	2	3	3	4	4	5
20-34	1102	2.8	1	1	2	3	3	4	4	5
35-49	64	2.9	1	1	2	3	3	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	2.9	1	1	2	3	3	5	5	6
20-34	101	2.6	1	1	2	2	3	4	4	8
35-49	4	3.0	3	1	1	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	108	3.0	1	2	2	3	3	4	4	6
20-34	937	3.2	2	2	2	3	4	4	5	7
35-49	70	4.0	9	2	2	3	4	6	9	22
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	244	2.8	1	1	2	3	3	4	4	7
B. *Operated*	1377	2.8	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	130	2.7	1	1	2	3	3	4	5	7
B. *Operated*	1115	3.3	2	2	2	3	4	4	5	8
1. SINGLE DX	1621	2.8	1	1	2	3	3	4	4	6
2. MULTIPLE DX	1245	3.2	2	2	2	3	4	4	5	8
A. NOT OPERATED	374	2.7	1	1	2	3	3	4	5	7
B. OPERATED	2492	3.0	1	2	2	3	3	4	5	6
TOTAL 0-19 YRS	376	2.8	1	1	2	3	3	4	4	6
20-34	2340	3.0	1	1	2	3	3	4	5	6
35-49	150	3.4	5	2	2	3	4	5	6	12
50-64										
65+										
GRAND TOTAL	**2866**	**3.0**	**1**	**1**	**2**	**3**	**3**	**4**	**5**	**7**

287: Miscellaneous complications of delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	804	3.1	3	1	2	3	3	4	5	9
20-34	5236	2.9	2	1	2	3	3	4	5	7
35-49	498	3.2	3	1	2	3	3	4	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	1018	3.7	5	2	2	3	4	6	7	11
20-34	7221	3.6	3	2	2	3	4	6	6	9
35-49	549	3.8	4	2	2	3	4	6	7	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	563	3.4	8	1	2	3	4	5	6	11
20-34	3433	3.2	5	1	2	3	4	5	6	10
35-49	349	3.4	4	1	2	3	4	5	7	12
50-64										
65+										
B. *Operated*										
0-19 YRS	1915	4.7	10	2	2	4	6	8	9	17
20-34	14376	4.6	10	2	2	4	5	7	9	16
35-49	1764	5.1	15	2	2	4	6	8	10	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6538	3.0	2	1	2	3	3	4	5	7
B. *Operated*	8788	3.6	3	2	2	3	4	6	6	10
2. MULTIPLE DX										
A. *Not Operated*	4345	3.3	5	1	2	3	4	5	6	11
B. *Operated*	18055	4.6	11	2	2	4	6	7	9	17
1. SINGLE DX	15326	3.3	3	2	2	3	4	5	6	9
2. MULTIPLE DX	22400	4.4	10	2	2	4	5	7	8	16
A. NOT OPERATED	10883	3.1	3	1	2	3	3	4	5	9
B. OPERATED	26843	4.3	9	2	2	4	5	7	8	15
TOTAL 0-19 YRS	4300	4.0	8	2	2	3	5	6	8	14
20-34	30266	3.9	7	2	2	3	5	6	7	13
35-49	3160	4.4	11	2	2	4	5	7	9	17
50-64										
65+										
GRAND TOTAL	**37726**	**4.0**	**7**	**2**	**2**	**3**	**5**	**6**	**7**	**14**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	3.1	2	1	1	3	4	5	6	6
20-34	138	3.8	4	1	2	3	5	6	7	9
35-49	5	4.6	3	3	3	5	6	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	11	5.8	18	<1	1	5	9	12	14	14
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	4.0	7	1	2	3	5	7	10	14
20-34	53	5.4	78	1	2	4	5	7	11	64
35-49	9	4.3	2	3	3	4	5	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	2	5.0		5	5	5	5	5	5	5
20-34	19	8.1	68	1	1	5	11	23	28	29
35-49	3	5.0	7	2	2	6	7	7	7	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	172	3.7	3	1	2	3	5	6	7	8
B. *Operated*	12	5.6	17	<1	1	4	8	12	14	14
2. MULTIPLE DX										
A. *Not Operated*	83	4.9	52	1	2	3	5	7	10	49
B. *Operated*	24	7.4	55	1	1	5	7	19	27	29
1. SINGLE DX	184	3.8	4	1	2	3	5	6	8	11
2. MULTIPLE DX	107	5.5	53	1	2	4	5	7	14	45
A. NOT OPERATED	255	4.1	19	1	2	3	5	6	7	13
B. OPERATED	36	6.8	43	1	1	5	8	14	24	29
TOTAL 0-19 YRS	53	3.5	4	1	2	3	4	6	6	14
20-34	221	4.6	29	1	2	4	5	7	10	27
35-49	17	4.5	3	2	3	5	6	7	7	7
50-64										
65+										
GRAND TOTAL	**291**	**4.4**	**23**	**1**	**2**	**4**	**5**	**7**	**8**	**23**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.2		<1	<1	1	1	2	2	2
20-34	56	1.8	1	<1	<1	2	2	3	4	5
35-49	8	1.5	1	<1	<1	1	2	3	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	24	1.4	1	<1	<1	1	2	2	3	4
20-34	224	1.4	1	<1	<1	1	2	2	3	6
35-49	15	1.5	1	<1	<1	1	2	3	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	42	2.2	5	<1	1	2	2	4	5	14
35-49	4	2.0	1	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	16	3.6	17	1	1	2	5	7	14	17
20-34	140	2.5	5	<1	<1	2	3	5	7	12
35-49	16	4.0	15	1	1	3	5	9	13	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	1.7	1	<1	<1	1	2	3	4	5
B. *Operated*	263	1.4	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	48	2.2	4	1	1	2	2	4	4	14
B. *Operated*	172	2.7	7	<1	1	2	3	6	8	16
1. SINGLE DX	336	1.5	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX	220	2.6	7	<1	1	2	3	5	7	15
A. NOT OPERATED	121	1.9	2	<1	<1	2	2	3	4	8
B. OPERATED	435	1.9	4	<1	<1	1	2	3	5	11
TOTAL 0-19 YRS	51	2.1	6	<1	<1	1	2	4	6	17
20-34	462	1.9	3	<1	<1	1	2	3	4	10
35-49	43	2.5	7	<1	<1	1	3	5	8	15
50-64										
65+										
GRAND TOTAL	**556**	**1.9**	**4**	**<1**	**<1**	**1**	**2**	**3**	**5**	**11**

290: Other puerperal complications (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.8	2	1	1	3	3	5	5	5
20-34	83	4.3	11	1	1	3	6	9	11	16
35-49	6	3.8	10	1	1	3	4	9	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	37	2.7	3	1	1	2	3	4	5	11
20-34	174	2.8	4	<1	1	3	3	4	7	12
35-49	22	3.4	3	1	1	3	4	6	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	3.9	5	<1	1	4	5	7	7	7
20-34	57	5.1	15	1	2	4	7	11	14	15
35-49	6	4.8	11	1	1	5	8	9	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	15	3.3	4	1	2	3	3	4	8	10
20-34	111	4.0	35	1	1	3	4	7	11	33
35-49	14	5.9	33	1	1	3	7	17	19	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	4.1	10	1	1	3	5	9	11	15
B. *Operated*	233	2.9	4	1	1	3	3	4	7	11
2. MULTIPLE DX										
A. *Not Operated*	72	4.9	13	1	1	4	7	10	14	15
B. *Operated*	140	4.1	31	1	1	3	4	8	11	23
1. SINGLE DX	336	3.2	6	1	1	3	3	6	9	13
2. MULTIPLE DX	212	4.4	25	1	1	3	5	9	12	18
A. NOT OPERATED	175	4.4	11	1	1	3	6	10	11	15
B. OPERATED	373	3.3	14	1	1	3	3	6	8	16
TOTAL 0-19 YRS	75	3.0	3	1	1	3	3	5	7	11
20-34	425	3.7	15	1	1	3	4	8	10	15
35-49	48	4.4	14	1	1	3	5	9	12	19
50-64										
65+										
GRAND TOTAL	**548**	**3.7**	**14**	**1**	**1**	**3**	**4**	**7**	**10**	**15**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	675	3.9	5	1	2	3	5	7	8	12
20-34	629	4.3	7	1	2	4	5	7	9	14
35-49	495	4.8	8	2	2	4	6	9	10	15
50-64	377	5.5	11	2	2	5	7	10	12	16
65+	300	6.6	17	2	3	6	8	11	14	22
B. *Operated*										
0-19 YRS	253	4.4	11	1	1	4	6	9	10	17
20-34	373	5.4	34	1	1	4	7	10	12	19
35-49	252	5.4	20	1	1	4	7	11	15	27
50-64	143	5.7	20	1	1	5	8	11	15	22
65+	100	7.9	43	1	2	6	9	14	24	35
2. MULTIFLE DX										
A. *Not Operated*										
0-19 YRS	721	4.7	11	2	2	4	6	8	10	16
20-34	946	5.6	15	2	2	5	7	10	13	21
35-49	1189	6.7	23	2	3	5	8	12	15	26
50-64	1769	7.9	35	3	3	7	10	14	18	32
65+	3371	10.2	71	3	4	8	12	18	24	60
B. *Operated*										
0-19 YRS	291	6.4	46	1	2	5	7	13	17	40
20-34	646	8.5	72	2	2	6	10	17	26	43
35-49	691	11.0	121	2	3	8	13	22	32	70
50-64	872	14.0	165	3	4	10	17	30	41	73
65+	1377	16.6	193	4	5	13	21	36	50	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2476	4.8	9	2	2	4	6	8	10	15
B. *Operated*	1121	5.5	25	1	1	4	7	10	13	25
2. MULTIPLE DX										
A. *Not Operated*	7996	8.2	48	2	3	7	10	15	19	37
B. *Operated*	3877	12.9	155	2	3	9	16	28	40	81
1. SINGLE DX	3597	5.0	14	1	2	4	6	9	11	18
2. MULTIPLE DX	11873	9.7	88	2	3	7	11	19	27	58
A. NOT OPERATED	10472	7.4	41	2	3	6	9	13	17	33
B. OPERATED	4998	11.2	135	2	2	8	14	24	36	73
TOTAL 0-19 YRS	1940	4.7	15	1	2	4	6	8	11	17
20-34	2594	6.0	32	2	2	5	7	11	14	29
35-49	2627	7.4	51	2	2	6	9	13	19	38
50-64	3161	9.2	76	2	3	7	11	17	23	48
65+	5148	11.7	110	3	4	9	14	22	32	73
GRAND TOTAL	**15470**	**8.6**	**75**	**2**	**3**	**6**	**10**	**17**	**23**	**52**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	272	4.3	5	1	2	4	5	7	8	11
20-34	130	3.7	5	1	2	3	4	6	7	14
35-49	60	4.8	14	1	2	4	6	10	11	20
50-64	35	5.3	7	2	2	5	7	10	11	12
65+	25	7.8	40	2	2	7	8	18	25	27
B. *Operated*										
0-19 YRS	148	3.9	11	<1	<1	3	5	9	11	15
20-34	130	3.7	9	<1	<1	3	5	7	11	15
35-49	105	4.9	28	<1	<1	3	6	11	15	27
50-64	48	3.6	12	<1	<1	3	5	8	11	16
65+	31	5.0	15	1	1	4	7	10	11	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	302	4.6	7	1	2	4	6	8	10	13
20-34	176	5.3	19	1	2	4	6	10	13	26
35-49	150	7.1	37	2	2	5	8	14	20	32
50-64	213	7.6	55	2	3	6	10	14	19	28
65+	306	9.7	65	3	3	8	11	18	24	42
B. *Operated*										
0-19 YRS	125	5.2	15	1	1	4	7	10	14	19
20-34	135	6.9	47	1	2	5	8	17	23	34
35-49	164	8.9	81	1	2	7	10	19	25	50
50-64	241	10.2	98	1	2	7	13	21	33	51
65+	266	12.5	125	2	3	9	16	28	37	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	522	4.4	8	2	2	4	5	8	9	16
B. *Operated*	462	4.1	15	<1	<1	3	5	9	12	18
2. MULTIPLE DX										
A. *Not Operated*	1147	7.0	41	2	2	5	9	13	17	30
B. *Operated*	931	9.5	90	1	2	7	12	21	29	53
1. SINGLE DX	984	4.3	11	<1	1	3	5	8	11	17
2. MULTIPLE DX	2078	8.1	64	2	2	6	10	16	23	43
A. NOT OPERATED	1669	6.2	32	2	2	5	7	11	15	28
B. OPERATED	1393	7.7	72	<1	1	5	10	17	23	47
TOTAL 0-19 YRS	847	4.4	8	1	1	4	6	8	10	14
20-34	571	4.9	22	1	1	4	6	9	13	26
35-49	479	6.9	50	1	1	5	9	14	21	34
50-64	537	8.3	71	1	2	6	10	16	23	41
65+	628	10.6	90	2	3	8	13	21	29	61
GRAND TOTAL	**3062**	**6.9**	**51**	**1**	**2**	**5**	**8**	**14**	**20**	**37**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	4.1	5	1	1	5	6	63	99+	99+
20-34	10	2.2	1	<1	<1	2	3	4	4	4
35-49										
50-64										
65+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-19 YRS	932	2.9	3	1	1	3	4	5	6	9
20-34	1732	2.9	3	1	1	3	4	5	5	8
35-49	239	3.1	3	1	1	3	4	5	7	9
50-64	46	4.3	75	<1	1	3	4	5	7	60
65+	10	3.1	6	<1	<1	2	4	7	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	2.0	3	<1	1	1	2	5	6	6
20-34	19	1.6	2	<1	<1	<1	1	5	5	5
35-49	3	3.3	10	1	1	2	6	7	7	7
50-64										
65+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	98	3.7	5	1	2	3	5	6	8	12
20-34	266	4.3	33	1	1	3	5	7	9	23
35-49	83	4.2	9	1	2	3	5	8	11	15
50-64	34	4.4	17	1	1	3	5	8	12	23
65+	14	13.1	496	2	3	7	10	23	74	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	3.4	5	<1	1	3	5	8	54	99+
B. *Operated*	2959	2.9	4	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	38	1.9	3	<1	<1	1	2	5	6	7
B. *Operated*	495	4.4	36	1	1	3	5	7	10	22
1. SINGLE DX	2978	2.9	4	1	1	3	4	5	6	9
2. MULTIPLE DX	533	4.2	34	1	1	3	5	7	10	21
A. NOT OPERATED	57	2.4	4	<1	<1	2	3	6	7	93
B. OPERATED	3454	3.1	9	1	1	3	4	5	6	10
TOTAL 0-19 YRS	1052	3.0	3	1	1	3	4	5	6	10
20-34	2027	3.1	7	1	1	3	4	5	6	9
35-49	325	3.4	5	1	1	3	4	6	7	13
50-64	80	4.3	50	<1	1	3	5	6	11	49
65+	27	8.5	276	1	1	4	8	15	27	89
GRAND TOTAL	**3511**	**3.1**	**9**	**1**	**1**	**3**	**4**	**5**	**6**	**10**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	2.0		2	2	2	2	2	2	2
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	119	1.4	1	<1	<1	<1	1	2	3	6
20-34	251	1.3	1	<1	<1	<1	1	2	3	4
35-49	196	1.4	1	<1	<1	<1	1	2	4	6
50-64	140	1.4	2	<1	<1	<1	1	2	3	8
65+	70	1.3	1	<1	<1	<1	1	2	3	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.3	19	<1	<1	1	4	11	12	12
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	3	3.0	7	<1	<1	2	5	6	6	6
50-64	2	1.0		1	1	1	1	1	1	1
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	23	3.7	61	<1	<1	1	3	6	20	38
20-34	58	1.8	1	<1	<1	1	2	3	4	7
35-49	64	2.7	9	<1	<1	2	3	8	10	14
50-64	82	2.8	11	<1	<1	2	3	7	10	18
65+	67	5.1	102	<1	<1	2	5	9	13	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.0	1	1	1	2	3	3	3	3
B. *Operated*	776	1.4	1	<1	<1	<1	1	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	14	3.0	10	<1	<1	2	4	7	11	12
B. *Operated*	294	3.2	34	<1	<1	2	3	7	9	31
1. SINGLE DX	780	1.4	1	<1	<1	<1	1	2	3	6
2. MULTIPLE DX	308	3.2	33	<1	<1	2	3	7	9	28
A. NOT OPERATED	18	2.8	8	<1	<1	2	4	6	10	12
B. OPERATED	1070	1.9	11	<1	<1	<1	2	3	5	12
TOTAL 0-19 YRS	148	1.8	11	<1	<1	<1	2	3	5	12
20-34	311	1.4	1	<1	<1	<1	1	2	3	6
35-49	264	1.8	3	<1	<1	<1	2	3	4	12
50-64	226	1.9	5	<1	<1	<1	2	4	6	12
65+	139	3.1	53	<1	<1	1	3	6	9	57
GRAND TOTAL	**1088**	**1.9**	**11**	**<1**	**<1**	**<1**	**2**	**3**	**5**	**12**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	238	4.0	16	1	1	3	5	8	14	21
20-34	186	6.3	34	1	1	4	8	15	19	26
35-49	137	5.7	38	1	1	3	7	14	18	29
50-64	131	6.7	58	2	2	4	7	15	27	36
65+	82	7.7	33	1	2	6	10	16	20	25
B. *Operated*										
0-19 YRS	371	2.1	9	<1	<1	1	2	3	6	20
20-34	523	3.5	31	<1	<1	2	3	7	13	32
35-49	409	3.5	21	<1	<1	2	4	7	11	26
50-64	361	3.1	21	<1	<1	2	3	6	9	27
65+	260	7.0	97	<1	<1	3	9	17	26	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	375	5.9	58	1	1	4	7	12	20	42
20-34	273	7.4	68	1	1	5	10	14	20	61
35-49	361	8.2	74	1	2	6	10	16	22	53
50-64	597	10.1	112	2	3	7	13	20	28	62
65+	1435	12.5	153	2	3	9	15	25	39	97
B. *Operated*										
0-19 YRS	298	6.9	111	<1	1	3	8	19	24	51
20-34	643	11.4	260	<1	1	4	15	34	49	99+
35-49	684	11.8	247	1	1	5	15	33	50	98
50-64	966	13.0	249	1	1	8	18	34	49	99+
65+	1857	19.1	328	2	3	14	27	54	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	774	5.7	35	1	1	4	6	14	19	28
B. *Operated*	1924	3.6	34	<1	<1	2	3	8	14	29
2. MULTIPLE DX										
A. *Not Operated*	3041	10.2	122	1	2	7	13	20	31	76
B. *Operated*	4448	14.7	289	1	1	9	21	40	65	99+
1. SINGLE DX	2698	4.2	35	<1	<1	2	4	10	16	29
2. MULTIPLE DX	7489	12.9	226	1	2	8	17	33	52	99+
A. NOT OPERATED	3815	9.3	108	1	2	6	12	19	27	67
B. OPERATED	6372	11.4	238	<1	1	5	16	32	50	99+
TOTAL 0-19 YRS	1282	4.7	52	<1	<1	2	5	10	18	41
20-34	1625	7.6	140	<1	<1	3	9	20	32	73
35-49	1591	8.3	143	<1	1	4	9	21	33	79
50-64	2055	10.0	170	1	1	5	13	25	37	89
65+	3634	15.4	252	1	2	11	20	39	64	99+
GRAND TOTAL	**10187**	**10.6**	**190**	**<1**	**1**	**6**	**14**	**27**	**42**	**99+**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	5.1	14	<1	<1	4	6	12	13	13
20-34	31	4.7	8	2	2	4	6	9	11	14
35-49	27	6.0	17	1	2	5	9	10	15	19
50-64	16	5.9	7	2	3	5	8	10	10	10
65+	8	5.8	12	3	3	4	7	11	13	13
B. *Operated*										
0-19 YRS	12	6.5	40	<1	1	3	10	16	20	21
20-34	15	5.3	15	<1	1	4	8	10	13	14
35-49	14	4.9	22	1	1	4	7	12	16	17
50-64	9	6.7	37	<1	<1	4	13	15	16	16
65+	7	9.1	17	2	3	9	12	14	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	6.8	43	1	1	5	8	16	22	30
20-34	123	7.5	56	2	3	5	9	14	20	39
35-49	127	9.8	87	2	3	7	11	17	36	49
50-64	121	9.1	100	2	3	7	11	15	19	54
65+	137	12.0	145	2	4	9	14	22	34	69
B. *Operated*										
0-19 YRS	18	12.7	258	<1	1	9	14	27	53	69
20-34	72	13.2	226	2	3	9	17	26	65	94
35-49	61	13.5	159	2	3	10	20	38	53	99+
50-64	74	15.7	220	2	3	11	19	36	57	64
65+	112	17.5	188	3	6	14	22	36	49	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	96	5.4	12	1	2	5	7	10	13	17
B. *Operated*	57	6.2	25	<1	1	5	9	14	16	21
2. MULTIPLE DX										
A. *Not Operated*	558	9.4	96	2	3	7	11	17	24	51
B. *Operated*	337	15.2	203	2	3	11	19	35	56	99+
1. SINGLE DX	153	5.7	17	1	1	5	8	11	14	19
2. MULTIPLE DX	895	11.6	144	2	3	8	14	23	36	69
A. NOT OPERATED	654	8.8	85	2	2	7	11	16	22	48
B. OPERATED	394	13.9	187	2	2	10	18	30	48	94
TOTAL 0-19 YRS	94	7.6	83	<1	1	5	10	17	23	52
20-34	241	8.7	107	2	2	6	10	17	24	69
35-49	229	10.0	100	2	2	7	12	23	37	68
50-64	220	11.0	142	2	3	8	14	20	31	64
65+	264	14.0	165	3	4	10	17	29	38	85
GRAND TOTAL	**1048**	**10.7**	**129**	**2**	**2**	**8**	**13**	**22**	**34**	**68**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	81	5.1	19	1	1	4	6	11	13	25
20-34	42	5.6	16	1	1	5	8	12	14	15
35-49	32	5.8	14	2	2	5	7	12	13	16
50-64	59	5.2	14	1	2	4	7	10	13	20
65+	44	4.6	7	1	1	4	7	8	9	10
B. *Operated*										
0-19 YRS	11	3.3	13	<1	<1	2	3	9	13	13
20-34	33	8.1	54	1	2	6	10	19	21	36
35-49	83	6.0	24	1	2	4	8	14	16	23
50-64	179	7.6	43	2	2	6	11	15	16	22
65+	120	10.7	75	1	2	11	16	19	25	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	8.6	66	2	2	7	10	19	23	43
20-34	42	7.5	52	1	2	5	8	17	25	32
35-49	77	7.1	37	1	2	5	8	14	22	29
50-64	214	9.6	127	2	3	6	10	20	27	76
65+	455	10.8	97	2	3	8	13	22	30	98
B. *Operated*										
0-19 YRS	4	8.0	65	3	3	4	12	20	20	20
20-34	48	10.2	217	2	2	5	10	27	42	69
35-49	122	8.0	71	1	2	5	10	19	24	45
50-64	381	10.5	83	2	2	8	15	22	28	52
65+	483	14.3	166	2	3	12	17	30	45	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	258	5.2	15	1	1	4	7	11	13	17
B. *Operated*	426	8.1	52	1	2	6	12	16	18	34
2. MULTIPLE DX										
A. *Not Operated*	843	9.8	96	2	3	7	12	21	28	74
B. *Operated*	1038	11.9	131	2	2	10	16	24	34	99+
1. SINGLE DX	684	7.0	40	1	2	5	10	15	17	27
2. MULTIPLE DX	1881	11.0	117	2	3	8	14	23	32	87
A. NOT OPERATED	1101	8.8	81	2	2	6	10	18	25	64
B. OPERATED	1464	10.8	111	2	2	9	15	21	31	85
TOTAL 0-19 YRS	151	6.4	40	1	1	4	8	13	19	32
20-34	165	7.9	93	1	2	5	8	15	24	64
35-49	314	7.0	45	1	2	5	9	14	21	35
50-64	833	9.3	83	2	2	7	12	19	24	57
65+	1102	12.1	126	2	3	10	15	24	34	99+
GRAND TOTAL	**2565**	**9.9**	**99**	**2**	**2**	**7**	**13**	**20**	**28**	**73**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34										
35-49	11	3.9	6	<1	1	4	5	7	9	9
50-64	23	4.6	14	1	1	3	7	10	13	14
65+	77	6.1	30	1	1	5	8	13	16	31
B. *Operated*										
0-19 YRS	11	5.2	49	<1	<1	2	4	18	22	22
20-34	131	3.6	18	<1	1	2	4	7	11	29
35-49	324	4.6	20	<1	1	3	7	10	12	21
50-64	992	9.0	40	1	2	9	13	16	18	29
65+	1298	12.8	36	2	5	13	16	19	22	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	19.0		19	19	19	19	19	19	19
20-34	14	3.5	13	<1	<1	2	5	8	13	14
35-49	31	5.2	22	<1	<1	3	8	13	16	17
50-64	171	5.1	33	<1	1	4	6	10	15	37
65+	850	8.6	95	1	1	6	11	18	26	97
B. *Operated*										
0-19 YRS	11	11.8	145	<1	1	12	14	30	42	43
20-34	107	4.9	30	1	1	3	6	11	16	30
35-49	324	6.9	40	<1	1	5	10	16	18	34
50-64	1608	10.9	65	1	2	11	15	19	23	38
65+	3674	15.6	84	3	7	15	18	24	32	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	113	5.5	24	1	1	4	8	11	15	24
B. *Operated*	2756	10.0	44	1	2	10	14	17	20	30
2. MULTIPLE DX										
A. *Not Operated*	1067	7.9	84	1	1	5	10	17	23	72
B. *Operated*	5724	13.6	84	2	3	13	17	23	29	52
1. SINGLE DX	2869	9.8	44	1	2	10	14	17	20	30
2. MULTIPLE DX	6791	12.7	88	1	2	12	16	22	28	53
A. NOT OPERATED	1180	7.7	79	1	1	5	10	17	22	69
B. OPERATED	8480	12.4	73	1	2	12	16	21	26	45
TOTAL 0-19 YRS	25	8.4	99	<1	1	3	13	21	27	43
20-34	252	4.1	23	<1	1	2	5	9	13	29
35-49	690	5.7	31	<1	1	4	8	13	17	27
50-64	2794	9.8	56	1	2	10	14	17	22	34
65+	5899	13.8	81	2	4	13	17	23	29	53
GRAND TOTAL	**9660**	**11.8**	**76**	**1**	**2**	**11**	**16**	**20**	**26**	**46**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	90	9.8	64	1	2	8	14	21	24	38
20-34	48	5.5	12	2	2	4	8	11	12	13
35-49	39	6.7	37	1	2	4	8	17	21	26
50-64	24	5.0	14	1	1	4	7	9	13	16
65+	25	6.2	53	1	2	4	7	14	27	31
B. *Operated*										
0-19 YRS	55	11.6	87	1	2	9	17	24	29	41
20-34	136	5.9	40	<1	1	3	7	13	19	30
35-49	131	5.0	29	<1	1	3	6	11	13	26
50-64	147	6.2	35	1	2	4	8	13	17	31
65+	72	10.8	93	<1	1	11	15	18	21	62
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	91	9.8	61	2	3	8	14	20	24	40
20-34	85	6.6	16	2	3	5	9	13	15	19
35-49	81	6.8	54	<1	1	4	9	14	16	43
50-64	111	9.2	72	1	2	7	12	23	29	37
65+	266	10.7	174	1	2	7	12	23	33	93
B. *Operated*										
0-19 YRS	68	16.1	131	<1	3	15	23	31	37	51
20-34	135	8.6	108	1	1	4	12	22	33	46
35-49	157	10.3	163	1	2	6	11	25	37	75
50-64	190	13.5	205	1	2	8	20	35	45	94
65+	268	19.1	257	2	3	14	28	44	57	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	226	7.4	45	1	2	5	10	17	22	29
B. *Operated*	541	7.0	53	<1	1	4	10	15	21	31
2. MULTIPLE DX										
A. *Not Operated*	634	9.2	105	1	2	6	11	20	27	73
B. *Operated*	818	14.1	208	1	2	10	20	35	45	76
1. SINGLE DX	767	7.1	50	1	1	4	10	16	22	31
2. MULTIPLE DX	1452	12.0	169	1	2	8	15	29	39	75
A. NOT OPERATED	860	8.8	90	1	2	6	11	19	25	48
B. OPERATED	1359	11.3	158	1	2	7	15	28	38	69
TOTAL 0-19 YRS	304	11.5	88	1	2	9	16	24	28	46
20-34	404	6.9	56	1	1	4	9	15	22	37
35-49	408	7.5	91	1	1	4	9	16	25	43
50-64	472	9.8	121	1	2	6	12	26	34	56
65+	631	14.1	214	1	2	10	18	33	48	93
GRAND TOTAL	**2219**	**10.3**	**133**	**1**	**2**	**6**	**13**	**24**	**33**	**65**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.5	1	<1	<1	1	2	3	3	3
20-34	12	1.8	1	<1	<1	1	3	3	3	3
35-49	7	4.1	10	1	1	2	7	9	9	9
50-64	5	2.4	3	<1	<1	2	3	5	5	5
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	545	2.2	2	<1	<1	2	3	5	6	7
20-34	1140	2.4	3	<1	<1	2	3	5	6	9
35-49	586	2.4	4	<1	<1	2	3	5	6	8
50-64	256	2.3	2	<1	<1	2	3	4	5	8
65+	54	2.6	4	<1	<1	2	3	5	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	2.3	5	<1	<1	1	3	6	7	8
20-34	36	1.4	1	<1	<1	1	2	3	4	4
35-49	30	2.7	20	<1	<1	1	3	5	6	25
50-64	36	2.5	4	<1	<1	1	3	5	7	9
65+	15	7.3	71	<1	2	5	9	10	29	36
B. *Operated*										
0-19 YRS	372	2.7	3	<1	1	2	4	5	7	7
20-34	1047	2.7	5	<1	<1	2	3	5	7	12
35-49	765	2.4	3	<1	<1	2	3	4	6	10
50-64	633	2.7	7	<1	1	2	3	5	7	13
65+	250	3.4	9	<1	1	2	4	7	9	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	2.3	4	<1	<1	2	3	5	8	9
B. *Operated*	2581	2.4	3	<1	<1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	132	2.8	17	<1	<1	1	3	6	8	27
B. *Operated*	3067	2.7	5	<1	1	2	3	5	7	12
1. SINGLE DX	2614	2.4	3	<1	<1	2	3	5	6	8
2. MULTIPLE DX	3199	2.7	6	<1	<1	2	3	5	7	12
A. NOT OPERATED	165	2.7	14	<1	<1	1	3	5	8	23
B. OPERATED	5648	2.5	4	<1	<1	2	3	5	6	10
TOTAL 0-19 YRS	940	2.4	3	<1	<1	2	3	5	6	7
20-34	2235	2.5	4	<1	<1	2	3	5	6	10
35-49	1388	2.4	4	<1	<1	2	3	4	6	10
50-64	930	2.6	5	<1	<1	2	3	4	6	11
65+	320	3.5	12	<1	1	2	4	8	9	18
GRAND TOTAL	**5813**	**2.5**	**4**	**<1**	**<1**	**2**	**3**	**5**	**6**	**10**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	92	2.9	9	1	1	2	3	5	7	20
20-34	49	3.7	18	<1	<1	2	5	8	11	25
35-49	29	4.0	6	1	1	4	5	8	9	9
50-64	22	4.0	10	<1	<1	3	6	9	10	11
65+	30	4.7	9	1	1	4	7	9	10	12
B. *Operated*										
0-19 YRS	742	3.0	4	<1	1	3	4	5	6	9
20-34	1230	3.1	4	<1	1	3	4	5	6	10
35-49	374	2.9	5	<1	<1	2	4	5	6	10
50-64	163	3.7	14	<1	1	3	5	7	12	21
65+	74	5.1	34	<1	1	3	6	11	15	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	84	5.1	29	1	1	3	6	12	17	29
20-34	91	3.9	16	<1	<1	2	6	9	13	20
35-49	82	4.7	23	<1	1	3	6	10	14	23
50-64	116	5.0	18	1	1	4	7	9	11	26
65+	275	8.6	127	1	2	5	10	18	24	81
B. *Operated*										
0-19 YRS	459	4.9	32	<1	1	3	5	10	17	30
20-34	657	3.9	18	<1	1	3	5	7	9	23
35-49	327	4.2	23	<1	1	3	5	9	13	24
50-64	289	5.5	31	1	1	3	7	13	16	29
65+	255	10.3	114	1	2	7	16	21	35	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	222	3.6	11	<1	1	3	5	7	9	19
B. *Operated*	2583	3.1	6	<1	1	3	4	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	648	6.3	70	1	1	4	7	13	19	44
B. *Operated*	1987	5.2	40	1	1	3	6	12	17	36
1. SINGLE DX	2805	3.2	6	<1	1	3	4	5	7	12
2. MULTIPLE DX	2635	5.5	48	1	1	3	6	12	18	36
A. NOT OPERATED	870	5.6	56	1	1	4	7	11	18	36
B. OPERATED	4570	4.0	22	<1	1	3	4	7	12	26
TOTAL 0-19 YRS	1377	3.8	16	<1	1	3	4	7	10	23
20-34	2027	3.4	10	<1	1	3	4	6	8	14
35-49	812	3.6	14	<1	1	3	4	7	9	21
50-64	590	4.8	24	1	1	3	6	10	15	27
65+	634	8.7	108	1	1	5	11	19	26	81
GRAND TOTAL	**5440**	**4.3**	**28**	**<1**	**1**	**3**	**5**	**8**	**13**	**27**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.3		4	4	4	5	5	5	5
20-34	4	5.3	1	4	4	5	6	6	6	6
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS										
20-34	2	9.5	113	2	2	9	17	17	17	17
35-49	1	34.0		34	34	34	34	34	34	34
50-64	1	10.0		10	10	10	10	10	10	10
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	4	6.5	14	4	4	5	9	12	12	12
35-49	9	6.1	30	2	2	4	7	16	17	17
50-64	8	10.4	39	5	5	9	13	20	23	23
65+	14	12.4	114	3	4	10	12	21	41	47
B. *Operated*										
0-19 YRS										
20-34	3	14.0	76	8	8	10	20	24	24	24
35-49	6	9.7	10	6	6	9	13	14	14	14
50-64	5	9.0	28	1	1	9	13	15	15	15
65+	9	22.1	274	3	5	18	45	74	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	4.2	2	2	2	4	5	6	6	6
B. *Operated*	4	15.8	186	2	2	13	25	34	34	34
2. MULTIPLE DX										
A. *Not Operated*	37	9.4	66	2	3	7	12	16	21	47
B. *Operated*	23	15.0	151	2	6	11	18	45	64	99+
1. SINGLE DX	14	7.5	73	2	2	5	6	19	31	34
2. MULTIPLE DX	60	11.5	104	2	3	9	14	23	46	94
A. NOT OPERATED	47	8.3	56	2	3	5	11	14	19	47
B. OPERATED	27	15.1	149	2	4	11	18	42	53	99+
TOTAL 0-19 YRS	5	4.4	3	2	2	4	5	7	7	7
20-34	13	8.3	38	2	3	6	10	18	23	24
35-49	17	8.8	64	2	2	6	13	16	28	34
50-64	14	9.9	30	2	4	9	13	16	21	23
65+	25	15.1	189	3	3	11	18	47	58	99+
GRAND TOTAL	**74**	**10.8**	**100**	**2**	**3**	**9**	**14**	**23**	**42**	**87**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	18	<1	<1	3	7	7	7	7
20-34	21	4.8	9	<1	1	4	7	9	9	10
35-49	51	5.2	17	1	1	4	7	10	11	22
50-64	80	5.8	16	1	1	5	8	11	13	21
65+	82	6.4	14	1	2	6	9	12	12	17
B. *Operated*										
0-19 YRS	5	8.4	72	1	1	6	11	23	23	23
20-34	52	6.0	26	1	1	4	9	13	18	21
35-49	199	4.8	17	1	1	3	7	11	13	19
50-64	223	5.6	23	1	1	4	8	12	16	22
65+	99	7.7	46	1	2	6	10	17	23	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.8	11	<1	<1	4	7	9	9	9
20-34	34	5.0	34	<1	1	4	6	10	10	34
35-49	132	7.2	38	1	2	6	10	14	17	31
50-64	392	7.0	24	2	2	6	9	14	16	25
65+	1127	9.1	58	2	3	7	11	18	23	43
B. *Operated*										
0-19 YRS	4	4.5	14	1	1	4	7	9	9	9
20-34	61	8.3	73	1	1	6	10	20	29	37
35-49	219	7.2	44	1	1	6	9	14	20	38
50-64	454	7.7	48	1	2	6	10	15	20	31
65+	497	13.2	150	2	2	10	17	28	39	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	236	5.8	15	1	1	5	8	10	12	18
B. *Operated*	578	5.7	26	1	1	4	8	13	16	23
2. MULTIPLE DX										
A. *Not Operated*	1689	8.4	49	2	2	7	10	16	21	38
B. *Operated*	1235	9.9	97	1	2	7	12	21	29	63
1. SINGLE DX	814	5.7	23	1	1	4	8	12	15	23
2. MULTIPLE DX	2924	9.0	70	2	2	7	11	18	24	48
A. NOT OPERATED	1925	8.1	46	2	2	7	10	15	20	37
B. OPERATED	1813	8.6	78	1	2	6	11	18	25	50
TOTAL 0-19 YRS	15	5.8	31	<1	<1	5	7	9	20	23
20-34	168	6.5	44	1	1	5	8	14	20	36
35-49	601	6.2	33	1	1	5	8	12	16	31
50-64	1149	6.9	33	1	2	6	9	14	18	28
65+	1805	10.0	85	2	2	8	13	20	28	62
GRAND TOTAL	**3738**	**8.3**	**62**	**1**	**2**	**6**	**10**	**17**	**23**	**43**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	6.8	13	1	2	7	10	11	12	14
20-34	761	7.2	24	1	1	7	10	13	15	24
35-49	1126	7.5	22	1	2	7	10	14	16	22
50-64	541	8.2	23	2	3	8	10	14	18	23
65+	174	8.7	28	2	3	8	11	15	18	28
B. *Operated*										
0-19 YRS	140	4.9	13	1	1	4	6	9	11	20
20-34	2713	6.1	23	1	1	5	8	12	15	24
35-49	3697	6.5	27	1	1	5	8	13	16	26
50-64	1430	6.9	30	1	1	6	9	14	17	27
65+	232	8.2	46	1	1	7	11	15	21	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	7.0	16	<1	1	9	10	12	12	12
20-34	426	7.7	27	1	2	7	10	14	18	25
35-49	897	9.0	36	1	3	8	11	16	21	31
50-64	985	9.3	35	2	3	8	12	16	20	31
65+	953	10.5	77	2	4	9	13	18	25	52
B. *Operated*										
0-19 YRS	41	8.0	36	2	2	6	10	15	22	29
20-34	948	9.2	64	1	2	7	11	18	23	38
35-49	1786	9.4	56	1	2	8	12	18	24	35
50-64	1478	10.3	69	1	2	8	13	20	25	39
65+	897	13.6	113	2	3	11	17	26	34	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2629	7.6	24	1	2	7	10	14	16	23
B. *Operated*	8212	6.4	27	1	1	5	8	13	16	25
2. MULTIPLE DX										
A. *Not Operated*	3272	9.3	47	2	3	8	12	16	21	33
B. *Operated*	5150	10.3	73	1	2	8	13	21	26	42
1. SINGLE DX	10841	6.7	26	1	1	6	9	13	16	25
2. MULTIPLE DX	8422	9.9	63	2	2	8	13	19	24	39
A. NOT OPERATED	5901	8.6	37	1	2	8	11	15	19	31
B. OPERATED	13362	7.9	48	1	2	6	10	16	21	33
TOTAL 0-19 YRS	219	5.9	19	1	1	5	8	11	14	24
20-34	4848	7.0	33	1	1	6	9	14	17	27
35-49	7506	7.6	36	1	2	6	10	15	19	30
50-64	4434	8.7	45	1	2	7	11	16	21	32
65+	2256	11.4	88	2	3	9	14	22	28	51
GRAND TOTAL	**19263**	**8.1**	**45**	**1**	**2**	**7**	**10**	**16**	**20**	**33**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	5.0	21	<1	<1	3	10	11	12	12
20-34	98	7.2	22	1	2	7	10	13	15	23
35-49	158	6.8	20	1	1	6	9	13	15	21
50-64	76	6.9	22	1	2	6	9	12	18	22
65+	23	6.7	14	2	2	7	10	12	13	14
B. *Operated*										
0-19 YRS	9	4.9	4	2	2	5	7	8	8	8
20-34	216	5.5	33	1	1	4	7	10	15	23
35-49	591	6.0	28	1	1	5	8	11	15	30
50-64	241	5.6	19	1	1	5	8	11	13	21
65+	29	6.7	24	1	1	6	9	15	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	8.5	25	5	5	8	12	12	12	12
20-34	72	8.0	31	1	2	7	11	14	21	25
35-49	180	7.8	42	1	1	6	11	15	21	32
50-64	176	7.4	23	1	2	6	10	14	17	22
65+	149	9.2	77	2	3	7	11	17	23	99+
B. *Operated*										
0-19 YRS	4	9.5	66	1	1	8	15	20	20	20
20-34	129	7.3	37	1	1	6	10	14	17	30
35-49	410	8.1	64	1	2	6	9	17	22	48
50-64	311	9.1	81	1	2	7	11	20	27	42
65+	112	12.4	114	2	3	9	18	25	30	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	367	6.9	21	1	1	6	9	13	15	21
B. *Operated*	1086	5.8	27	1	1	5	8	11	15	23
2. MULTIPLE DX										
A. *Not Operated*	579	8.1	44	1	2	7	10	15	20	37
B. *Operated*	966	8.8	74	1	2	7	11	19	25	43
1. SINGLE DX	1453	6.1	25	1	1	5	8	12	15	22
2. MULTIPLE DX	1545	8.5	62	1	2	7	11	17	23	42
A. NOT OPERATED	946	7.6	35	1	2	7	10	14	18	29
B. OPERATED	2052	7.2	51	1	1	6	9	15	21	35
TOTAL 0-19 YRS	27	5.9	22	<1	1	5	9	12	13	20
20-34	515	6.6	32	1	1	5	9	13	16	26
35-49	1339	7.0	41	1	1	6	9	14	18	32
50-64	804	7.5	46	1	2	6	9	14	20	32
65+	313	9.9	84	2	3	8	13	20	26	86
GRAND TOTAL	**2998**	**7.3**	**46**	**1**	**2**	**6**	**9**	**14**	**20**	**34**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	14.0	28	8	8	16	17	18	18	18
20-34	31	5.8	20	1	1	4	8	13	15	17
35-49	48	6.7	17	1	1	6	9	12	15	18
50-64	17	6.4	12	2	3	6	8	12	14	15
65+	2	10.0	98	3	3	10	17	17	17	17
B. *Operated*										
0-19 YRS										
20-34	46	3.5	13	1	1	2	3	9	13	15
35-49	40	6.1	37	1	1	3	9	13	18	27
50-64	15	6.6	26	<1	1	5	12	13	15	15
65+	6	6.8	36	1	1	6	12	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	12.5	72	4	4	11	18	24	24	24
20-34	40	7.0	28	1	2	6	9	12	15	30
35-49	72	7.2	29	1	2	6	9	13	15	29
50-64	50	8.0	26	1	3	7	11	15	17	24
65+	40	7.8	23	3	3	7	10	15	17	23
B. *Operated*										
0-19 YRS	2	9.0	50	4	4	9	14	14	14	14
20-34	42	5.1	30	1	1	3	7	11	15	30
35-49	52	7.9	41	1	2	7	11	15	19	35
50-64	22	11.7	140	1	2	7	18	31	40	42
65+	3	8.7	134	1	1	3	17	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	101	6.7	19	1	2	6	9	13	16	18
B. *Operated*	107	5.1	26	1	1	2	8	13	15	25
2. MULTIPLE DX										
A. *Not Operated*	206	7.6	28	1	2	6	9	14	17	28
B. *Operated*	121	7.6	60	1	1	6	10	17	23	39
1. SINGLE DX	208	5.9	23	1	1	4	9	13	15	20
2. MULTIPLE DX	327	7.6	40	1	2	6	10	14	19	31
A. NOT OPERATED	307	7.3	25	1	2	6	9	13	16	26
B. OPERATED	228	6.5	46	1	1	4	9	14	18	36
TOTAL 0-19 YRS	9	12.2	44	4	4	13	16	22	24	24
20-34	159	5.3	24	1	1	3	7	12	14	29
35-49	212	7.0	31	1	2	6	9	14	16	28
50-64	104	8.3	50	1	2	7	11	16	23	40
65+	51	7.8	29	1	3	7	11	16	17	23
GRAND TOTAL	**535**	**6.9**	**34**	**1**	**1**	**6**	**9**	**14**	**17**	**29**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	5.2	12	1	1	4	7	11	11	11
20-34	78	6.3	13	1	2	6	8	11	14	16
35-49	116	7.0	24	1	2	7	9	12	14	27
50-64	76	7.3	27	2	3	6	10	13	19	25
65+	58	6.8	27	1	2	6	9	12	16	29
B. *Operated*										
0-19 YRS	3	5.7	52	1	1	2	11	14	14	14
20-34	62	4.2	16	1	1	2	5	11	13	15
35-49	97	4.1	27	1	1	2	4	11	13	28
50-64	41	3.5	11	1	1	2	4	8	10	17
65+	7	3.9	22	1	1	2	4	12	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	6.5	11	1	1	8	8	10	11	11
20-34	120	8.0	17	2	3	8	9	13	15	25
35-49	179	7.8	19	2	3	7	9	12	15	25
50-64	180	7.8	28	1	3	7	10	14	17	20
65+	276	9.6	36	3	4	8	12	17	19	30
B. *Operated*										
0-19 YRS	4	13.3	59	5	5	13	19	22	22	22
20-34	33	6.5	35	1	1	4	10	16	19	21
35-49	53	8.8	84	1	1	7	12	17	32	47
50-64	51	10.0	45	1	2	11	14	19	23	29
65+	52	11.9	60	2	2	11	16	21	29	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	334	6.8	22	1	2	6	9	12	14	24
B. *Operated*	210	4.0	20	1	1	2	5	11	13	21
2. MULTIPLE DX										
A. *Not Operated*	766	8.5	28	2	3	8	10	15	18	28
B. *Operated*	193	9.7	61	1	2	8	13	19	23	36
1. SINGLE DX	544	5.8	23	1	1	5	8	12	14	24
2. MULTIPLE DX	959	8.7	34	2	2	8	11	16	19	30
A. NOT OPERATED	1100	8.0	27	2	3	7	10	14	17	26
B. OPERATED	403	6.7	47	1	1	4	11	15	20	33
TOTAL 0-19 YRS	24	7.2	28	1	1	7	9	14	18	22
20-34	293	6.5	20	1	2	6	9	12	15	21
35-49	445	6.9	32	1	1	6	9	12	15	32
50-64	348	7.5	31	1	2	6	11	14	18	24
65+	393	9.4	40	2	3	8	12	17	21	31
GRAND TOTAL	**1503**	**7.6**	**32**	**1**	**2**	**7**	**10**	**14**	**18**	**29**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	4.1	11	1	1	3	6	8	11	16
20-34	649	5.9	22	1	1	5	8	11	13	20
35-49	819	6.2	25	1	1	5	8	12	15	23
50-64	444	6.2	34	1	1	5	8	12	16	23
65+	200	7.2	29	1	1	6	10	15	18	25
B. *Operated*										
0-19 YRS	54	5.1	138	1	1	2	3	9	16	82
20-34	687	3.7	19	1	1	2	4	9	12	17
35-49	838	3.9	16	1	1	2	5	9	12	19
50-64	569	5.4	36	1	1	3	8	11	15	25
65+	252	6.9	55	1	1	6	10	14	17	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	76	5.1	14	1	1	4	8	11	11	17
20-34	628	6.8	32	1	1	6	9	13	17	30
35-49	1123	7.3	28	1	2	6	10	14	17	25
50-64	1059	7.7	31	1	2	7	10	15	17	27
65+	1204	8.9	54	2	3	7	11	16	22	44
B. *Operated*										
0-19 YRS	40	5.0	19	1	1	3	7	11	15	17
20-34	487	6.0	45	1	1	4	8	13	18	33
35-49	840	7.2	50	1	1	5	10	16	20	36
50-64	890	8.6	68	1	1	7	11	18	25	43
65+	950	12.4	125	1	2	10	15	27	38	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2188	6.1	26	1	1	5	8	12	15	22
B. *Operated*	2400	4.5	29	1	1	2	6	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	4090	7.8	37	1	2	7	10	15	18	30
B. *Operated*	3207	8.9	82	1	1	7	12	19	27	48
1. SINGLE DX	4588	5.3	28	1	1	4	7	11	14	22
2. MULTIPLE DX	7297	8.3	57	1	2	7	11	16	22	41
A. NOT OPERATED	6278	7.2	34	1	2	6	9	14	17	28
B. OPERATED	5607	7.0	64	1	1	4	9	16	21	42
TOTAL 0-19 YRS	246	4.8	41	1	1	3	6	10	12	18
20-34	2451	5.5	29	1	1	4	8	11	15	25
35-49	3620	6.2	31	1	1	5	9	13	17	28
50-64	2962	7.3	45	1	1	6	10	15	19	33
65+	2606	9.9	82	1	2	8	12	19	28	52
GRAND TOTAL	**11885**	**7.1**	**48**	**1**	**1**	**5**	**9**	**14**	**19**	**36**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	162	3.5	6	1	1	3	5	7	8	11
20-34	66	4.8	11	1	2	4	6	9	11	19
35-49	97	4.1	7	1	1	3	5	7	10	14
50-64	63	3.5	5	<1	1	3	5	7	8	10
65+	28	4.7	11	1	1	4	6	9	13	15
B. *Operated*										
0-19 YRS	194	2.4	6	<1	<1	2	3	4	6	11
20-34	573	2.3	4	<1	<1	2	3	4	6	11
35-49	787	2.4	3	<1	<1	2	3	4	5	9
50-64	671	2.4	5	<1	<1	2	3	5	6	13
65+	184	2.8	18	<1	<1	2	3	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	83	5.6	99	1	1	4	6	9	12	66
20-34	101	4.8	22	1	1	3	6	9	15	26
35-49	131	5.1	17	1	1	4	7	10	11	23
50-64	187	5.4	19	1	1	4	7	11	14	23
65+	266	6.6	27	1	2	5	8	13	16	26
B. *Operated*										
0-19 YRS	98	3.7	35	<1	<1	2	4	7	10	38
20-34	370	3.7	22	<1	1	2	4	7	10	26
35-49	603	3.7	15	<1	1	3	4	7	10	21
50-64	683	3.8	18	<1	1	3	4	7	12	22
65+	344	6.8	79	<1	1	4	7	15	24	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	416	3.9	7	1	1	3	5	7	9	13
B. *Operated*	2409	2.4	5	<1	<1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	768	5.7	31	1	1	4	7	11	14	25
B. *Operated*	2098	4.3	30	<1	1	3	4	8	13	31
1. SINGLE DX	2825	2.6	6	<1	<1	2	3	5	7	11
2. MULTIPLE DX	2866	4.6	31	<1	1	3	5	9	13	29
A. NOT OPERATED	1184	5.1	23	1	1	4	6	10	13	20
B. OPERATED	4507	3.3	18	<1	<1	2	4	6	9	21
TOTAL 0-19 YRS	537	3.5	27	<1	<1	2	4	6	9	15
20-34	1110	3.1	13	<1	<1	2	3	6	9	21
35-49	1618	3.2	10	<1	<1	2	4	6	9	15
50-64	1604	3.4	13	<1	<1	2	4	7	10	17
65+	822	5.8	49	<1	1	4	7	12	17	41
GRAND TOTAL	**5691**	**3.7**	**19**	**<1**	**<1**	**3**	**4**	**7**	**10**	**21**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	3.0	4	1	1	3	4	6	6	6
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	7	2.7	8	<1	<1	1	4	7	8	8
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	219	2.5	2	<1	<1	2	3	5	6	7
20-34	481	2.7	2	<1	1	2	4	5	5	8
35-49	530	2.8	3	<1	1	3	4	5	6	8
50-64	520	3.0	3	<1	1	3	4	5	6	8
65+	226	3.1	4	<1	<1	3	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	1.0		<1	<1	<1	1	1	1	1
20-34	17	1.3	1	<1	<1	1	1	2	4	5
35-49	21	1.9	11	<1	<1	1	1	3	9	16
50-64	39	1.6	3	<1	<1	<1	1	3	5	11
65+	22	3.9	35	<1	<1	1	3	14	20	22
B. *Operated*										
0-19 YRS	253	3.0	2	1	1	3	4	5	5	8
20-34	789	3.0	3	1	1	3	4	5	6	8
35-49	1005	3.2	5	1	1	3	4	5	6	11
50-64	1667	3.5	5	1	1	3	4	6	7	10
65+	1081	4.0	10	1	1	3	5	7	8	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	2.9	5	<1	<1	2	4	6	7	8
B. *Operated*	1976	2.8	3	<1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	107	2.0	11	<1	<1	1	1	4	6	20
B. *Operated*	4795	3.5	6	1	1	3	4	6	7	12
1. SINGLE DX	1992	2.8	3	<1	1	3	4	5	6	8
2. MULTIPLE DX	4902	3.4	6	1	1	3	4	6	7	12
A. NOT OPERATED	123	2.1	10	<1	<1	1	2	4	7	20
B. OPERATED	6771	3.3	5	1	1	3	4	5	7	11
TOTAL 0-19 YRS	481	2.7	2	<1	1	2	4	5	5	7
20-34	1292	2.9	3	<1	1	3	4	5	5	8
35-49	1558	3.1	4	<1	1	3	4	5	6	10
50-64	2233	3.3	5	1	1	3	4	6	7	10
65+	1330	3.9	9	1	1	3	5	7	8	15
GRAND TOTAL	**6894**	**3.3**	**5**	**<1**	**1**	**3**	**4**	**5**	**7**	**11**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	3.0	12	<1	<1	<1	5	7	7	7
35-49	4	1.8		<1	<1	2	2	2	2	2
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	5	4.6	3	3	3	5	6	7	7	7
B. *Operated*										
0-19 YRS	245	1.4		<1	<1	1	2	2	3	4
20-34	518	1.5	1	<1	<1	1	2	2	3	6
35-49	360	1.6	1	<1	<1	1	2	3	4	7
50-64	169	1.8	2	<1	<1	1	2	3	4	7
65+	71	2.4	3	<1	<1	2	3	5	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	1.0		<1	<1	<1	1	1	1	1
20-34	10	3.3	24	<1	<1	1	1	12	14	14
35-49	5	1.0		<1	<1	1	1	1	1	1
50-64	11	3.1	7	1	1	3	4	7	10	10
65+	18	4.5	9	<1	1	4	7	9	11	11
B. *Operated*										
0-19 YRS	34	1.9	3	<1	<1	1	2	3	4	10
20-34	118	2.3	4	<1	<1	2	3	4	5	12
35-49	99	2.4	4	<1	<1	2	3	5	7	10
50-64	154	2.9	9	<1	<1	2	3	5	6	22
65+	99	4.5	17	<1	<1	3	6	9	13	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	3.0	4	<1	<1	2	4	7	7	7
B. *Operated*	1363	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	49	3.2	11	<1	<1	2	4	9	11	14
B. *Operated*	504	2.9	9	<1	<1	2	3	6	9	16
1. SINGLE DX	1378	1.6	1	<1	<1	1	2	3	4	7
2. MULTIPLE DX	553	2.9	9	<1	<1	2	3	6	9	15
A. NOT OPERATED	64	3.2	9	<1	<1	2	4	8	10	14
B. OPERATED	1867	1.9	4	<1	<1	1	2	4	5	10
TOTAL 0-19 YRS	285	1.4	1	<1	<1	1	2	2	3	4
20-34	649	1.7	2	<1	<1	1	2	3	4	9
35-49	468	1.8	2	<1	<1	1	2	3	4	9
50-64	336	2.4	6	<1	<1	2	3	4	6	11
65+	193	3.7	12	<1	<1	3	5	7	10	18
GRAND TOTAL	**1931**	**2.0**	**4**	**<1**	**<1**	**1**	**2**	**4**	**5**	**10**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	14.6	116	1	2	13	18	29	39	46
20-34	28	8.0	43	2	2	7	12	21	26	99+
35-49	28	12.2	185	2	2	8	15	26	33	70
50-64	21	14.6	146	3	4	12	18	28	40	54
65+	26	13.9	116	4	5	10	14	31	37	45
B. *Operated*										
0-19 YRS	63	17.4	180	1	2	16	23	37	42	64
20-34	67	16.6	253	2	2	11	24	38	45	82
35-49	47	13.2	132	2	2	9	18	30	41	48
50-64	60	13.0	136	2	3	9	20	29	36	55
65+	51	14.5	154	2	2	12	19	33	38	64
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	18.7	107	4	5	17	25	36	43	99+
20-34	69	13.2	105	2	3	11	16	27	42	43
35-49	57	13.1	139	1	3	9	16	32	40	47
50-64	118	19.5	260	4	6	14	25	45	49	76
65+	246	18.2	190	4	5	14	26	39	50	99+
B. *Operated*										
0-19 YRS	112	20.3	180	3	6	18	29	41	45	57
20-34	150	19.9	309	2	4	15	28	44	56	97
35-49	196	20.2	215	2	3	17	29	42	51	85
50-64	397	21.8	240	4	6	18	31	46	52	99+
65+	562	24.7	341	4	7	20	33	54	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	158	12.9	122	2	2	10	16	28	35	69
B. *Operated*	288	15.1	176	2	2	11	22	34	41	63
2. MULTIPLE DX										
A. *Not Operated*	539	17.3	186	3	4	14	24	37	46	95
B. *Operated*	1417	22.4	282	3	5	18	31	47	59	99+
1. SINGLE DX	446	14.3	158	2	2	11	21	31	41	64
2. MULTIPLE DX	1956	21.0	261	3	5	16	29	45	57	99+
A. NOT OPERATED	697	16.3	175	3	4	13	22	36	45	91
B. OPERATED	1705	21.2	272	3	5	17	30	45	57	99+
TOTAL 0-19 YRS	279	18.3	158	2	4	16	26	37	43	60
20-34	314	16.7	241	2	3	12	22	42	48	90
35-49	328	17.3	199	2	3	13	25	39	48	69
50-64	596	20.2	238	3	5	16	28	43	51	96
65+	885	22.0	294	4	6	17	30	49	62	99+
GRAND TOTAL	**2402**	**19.8**	**248**	**3**	**4**	**15**	**28**	**43**	**53**	**99+**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	106	5.6	72	<1	<1	2	7	14	19	50
20-34	67	2.7	4	<1	1	2	4	6	7	10
35-49	114	2.8	5	1	1	2	3	5	7	13
50-64	74	5.4	33	1	2	4	7	11	17	35
65+	148	7.8	30	1	2	6	11	15	18	26
B. *Operated*										
0-19 YRS	735	4.5	19	<1	1	3	6	9	12	20
20-34	644	3.7	10	<1	1	3	5	7	9	15
35-49	361	4.9	28	<1	1	3	6	11	14	31
50-64	220	6.7	36	1	1	5	10	13	16	31
65+	130	9.4	55	1	2	8	13	18	25	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	77	6.4	150	<1	<1	2	6	21	61	99+
20-34	130	3.9	13	1	1	3	5	7	9	18
35-49	300	4.4	19	1	1	3	5	8	10	22
50-64	545	6.6	31	1	2	5	9	14	18	26
65+	2478	11.1	93	2	3	9	14	21	29	58
B. *Operated*										
0-19 YRS	313	5.8	36	1	1	4	7	11	16	29
20-34	471	6.8	94	1	1	4	8	13	21	50
35-49	382	7.5	58	1	2	5	10	17	24	37
50-64	527	12.4	155	2	2	10	16	26	35	80
65+	1054	18.2	208	4	5	15	22	37	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	509	5.2	34	1	1	3	7	12	16	26
B. *Operated*	2090	4.9	24	1	1	3	6	10	14	25
2. MULTIPLE DX										
A. *Not Operated*	3530	9.5	82	2	2	7	12	19	26	55
B. *Operated*	2747	12.2	164	1	2	9	16	27	38	88
1. SINGLE DX	2599	4.9	26	1	1	3	6	11	14	25
2. MULTIPLE DX	6277	10.7	120	1	2	8	14	22	32	74
A. NOT OPERATED	4039	8.9	78	1	2	7	11	18	25	53
B. OPERATED	4837	9.0	117	1	1	5	12	21	30	69
TOTAL 0-19 YRS	1231	5.0	37	<1	1	3	6	10	15	39
20-34	1312	4.8	43	1	1	3	5	9	13	32
35-49	1157	5.4	36	1	1	3	7	11	16	31
50-64	1366	8.8	88	1	2	6	12	18	25	51
65+	3810	12.9	132	2	3	10	16	26	36	85
GRAND TOTAL	**8876**	**9.0**	**99**	**1**	**2**	**6**	**12**	**19**	**27**	**61**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	3	4.7	14	2	2	3	7	9	9	9
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64	1	7.0		7	7	7	7	7	7	7
65+										
B. *Operated*										
0-19 YRS	129	3.2	3	<1	1	3	4	6	7	9
20-34	84	3.3	12	<1	1	2	4	6	8	23
35-49	54	3.3	11	<1	<1	2	4	7	10	19
50-64	33	3.3	12	<1	<1	2	4	9	11	16
65+	6	9.0	163	2	2	4	5	32	35	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	8.0	307	<1	<1	1	10	17	32	89
20-34	6	3.3	8	1	1	2	7	7	7	7
35-49	7	12.1	274	1	1	6	13	41	48	48
50-64	15	17.5	312	<1	1	14	19	57	58	58
65+	50	18.4	224	1	2	16	26	37	43	72
B. *Operated*										
0-19 YRS	359	5.4	27	<1	1	4	6	10	12	27
20-34	143	4.6	21	1	1	3	6	8	11	24
35-49	107	5.0	42	<1	1	3	6	8	12	41
50-64	103	5.0	33	1	1	4	5	8	12	39
65+	71	7.8	106	1	2	4	9	18	27	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	4.3	7	1	1	4	6	8	9	9
B. *Operated*	306	3.4	11	<1	1	2	4	6	8	17
2. MULTIPLE DX										
A. *Not Operated*	104	14.4	267	<1	1	10	19	37	49	80
B. *Operated*	783	5.4	36	<1	1	4	6	10	13	39
1. SINGLE DX	314	3.4	11	<1	1	3	4	6	8	17
2. MULTIPLE DX	887	6.4	71	<1	1	4	7	13	20	50
A. NOT OPERATED	112	13.7	255	<1	1	9	18	36	48	78
B. OPERATED	1089	4.8	30	<1	1	4	6	9	12	32
TOTAL 0-19 YRS	516	5.0	36	<1	1	4	6	9	11	27
20-34	236	4.1	18	1	1	3	5	8	10	24
35-49	170	4.7	43	<1	1	3	6	8	12	45
50-64	152	5.9	70	<1	1	4	6	12	18	57
65+	127	12.1	179	1	2	7	17	33	43	78
GRAND TOTAL	**1201**	**5.7**	**57**	**<1**	**1**	**4**	**6**	**11**	**17**	**45**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	11	4.5	14	<1	1	3	8	10	12	12
35-49	18	5.8	18	1	1	5	9	11	15	17
50-64	7	7.1	59	<1	<1	5	9	20	23	23
65+	4	6.0	9	3	3	6	8	9	9	9
B. *Operated*										
0-19 YRS										
20-34	10	4.9	17	1	1	4	8	11	14	14
35-49	21	3.3	6	<1	1	3	4	6	9	11
50-64	9	2.1	1	<1	<1	2	3	4	4	4
65+	3	3.0	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.3	4	2	2	3	4	6	6	6
20-34	12	5.3	13	<1	1	4	8	10	11	11
35-49	19	7.4	64	1	2	6	7	15	29	36
50-64	31	9.4	107	2	3	6	10	17	38	50
65+	50	7.7	37	2	2	6	11	16	19	31
B. *Operated*										
0-19 YRS										
20-34	6	3.8	10	1	1	3	5	9	9	9
35-49	15	5.0	21	1	1	3	8	11	15	17
50-64	9	9.2	70	2	2	6	12	23	29	29
65+	12	11.4	169	1	2	6	13	36	39	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	5.5	22	<1	1	4	9	10	14	23
B. *Operated*	43	3.4	8	<1	1	3	4	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	116	7.7	57	2	2	6	9	15	20	43
B. *Operated*	42	7.6	77	1	1	5	9	17	31	40
1. SINGLE DX	85	4.5	16	<1	1	3	6	9	11	21
2. MULTIPLE DX	158	7.7	62	1	2	5	9	15	21	40
A. NOT OPERATED	158	7.1	48	1	2	5	9	13	20	39
B. OPERATED	85	5.5	46	1	1	3	6	11	17	38
TOTAL 0-19 YRS	6	3.0	2	2	2	3	3	6	6	6
20-34	39	4.7	13	<1	1	3	8	10	12	14
35-49	73	5.3	29	1	1	4	7	10	16	32
50-64	56	7.9	82	1	2	5	10	15	27	49
65+	69	8.0	58	2	2	5	10	18	22	39
GRAND TOTAL	**243**	**6.5**	**48**	**1**	**1**	**5**	**8**	**12**	**19**	**39**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	179	1.8	3	<1	<1	1	2	4	5	10
20-34	127	3.9	12	1	1	3	5	9	11	17
35-49	133	3.4	8	<1	1	3	4	6	10	15
50-64	92	4.7	17	1	1	3	6	10	14	19
65+	49	4.3	13	1	1	3	6	10	13	15
B. *Operated*										
0-19 YRS	414	4.6	21	<1	<1	2	8	10	13	22
20-34	572	3.5	16	<1	<1	2	4	8	11	21
35-49	394	3.2	11	<1	1	2	4	7	9	18
50-64	442	2.5	4	<1	1	2	3	5	7	11
65+	238	2.9	27	<1	1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	135	3.7	60	<1	<1	1	3	7	17	35
20-34	208	4.6	19	<1	1	3	6	9	12	22
35-49	296	4.6	44	1	1	3	5	9	11	27
50-64	392	4.9	18	1	2	4	6	10	12	20
65+	502	7.1	38	1	2	5	9	14	19	35
B. *Operated*										
0-19 YRS	564	6.8	82	1	1	4	10	15	22	48
20-34	731	4.3	39	<1	1	2	4	9	15	36
35-49	615	4.6	31	1	1	3	5	10	14	29
50-64	567	5.5	38	1	1	3	7	12	18	30
65+	538	8.2	127	1	1	4	10	18	27	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	580	3.3	10	<1	<1	2	4	7	10	16
B. *Operated*	2060	3.4	15	<1	1	2	4	8	10	18
2. MULTIPLE DX										
A. *Not Operated*	1533	5.4	35	1	1	4	7	11	15	28
B. *Operated*	3015	5.8	63	1	1	3	7	13	19	47
1. SINGLE DX	2640	3.4	14	<1	<1	2	4	8	10	17
2. MULTIPLE DX	4548	5.6	53	1	1	3	7	12	18	40
A. NOT OPERATED	2113	4.8	29	<1	1	3	6	10	14	23
B. OPERATED	5075	4.8	45	<1	1	3	5	11	15	32
TOTAL 0-19 YRS	1292	5.1	52	<1	<1	2	7	12	17	30
20-34	1638	4.0	27	<1	1	2	4	9	12	26
35-49	1438	4.1	27	<1	1	3	5	9	11	24
50-64	1493	4.4	23	1	1	3	5	10	13	22
65+	1327	6.7	75	1	1	4	8	15	20	51
GRAND TOTAL	**7188**	**4.8**	**40**	**<1**	**1**	**3**	**5**	**11**	**15**	**30**

317: Somatic dysfunction (739)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	5.4	14	1	1	4	8	11	11	11
35-49	3	3.3	6	1	1	3	5	6	6	6
50-64	3	2.3	1	1	1	3	3	3	3	3
65+	1	14.0		14	14	14	14	14	14	14
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	7.0		7	7	7	7	7	7	7
35-49										
50-64	1	21.0		21	21	21	21	21	21	21
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.6	6	2	2	3	4	8	8	8
20-34	29	5.4	11	1	2	4	7	11	12	13
35-49	36	5.4	12	2	2	5	7	9	11	20
50-64	21	3.8	4	1	2	4	4	6	8	9
65+	15	5.6	11	2	3	4	8	9	13	14
B. *Operated*										
0-19 YRS										
20-34	5	15.0	282	1	1	6	31	37	37	37
35-49	4	2.8	2	1	1	3	4	4	4	4
50-64	1	3.0		3	3	3	3	3	3	3
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	4.8	17	1	1	4	6	12	14	14
B. *Operated*	3	10.0	97	2	2	7	17	21	21	21
2. MULTIPLE DX										
A. *Not Operated*	106	5.0	10	2	2	4	6	9	11	17
B. *Operated*	10	8.9	167	1	1	3	6	33	37	37
1. SINGLE DX	15	5.9	32	1	1	4	7	14	19	21
2. MULTIPLE DX	116	5.3	23	1	2	4	6	9	12	32
A. NOT OPERATED	118	5.0	11	1	2	4	6	9	12	16
B. OPERATED	13	9.2	142	1	1	3	10	31	36	37
TOTAL 0-19 YRS	6	3.3	5	2	2	3	3	8	8	8
20-34	40	6.6	49	1	1	5	8	12	21	37
35-49	43	5.0	11	1	2	4	6	8	11	20
50-64	26	4.2	15	1	2	3	4	8	11	21
65+	16	6.1	14	2	3	5	8	13	14	14
GRAND TOTAL	**131**	**5.4**	**24**	**1**	**2**	**4**	**7**	**10**	**13**	**31**

318: Congenital anomaly of nervous system (740-742)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	2.6	23	<1	<1	1	2	4	9	30
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	2	5.5	25	2	2	5	9	9	9	9
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	48	6.0	17	1	2	5	8	12	16	17
20-34	14	7.5	51	1	1	4	10	21	21	21
35-49	4	11.0	7	8	8	11	13	14	14	14
50-64	2	5.5	5	4	4	5	7	7	7	7
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	104	7.5	255	<1	<1	2	7	43	88	99+
20-34	8	7.6	83	1	1	4	10	23	28	28
35-49	4	7.3	8	4	4	7	9	10	10	10
50-64	3	13.0	111	3	3	12	21	24	24	24
65+	15	4.3	13	1	1	4	6	10	12	13
B. *Operated*										
0-19 YRS	137	11.2	119	2	2	8	16	24	35	65
20-34	19	9.9	91	1	1	8	11	20	32	41
35-49	9	6.8	23	1	1	7	8	14	17	17
50-64	7	23.6	389	1	3	12	44	45	45	45
65+	6	19.0	112	9	9	16	31	32	32	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	2.7	21	<1	<1	1	2	5	9	30
B. *Operated*	68	6.6	24	1	2	5	10	14	17	21
2. MULTIPLE DX										
A. *Not Operated*	134	7.2	207	<1	1	3	7	23	79	99+
B. *Operated*	178	11.6	128	2	2	8	16	26	39	58
1. SINGLE DX	121	4.9	27	<1	<1	3	7	11	16	24
2. MULTIPLE DX	312	9.7	166	1	1	6	12	24	44	99+
A. NOT OPERATED	187	5.9	158	<1	<1	2	6	14	44	99+
B. OPERATED	246	10.2	104	2	2	7	13	22	33	54
TOTAL 0-19 YRS	337	8.1	141	<1	<1	4	10	21	39	99+
20-34	43	8.3	72	1	1	6	10	21	24	41
35-49	19	7.6	18	1	2	8	10	13	16	17
50-64	12	17.9	288	1	2	11	33	45	45	45
65+	22	8.2	82	1	1	5	10	24	31	32
GRAND TOTAL	**433**	**8.4**	**131**	**<1**	**1**	**4**	**10**	**21**	**37**	**99+**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	67	1.3	1	<1	<1	<1	1	1	3	8
20-34	4	5.3	30	<1	<1	3	9	13	13	13
35-49										
50-64	1	6.0		5	6	6	6	6	6	6
65+										
B. *Operated*										
0-19 YRS	401	1.9	3	<1	<1	2	2	3	4	9
20-34	92	2.6	12	<1	<1	2	3	4	5	22
35-49	49	1.8	1	<1	<1	2	2	3	4	4
50-64	34	2.0	2	<1	<1	2	2	3	3	9
65+	39	1.6	1	<1	<1	1	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	1.3	1	<1	<1	<1	1	2	4	6
20-34	5	2.2	5	<1	<1	<1	3	6	6	6
35-49	4	4.5	32	1	1	2	8	13	13	13
50-64	1	3.0		3	3	3	3	3	3	3
65+	3	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
0-19 YRS	159	2.7	8	<1	<1	2	3	6	9	15
20-34	44	2.9	7	<1	1	2	3	7	9	13
35-49	25	1.7		<1	1	2	2	3	3	3
50-64	38	2.2	2	<1	1	2	2	4	5	9
65+	79	2.8	10	1	2	2	3	4	7	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	1.5	4	<1	<1	<1	1	2	5	12
B. *Operated*	615	2.0	4	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	44	1.7	4	<1	<1	<1	1	3	6	13
B. *Operated*	345	2.6	7	<1	1	2	3	5	8	13
1. SINGLE DX	687	1.9	4	<1	<1	1	2	3	4	9
2. MULTIPLE DX	389	2.5	7	<1	<1	2	3	5	8	13
A. NOT OPERATED	116	1.6	4	<1	<1	<1	1	3	6	13
B. OPERATED	960	2.2	5	<1	<1	2	2	4	5	10
TOTAL 0-19 YRS	658	2.0	4	<1	<1	1	2	3	5	10
20-34	145	2.7	10	<1	<1	2	3	5	7	14
35-49	78	1.9	2	<1	<1	2	2	3	4	11
50-64	74	2.2	2	<1	<1	2	2	3	5	9
65+	121	2.4	7	<1	<1	2	2	4	5	14
GRAND TOTAL	**1076**	**2.2**	**5**	**<1**	**<1**	**2**	**2**	**4**	**5**	**10**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	2.2	3	<1	<1	2	3	4	5	10
20-34	5	1.0		<1	<1	1	1	1	1	1
35-49	5	3.2	2	2	2	3	4	5	5	5
50-64	5	2.8	4	1	1	2	4	6	6	6
65+	2	3.0	8	<1	<1	2	5	5	5	5
B. *Operated*										
0-19 YRS	463	4.4	19	1	1	2	6	9	13	23
20-34	78	4.3	14	1	1	3	6	9	11	21
35-49	56	6.4	109	1	1	3	8	14	22	68
50-64	32	5.5	21	2	2	3	8	13	16	18
65+	6	11.2	139	2	2	6	26	26	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	175	4.1	16	<1	1	3	5	10	12	20
20-34	45	4.2	19	<1	1	3	6	9	11	24
35-49	25	5.9	40	<1	1	3	8	13	16	29
50-64	33	6.2	20	2	2	5	8	13	13	23
65+	65	8.2	32	2	3	7	11	17	22	24
B. *Operated*										
0-19 YRS	1102	7.6	87	1	1	5	10	16	24	61
20-34	122	6.2	29	1	2	3	9	13	17	23
35-49	96	7.4	58	1	1	6	9	18	29	99+
50-64	96	7.8	41	1	2	6	11	18	21	68
65+	88	13.0	193	2	2	10	16	26	34	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	2.3	3	<1	<1	2	3	5	6	10
B. *Operated*	635	4.6	28	1	1	2	6	10	13	25
2. MULTIPLE DX										
A. *Not Operated*	343	5.2	24	1	1	4	7	11	15	24
B. *Operated*	1504	7.8	85	1	1	6	10	17	24	62
1. SINGLE DX	692	4.5	26	1	1	2	6	9	13	25
2. MULTIPLE DX	1847	7.3	75	1	1	5	10	16	22	52
A. NOT OPERATED	400	4.8	22	<1	1	3	7	10	14	23
B. OPERATED	2139	6.9	70	1	1	4	9	15	21	48
TOTAL 0-19 YRS	1780	6.3	63	1	1	3	9	14	19	42
20-34	250	5.2	23	1	1	3	8	11	14	24
35-49	182	6.8	70	1	1	3	9	16	24	90
50-64	166	6.9	33	1	2	5	10	15	19	30
65+	161	10.9	128	2	2	8	13	23	27	60
GRAND TOTAL	**2539**	**6.5**	**63**	**1**	**1**	**4**	**9**	**14**	**20**	**43**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.0	1	1	1	2	3	3	3	3
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	328	4.2	4	2	2	4	6	7	8	9
20-34	12	2.9	3	<1	1	2	4	5	6	6
35-49	4	2.3		2	2	2	3	3	3	3
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	1.9	5	<1	<1	1	2	4	7	11
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	279	4.5	10	2	2	4	5	7	9	19
20-34	14	3.4	5	1	1	3	5	7	8	8
35-49	2	4.5	5	3	3	4	6	6	6	6
50-64	2	2.0		2	2	2	2	2	2	2
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.2	1	1	1	2	3	3	3	3
B. *Operated*	347	4.1	4	1	2	4	6	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	44	1.9	5	<1	<1	1	2	4	7	11
B. *Operated*	297	4.4	10	2	2	4	5	7	8	18
1. SINGLE DX	352	4.1	4	1	2	4	6	7	8	9
2. MULTIPLE DX	341	4.1	10	1	1	4	5	7	8	16
A. NOT OPERATED	49	1.9	4	<1	<1	1	2	4	7	11
B. OPERATED	644	4.3	6	2	2	4	6	7	8	12
TOTAL 0-19 YRS	654	4.2	7	1	2	4	5	7	8	12
20-34	28	3.1	4	1	1	3	4	6	7	8
35-49	6	3.0	2	2	2	3	3	6	6	6
50-64	4	1.8		1	1	2	2	2	2	2
65+	1	6.0		6	6	6	6	6	6	6
GRAND TOTAL	**693**	**4.1**	**7**	**1**	**2**	**4**	**5**	**7**	**8**	**12**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	2.0	1	1	1	2	2	4	4	4
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	387	3.8	3	2	2	4	4	6	7	9
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	2.8	3	<1	1	2	4	5	6	6
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	109	5.3	12	2	3	5	6	8	10	22
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	2.0	1	1	1	2	2	4	4	4
B. *Operated*	387	3.8	3	2	2	4	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	26	2.8	3	<1	1	2	4	5	6	6
B. *Operated*	109	5.3	12	2	3	5	6	8	10	22
1. SINGLE DX	410	3.7	3	2	2	4	4	6	7	9
2. MULTIPLE DX	135	4.8	11	2	2	4	6	8	10	18
A. NOT OPERATED	49	2.4	2	1	1	2	4	5	5	6
B. OPERATED	496	4.1	5	2	2	4	5	6	7	10
TOTAL 0-19 YRS	545	4.0	5	2	2	4	5	6	7	10
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**545**	**4.0**	**5**	**2**	**2**	**4**	**5**	**6**	**7**	**10**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	83	2.8	10	<1	<1	2	3	6	11	14
20-34	3	5.0	9	2	2	5	7	8	8	8
35-49	5	2.6	4	1	1	2	3	6	6	6
50-64	5	2.0	1	<1	<1	2	3	3	3	3
65+	6	1.7	3	<1	<1	1	1	5	5	5
B. *Operated*										
0-19 YRS	240	4.8	25	<1	1	3	6	11	15	22
20-34	51	3.9	15	1	1	2	5	9	12	20
35-49	12	3.5	8	1	1	2	5	8	10	10
50-64	22	5.0	24	<1	<1	3	9	13	15	17
65+	11	3.0	8	<1	1	2	3	6	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	90	5.4	33	<1	1	4	7	11	15	33
20-34	13	3.9	6	<1	<1	4	6	7	8	8
35-49	11	4.4	14	1	1	4	6	10	13	13
50-64	15	4.8	7	<1	2	4	7	9	10	10
65+	40	6.9	20	1	2	6	9	14	16	17
B. *Operated*										
0-19 YRS	301	9.5	153	1	2	6	11	23	40	91
20-34	63	8.2	61	1	1	7	10	16	18	49
35-49	45	7.5	28	1	1	7	11	15	16	23
50-64	49	8.0	35	1	1	7	11	17	19	25
65+	60	12.7	184	1	2	9	14	40	51	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	2.8	9	<1	<1	2	3	6	10	14
B. *Operated*	336	4.6	22	<1	1	3	6	11	14	20
2. MULTIPLE DX										
A. *Not Operated*	169	5.5	25	<1	1	4	7	11	15	21
B. *Operated*	518	9.4	125	1	1	6	11	20	35	83
1. SINGLE DX	438	4.2	19	<1	<1	2	5	10	13	20
2. MULTIPLE DX	687	8.4	103	1	1	6	10	17	28	70
A. NOT OPERATED	271	4.5	20	<1	<1	3	6	10	13	17
B. OPERATED	854	7.5	90	1	1	5	9	16	24	57
TOTAL 0-19 YRS	714	6.6	84	<1	1	4	8	15	22	61
20-34	130	6.0	40	1	1	4	8	13	16	30
35-49	73	6.0	24	1	1	6	9	13	15	22
50-64	91	6.4	29	<1	1	5	9	14	17	24
65+	117	9.2	116	<1	1	6	11	19	42	67
GRAND TOTAL	**1125**	**6.8**	**75**	**<1**	**1**	**4**	**8**	**15**	**20**	**51**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.3		1	1	1	2	2	2	2
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	563	1.9	1	<1	<1	2	2	3	4	5
20-34	41	2.4	3	<1	1	2	3	3	6	10
35-49	9	1.9	1	<1	<1	2	3	3	3	3
50-64	2	2.5	5	1	1	2	4	4	4	4
65+	3	2.0	1	<1	<1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	1.0		<1	<1	<1	1	1	1	2
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	599	2.0	2	<1	<1	2	2	3	4	7
20-34	38	2.8	6	1	1	2	3	4	7	15
35-49	13	4.1	23	<1	1	3	4	9	17	19
50-64	6	2.8	1	1	1	3	3	4	4	4
65+	3	3.7	4	2	2	3	5	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.3		1	1	1	2	2	2	2
B. *Operated*	618	1.9	1	<1	<1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	53	1.0		<1	<1	<1	1	1	1	2
B. *Operated*	659	2.1	3	<1	<1	2	2	4	4	7
1. SINGLE DX	622	1.9	1	<1	<1	2	2	3	4	5
2. MULTIPLE DX	712	2.0	3	<1	<1	2	2	3	4	7
A. NOT OPERATED	57	1.1		<1	<1	1	1	1	2	2
B. OPERATED	1277	2.0	2	<1	<1	2	2	3	4	7
TOTAL 0-19 YRS	1219	1.9	1	<1	<1	2	2	3	4	6
20-34	79	2.6	5	1	1	2	3	4	6	14
35-49	22	3.2	14	<1	<1	2	3	5	11	19
50-64	8	2.8	1	1	1	3	4	4	4	4
65+	6	2.8	3	<1	<1	2	3	6	6	6
GRAND TOTAL	**1334**	**2.0**	**2**	**<1**	**<1**	**2**	**2**	**3**	**4**	**7**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	2.2	4	<1	<1	1	3	6	7	7
20-34	4	4.5	7	1	1	5	6	7	7	7
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	620	5.2	21	<1	<1	4	8	11	13	19
20-34	155	4.2	12	<1	<1	3	5	8	12	16
35-49	47	4.1	12	<1	<1	2	7	8	11	15
50-64	17	4.6	45	<1	<1	2	7	9	21	28
65+	8	6.6	23	1	1	7	9	13	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	3.7	94	<1	<1	1	3	6	10	69
20-34	26	5.8	36	<1	1	4	7	12	19	27
35-49	16	5.0	11	1	1	4	7	11	12	12
50-64	17	4.7	13	<1	1	5	6	11	13	14
65+	24	7.6	100	1	2	4	8	15	36	42
B. *Operated*										
0-19 YRS	391	6.4	34	<1	<1	5	9	13	16	30
20-34	205	4.9	14	<1	1	4	6	10	12	17
35-49	101	5.4	26	<1	1	5	7	10	12	31
50-64	64	6.8	19	1	2	6	8	13	15	21
65+	43	9.8	75	2	2	7	14	21	23	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	2.7	5	<1	<1	2	4	7	7	7
B. *Operated*	847	5.0	19	<1	<1	3	8	11	13	18
2. MULTIPLE DX										
A. *Not Operated*	141	5.0	66	<1	<1	3	6	11	13	45
B. *Operated*	804	6.1	30	<1	1	5	8	13	15	24
1. SINGLE DX	865	4.9	19	<1	<1	3	7	11	13	18
2. MULTIPLE DX	945	5.9	36	<1	1	5	8	12	15	27
A. NOT OPERATED	159	4.8	60	<1	<1	3	6	10	12	41
B. OPERATED	1651	5.5	25	<1	<1	4	8	12	14	22
TOTAL 0-19 YRS	1081	5.5	30	<1	<1	4	8	12	14	22
20-34	390	4.7	15	<1	1	4	6	10	12	18
35-49	166	5.0	20	<1	1	4	7	10	11	18
50-64	98	6.0	23	<1	1	5	8	13	14	25
65+	75	8.8	77	1	2	7	11	19	24	46
GRAND TOTAL	**1810**	**5.4**	**28**	**<1**	**<1**	**4**	**8**	**12**	**14**	**23**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.4	1	<1	<1	<1	1	3	3	3
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	261	3.6	4	1	1	3	4	6	8	12
20-34	17	4.2	7	<1	<1	3	6	8	9	9
35-49	4	3.3	3	1	1	3	4	5	5	5
50-64	8	3.1	3	<1	<1	3	4	5	6	6
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	1.4	3	<1	<1	1	1	2	4	99+
20-34	2	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	207	4.6	15	1	2	4	6	8	9	16
20-34	61	3.9	10	1	1	3	5	6	9	22
35-49	37	3.6	3	1	2	3	5	6	6	7
50-64	34	3.4	3	1	1	3	5	6	6	8
65+	13	4.2	2	1	2	4	5	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	1.4	1	<1	<1	<1	1	3	3	3
B. *Operated*	291	3.6	5	1	1	3	4	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	49	1.4	3	<1	<1	1	1	2	3	99+
B. *Operated*	352	4.2	11	1	2	4	5	7	8	16
1. SINGLE DX	299	3.5	5	<1	1	3	4	6	8	11
2. MULTIPLE DX	401	3.9	11	<1	1	3	5	7	8	16
A. NOT OPERATED	57	1.4	2	<1	<1	1	1	2	3	93
B. OPERATED	643	4.0	8	1	1	3	5	7	8	13
TOTAL 0-19 YRS	523	3.8	9	<1	1	3	5	7	8	15
20-34	80	3.9	10	<1	1	3	5	7	9	19
35-49	41	3.5	3	1	1	3	5	6	6	7
50-64	42	3.3	3	<1	1	3	4	6	6	8
65+	14	4.0	2	1	2	4	5	5	6	6
GRAND TOTAL	**700**	**3.7**	**8**	**<1**	**1**	**3**	**5**	**7**	**8**	**14**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	142	3.5	44	<1	<1	2	3	8	13	62
20-34	23	5.3	10	1	1	5	8	9	10	12
35-49	9	5.3	13	<1	<1	6	9	10	10	10
50-64	10	6.4	34	1	1	5	8	15	21	21
65+	9	5.6	29	1	1	3	9	14	17	17
B. *Operated*										
0-19 YRS	1074	4.2	22	<1	1	3	6	8	11	23
20-34	354	3.1	12	<1	<1	2	3	7	9	16
35-49	163	3.6	14	<1	1	2	4	8	11	21
50-64	74	5.9	40	1	1	4	7	11	16	40
65+	14	5.7	10	2	3	5	7	10	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	216	5.7	143	<1	<1	2	5	16	42	99+
20-34	48	5.8	32	<1	<1	4	9	13	19	99+
35-49	43	5.2	15	<1	1	4	8	10	11	20
50-64	35	6.5	25	<1	1	6	8	10	12	29
65+	56	8.9	39	2	3	8	11	19	21	33
B. *Operated*										
0-19 YRS	638	6.0	50	1	1	4	7	12	18	40
20-34	236	5.6	66	<1	1	3	7	14	19	41
35-49	175	5.2	27	1	1	3	8	12	17	24
50-64	118	6.3	60	1	1	4	8	14	22	75
65+	60	8.6	116	<1	1	6	12	17	20	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	193	4.1	37	<1	<1	2	5	9	13	52
B. *Operated*	1679	4.0	20	<1	1	3	5	8	10	23
2. MULTIPLE DX										
A. *Not Operated*	398	6.2	92	<1	<1	3	8	13	23	99+
B. *Operated*	1227	6.0	54	1	1	4	7	13	18	40
1. SINGLE DX	1872	4.0	22	<1	<1	2	5	8	11	23
2. MULTIPLE DX	1625	6.0	63	<1	1	4	8	13	20	56
A. NOT OPERATED	591	5.5	75	<1	<1	3	7	12	20	99+
B. OPERATED	2906	4.8	35	<1	1	3	6	10	15	29
TOTAL 0-19 YRS	2070	4.9	46	<1	1	3	6	10	15	42
20-34	661	4.3	34	<1	1	2	5	10	14	32
35-49	390	4.5	20	<1	1	3	6	10	13	23
50-64	237	6.2	47	1	1	4	8	13	20	47
65+	139	8.2	69	1	2	7	11	17	20	39
GRAND TOTAL	**3497**	**4.9**	**42**	**<1**	**1**	**3**	**6**	**10**	**15**	**36**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1555	3.7	16	1	1	2	4	7	11	21
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	73	8.0	74	1	1	4	13	18	22	48
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1348	8.6	101	1	2	5	10	20	28	55
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	220	14.7	271	1	2	10	18	45	84	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1555	3.7	16	1	1	2	4	7	11	21
B. *Operated*	73	8.0	74	1	1	4	13	18	22	48
2. MULTIPLE DX										
A. *Not Operated*	1348	8.6	101	1	2	5	10	20	28	55
B. *Operated*	220	14.7	271	1	2	10	18	45	84	99+
1. SINGLE DX	1628	3.9	19	1	1	2	4	8	13	22
2. MULTIPLE DX	1568	9.4	129	1	2	6	11	22	34	81
A. NOT OPERATED	2903	5.9	61	1	1	3	7	14	21	43
B. OPERATED	293	13.0	229	1	2	9	17	36	77	99+
TOTAL 0-19 YRS	3196	6.6	81	1	1	3	7	16	24	56
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**3196**	**6.6**	**81**	**1**	**1**	**3**	**7**	**16**	**24**	**56**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1459	2.5	4	<1	1	2	3	4	6	9
20-34	459	3.0	8	1	1	2	4	6	7	12
35-49	280	3.0	3	1	1	3	4	5	6	9
50-64	159	3.5	6	1	1	3	5	7	9	13
65+	161	3.8	6	1	1	3	5	7	8	11
B. *Operated*										
0-19 YRS	5	7.6	111	1	1	2	12	26	26	26
20-34	9	3.3	14	1	1	2	3	9	13	13
35-49	3	3.3	2	2	2	3	4	5	5	5
50-64	3	2.0	1	1	1	2	3	3	3	3
65+	2	6.5	1	6	6	6	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1984	3.0	7	1	1	2	4	5	7	14
20-34	694	4.5	22	1	1	3	5	9	12	23
35-49	731	5.3	32	1	1	4	6	10	14	22
50-64	850	6.2	47	1	2	4	7	12	16	52
65+	1537	8.1	76	2	2	6	9	15	23	58
B. *Operated*										
0-19 YRS	29	4.9	9	2	2	3	8	9	10	11
20-34	44	9.8	126	1	2	5	11	25	33	49
35-49	46	9.3	42	1	2	9	12	16	23	29
50-64	82	11.4	177	2	2	9	14	21	34	82
65+	131	17.6	342	3	4	11	22	52	89	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2518	2.8	5	1	1	2	3	5	7	11
B. *Operated*	22	4.4	31	1	1	2	5	9	18	26
2. MULTIPLE DX										
A. *Not Operated*	5796	5.3	40	1	1	4	6	10	15	35
B. *Operated*	332	12.8	219	2	3	8	15	29	49	99+
1. SINGLE DX	2540	2.8	5	1	1	2	3	5	7	11
2. MULTIPLE DX	6128	5.7	53	1	1	4	7	11	16	44
A. NOT OPERATED	8314	4.5	31	1	1	3	5	9	13	27
B. OPERATED	354	12.3	211	2	2	8	15	28	48	99+
TOTAL 0-19 YRS	3477	2.8	6	1	1	2	3	5	7	13
20-34	1206	4.1	22	1	1	3	5	8	11	24
35-49	1060	4.8	26	1	1	3	6	9	13	22
50-64	1094	6.2	54	1	2	4	7	12	16	48
65+	1831	8.4	97	2	2	6	10	16	26	79
GRAND TOTAL	**8668**	**4.8**	**41**	**1**	**1**	**3**	**5**	**10**	**14**	**35**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	410	2.9	3	1	1	3	4	5	6	9
20-34	56	4.0	9	1	1	4	5	7	8	19
35-49	41	4.8	38	1	1	3	5	9	10	40
50-64	34	4.5	5	1	2	5	6	7	9	10
65+	53	5.6	11	2	3	5	7	10	13	15
B. *Operated*										
0-19 YRS	6	5.3	50	<1	<1	2	7	18	19	19
20-34	4	16.3	110	7	7	13	23	31	31	31
35-49	5	6.6	13	2	2	7	9	11	11	11
50-64	5	13.0	54	6	6	13	18	23	23	23
65+	5	8.0	9	4	4	8	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	589	3.4	6	1	1	3	4	6	7	15
20-34	221	5.1	15	1	2	4	6	9	11	22
35-49	161	5.4	13	2	2	4	7	10	12	17
50-64	354	6.3	24	2	2	5	8	12	15	25
65+	836	7.5	52	2	2	6	9	13	18	40
B. *Operated*										
0-19 YRS	33	11.5	190	1	2	7	12	24	37	72
20-34	47	10.9	46	3	4	9	15	21	26	28
35-49	45	11.4	70	1	3	10	15	22	26	44
50-64	91	12.2	106	3	4	10	13	24	33	58
65+	142	14.5	126	3	5	12	18	28	46	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	594	3.5	7	1	1	3	4	6	8	12
B. *Operated*	25	9.4	54	1	1	7	12	19	25	31
2. MULTIPLE DX										
A. *Not Operated*	2161	5.8	31	1	2	4	7	11	14	26
B. *Operated*	358	12.8	110	3	4	10	16	25	34	56
1. SINGLE DX	619	3.7	10	1	1	3	4	6	9	16
2. MULTIPLE DX	2519	6.8	48	1	2	5	8	13	18	39
A. NOT OPERATED	2755	5.3	27	1	2	4	6	10	13	23
B. OPERATED	383	12.5	107	3	4	10	16	24	33	56
TOTAL 0-19 YRS	1038	3.5	13	1	1	3	4	6	7	17
20-34	328	5.9	25	1	2	4	7	11	16	26
35-49	252	6.4	32	2	2	5	8	12	17	31
50-64	484	7.3	44	2	2	5	9	13	18	39
65+	1036	8.4	66	2	3	6	10	16	21	53
GRAND TOTAL	**3138**	**6.2**	**42**	**1**	**2**	**4**	**7**	**12**	**17**	**34**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	87	2.6	3	<1	1	2	4	4	5	11
20-34	161	2.8	3	1	1	2	4	5	6	10
35-49	99	2.9	3	1	1	3	4	5	6	10
50-64	46	3.2	5	1	1	2	4	7	9	10
65+	14	2.7	2	1	1	2	3	5	6	6
B. *Operated*										
0-19 YRS	4	2.5	2	<1	<1	2	3	4	4	4
20-34	16	2.4	1	1	1	2	3	4	4	4
35-49	8	3.3	4	2	2	3	4	7	8	8
50-64	13	2.8	3	<1	1	3	4	5	7	7
65+	7	2.3	3	<1	<1	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	79	2.7	7	<1	1	2	3	6	7	16
20-34	219	3.7	8	1	1	3	5	8	9	16
35-49	197	4.0	10	1	1	3	5	7	11	14
50-64	146	3.8	10	1	1	3	5	7	8	19
65+	158	5.2	11	2	2	4	7	9	11	17
B. *Operated*										
0-19 YRS	9	1.9	1	<1	<1	2	2	4	4	4
20-34	19	4.2	12	1	1	3	6	9	12	13
35-49	24	6.5	27	1	1	5	10	14	16	18
50-64	30	4.8	13	1	1	3	7	11	12	13
65+	31	9.3	27	2	4	8	12	17	21	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	407	2.8	4	1	1	2	4	5	6	10
B. *Operated*	48	2.6	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	799	4.0	10	1	1	3	5	8	10	16
B. *Operated*	113	6.0	24	1	1	5	9	13	15	21
1. SINGLE DX	455	2.8	3	1	1	2	4	5	6	10
2. MULTIPLE DX	912	4.3	12	1	1	3	6	8	11	17
A. NOT OPERATED	1206	3.6	8	1	1	3	5	7	9	14
B. OPERATED	161	5.0	20	1	1	3	7	12	14	21
TOTAL 0-19 YRS	179	2.6	5	<1	1	2	3	4	6	11
20-34	415	3.3	6	1	1	3	4	7	8	13
35-49	328	3.8	9	1	1	3	5	7	11	14
50-64	235	3.8	9	1	1	3	5	7	9	15
65+	210	5.6	15	1	2	5	7	11	13	20
GRAND TOTAL	**1367**	**3.8**	**9**	**1**	**1**	**3**	**5**	**7**	**10**	**16**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.3	1	<1	1	2	3	4	4	4
20-34	36	3.1	2	1	2	3	4	5	6	6
35-49	39	4.1	5	<1	1	4	5	7	9	11
50-64	72	3.4	3	1	1	3	4	6	7	8
65+	91	3.5	6	1	1	3	4	7	9	11
B. *Operated*										
0-19 YRS	32	2.0	3	<1	<1	1	2	5	7	7
20-34	27	4.4	4	1	2	5	6	7	8	9
35-49	55	4.2	3	1	2	4	5	6	7	9
50-64	91	4.7	4	2	2	5	6	7	8	10
65+	68	4.9	8	2	2	4	6	8	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	2.4	2	<1	<1	2	4	4	5	5
20-34	32	3.8	6	1	1	3	5	6	8	12
35-49	77	4.2	7	1	1	4	5	8	10	12
50-64	179	4.2	12	1	1	3	5	8	10	16
65+	363	4.7	29	1	1	4	5	8	12	21
B. *Operated*										
0-19 YRS	17	2.8	5	<1	<1	2	4	7	8	8
20-34	29	5.1	8	1	1	5	7	9	11	12
35-49	72	5.1	9	1	2	4	6	9	11	17
50-64	189	6.3	41	1	2	5	7	11	14	32
65+	350	6.3	38	1	2	5	7	12	16	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	253	3.4	4	1	1	3	4	6	8	11
B. *Operated*	273	4.3	5	1	1	4	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	671	4.4	20	1	1	4	5	8	11	17
B. *Operated*	657	6.0	34	1	2	5	7	11	15	33
1. SINGLE DX	526	3.9	5	1	1	4	5	7	8	11
2. MULTIPLE DX	1328	5.2	28	1	1	4	6	9	12	27
A. NOT OPERATED	924	4.1	16	1	1	3	5	7	10	16
B. OPERATED	930	5.5	26	1	2	5	6	9	12	27
TOTAL 0-19 YRS	84	2.3	3	<1	<1	2	3	5	6	8
20-34	124	4.0	5	1	1	4	5	7	8	12
35-49	243	4.4	6	1	2	4	6	7	10	13
50-64	531	4.9	21	1	2	4	6	8	11	22
65+	872	5.2	30	1	2	4	6	9	13	31
GRAND TOTAL	**1854**	**4.8**	**22**	**1**	**1**	**4**	**6**	**8**	**11**	**21**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	3.0	3	1	1	3	4	5	5	7
20-34	17	2.4	3	<1	1	2	3	6	7	7
35-49	10	1.9	2	<1	<1	1	3	4	5	5
50-64	9	1.8	2	<1	<1	1	2	4	5	5
65+	12	4.2	10	<1	1	3	6	10	10	10
B. *Operated*										
0-19 YRS	101	1.7	3	<1	<1	1	2	3	5	11
20-34	180	2.2	4	<1	<1	2	3	4	8	12
35-49	111	2.3	3	<1	<1	2	2	4	7	11
50-64	68	2.3	3	<1	<1	2	3	4	5	10
65+	32	2.3	7	<1	<1	1	2	6	10	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	5.2	48	<1	1	4	4	8	15	39
20-34	52	3.7	10	<1	<1	3	5	8	8	16
35-49	55	4.0	17	1	1	3	4	9	12	21
50-64	94	5.7	32	1	1	4	6	15	20	24
65+	192	8.2	83	1	2	6	11	17	21	58
B. *Operated*										
0-19 YRS	41	6.0	116	<1	<1	2	5	15	30	56
20-34	81	4.5	24	<1	<1	3	6	10	16	23
35-49	91	6.7	63	1	1	3	9	15	20	41
50-64	78	7.6	224	<1	<1	3	8	19	65	99+
65+	88	10.1	125	1	2	6	15	27	37	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	2.8	4	<1	1	2	4	5	7	10
B. *Operated*	492	2.1	4	<1	<1	2	2	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	423	6.3	55	1	1	4	8	14	19	33
B. *Operated*	379	7.1	111	<1	1	3	8	18	28	88
1. SINGLE DX	571	2.2	4	<1	<1	2	3	4	6	11
2. MULTIPLE DX	802	6.7	81	<1	1	4	8	16	21	57
A. NOT OPERATED	502	5.8	49	1	1	4	7	13	18	29
B. OPERATED	871	4.3	56	<1	<1	2	4	10	17	49
TOTAL 0-19 YRS	203	3.3	35	<1	<1	2	3	5	8	39
20-34	330	3.0	11	<1	<1	2	3	7	9	18
35-49	267	4.1	30	<1	1	2	4	10	14	31
50-64	249	5.2	87	<1	<1	2	5	12	20	94
65+	324	8.0	89	1	1	5	10	18	23	58
GRAND TOTAL	**1373**	**4.9**	**54**	**<1**	**<1**	**2**	**5**	**12**	**17**	**40**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	6.5	5	5	5	6	8	8	8	8
35-49	1	7.0		7	7	7	7	7	7	7
50-64	1	13.0		13	13	13	13	13	13	13
65+	2	8.0	32	4	4	8	12	12	12	12
B. *Operated*										
0-19 YRS	10	5.9	12	2	2	5	7	11	14	14
20-34	9	2.8	12	<1	<1	2	2	8	12	12
35-49	9	4.1	22	<1	<1	2	4	12	16	16
50-64	18	5.5	46	1	1	3	7	13	22	28
65+	33	10.7	53	1	2	10	15	20	23	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.3	6	3	3	5	7	8	8	8
20-34	1	7.0		7	7	7	7	7	7	7
35-49	9	6.6	31	1	1	5	11	15	15	15
50-64	26	7.6	39	1	2	6	9	15	21	29
65+	136	11.5	99	2	3	9	14	22	32	73
B. *Operated*										
0-19 YRS	13	10.5	70	1	3	6	17	24	26	26
20-34	30	11.8	82	1	2	12	15	25	31	35
35-49	87	18.2	269	2	2	13	25	39	57	97
50-64	280	22.4	331	4	6	18	29	45	74	99+
65+	905	21.3	287	4	6	17	28	46	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	8.2	13	4	4	7	12	13	13	13
B. *Operated*	79	7.3	46	<1	1	5	12	16	21	32
2. MULTIPLE DX										
A. *Not Operated*	175	10.5	88	2	2	8	13	21	27	65
B. *Operated*	1315	21.0	291	4	6	16	27	45	69	99+
1. SINGLE DX	85	7.3	44	1	1	5	12	15	20	31
2. MULTIPLE DX	1490	19.8	279	3	5	15	26	43	66	99+
A. NOT OPERATED	181	10.4	85	2	3	8	13	20	27	64
B. OPERATED	1394	20.2	288	3	5	16	26	44	68	99+
TOTAL 0-19 YRS	26	8.2	44	2	3	5	9	20	24	26
20-34	42	9.5	75	1	1	7	14	23	29	35
35-49	106	15.9	249	1	2	11	24	33	48	96
50-64	325	20.2	319	2	4	15	27	43	73	99+
65+	1076	19.7	268	4	5	15	25	44	64	99+
GRAND TOTAL	**1575**	**19.1**	**274**	**2**	**4**	**15**	**25**	**42**	**64**	**99+**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	1.9	1	<1	1	2	2	3	4	4
20-34	444	2.4	2	1	1	2	3	4	5	6
35-49	1540	2.6	2	1	1	2	3	4	5	8
50-64	1296	2.8	3	1	1	2	3	5	5	8
65+	430	3.1	4	1	1	3	4	5	7	11
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	33	2.6	5	1	1	2	2	6	7	11
35-49	262	2.5	4	1	1	2	2	4	7	12
50-64	302	2.4	3	1	1	2	2	4	6	10
65+	69	2.3	2	1	2	2	2	3	4	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	2.6	2	<1	1	2	3	5	6	8
20-34	674	3.1	5	1	1	3	4	5	7	10
35-49	3079	3.3	5	1	1	3	4	6	7	11
50-64	4254	3.6	6	1	1	3	4	6	8	12
65+	3384	4.3	12	1	2	3	5	8	10	16
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	59	3.6	13	1	1	2	5	7	8	24
35-49	459	3.9	22	1	1	2	5	7	10	20
50-64	810	4.1	18	1	2	2	5	9	12	18
65+	350	6.0	31	1	2	4	8	12	18	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3747	2.7	3	1	1	2	3	5	5	8
B. *Operated*	667	2.5	3	1	1	2	2	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	11458	3.7	8	1	1	3	5	7	8	13
B. *Operated*	1679	4.4	22	1	2	2	6	9	12	23
1. SINGLE DX	4414	2.7	3	1	1	2	3	5	6	8
2. MULTIPLE DX	13137	3.8	10	1	1	3	5	7	9	15
A. NOT OPERATED	15205	3.5	7	1	1	3	4	6	8	12
B. OPERATED	2346	3.9	18	1	1	2	5	8	11	20
TOTAL 0-19 YRS	106	2.3	2	<1	1	2	3	4	5	7
20-34	1210	2.9	4	1	1	2	4	5	6	10
35-49	5340	3.1	6	1	1	3	4	6	7	12
50-64	6662	3.5	7	1	1	3	4	6	8	13
65+	4233	4.3	13	1	2	3	5	8	10	18
GRAND TOTAL	**17551**	**3.5**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	394	2.7	6	1	1	2	4	5	6	12
20-34	29	2.3	2	<1	<1	2	3	4	5	7
35-49	25	3.5	11	<1	1	3	4	7	12	14
50-64	37	3.6	28	<1	1	2	4	7	10	32
65+	25	4.0	15	<1	<1	3	5	8	14	16
B. *Operated*										
0-19 YRS	12	4.1	43	<1	<1	2	3	13	22	24
20-34	19	3.2	4	<1	1	3	4	6	8	8
35-49	37	2.8	6	<1	1	2	4	5	8	12
50-64	77	2.5	4	<1	<1	2	3	5	7	11
65+	47	3.8	21	<1	<1	2	5	9	16	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	434	4.3	18	1	1	3	5	9	12	21
20-34	82	4.5	59	<1	1	3	4	8	10	51
35-49	135	5.7	112	1	1	3	6	9	17	97
50-64	421	5.7	26	1	2	4	7	11	13	25
65+	872	7.9	54	2	2	6	10	16	20	46
B. *Operated*										
0-19 YRS	27	10.5	261	2	2	6	11	22	33	86
20-34	39	5.1	14	1	1	4	7	11	12	14
35-49	77	4.6	21	1	1	3	6	9	13	27
50-64	227	5.5	28	<1	1	4	7	11	16	33
65+	349	8.4	88	1	1	5	11	18	26	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	510	2.8	8	1	1	2	4	5	7	14
B. *Operated*	192	3.1	11	<1	<1	2	4	6	9	20
2. MULTIPLE DX										
A. *Not Operated*	1944	6.3	46	1	1	4	8	13	17	43
B. *Operated*	719	7.0	67	1	1	5	9	15	21	59
1. SINGLE DX	702	2.9	9	<1	1	2	4	5	7	15
2. MULTIPLE DX	2663	6.5	52	1	1	4	8	13	18	44
A. NOT OPERATED	2454	5.6	40	1	1	4	7	12	16	34
B. OPERATED	911	6.2	58	<1	1	4	8	14	19	44
TOTAL 0-19 YRS	867	3.7	22	1	1	2	4	7	11	22
20-34	169	4.1	33	<1	1	3	5	8	11	27
35-49	274	4.8	63	1	1	3	5	9	13	55
50-64	762	5.2	26	1	1	4	7	11	14	32
65+	1293	7.8	62	1	2	6	10	16	21	57
GRAND TOTAL	**3365**	**5.7**	**45**	**1**	**1**	**4**	**7**	**12**	**17**	**36**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	2.6	7	1	1	2	3	4	6	18
20-34	380	1.9	2	<1	1	1	2	3	4	6
35-49	461	1.9	2	<1	1	2	2	3	4	7
50-64	315	1.9	1	<1	1	2	2	3	4	6
65+	120	2.8	17	1	1	2	3	5	6	21
B. *Operated*										
0-19 YRS	33	2.6	22	<1	<1	1	2	5	10	26
20-34	55	3.8	7	<1	1	3	5	6	10	11
35-49	62	4.2	13	1	1	4	5	7	8	25
50-64	52	4.8	11	1	1	4	6	9	12	16
65+	41	5.4	15	<1	1	5	8	10	13	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	2.6	5	<1	<1	2	3	5	8	11
20-34	249	2.8	8	<1	1	2	3	5	6	14
35-49	305	2.9	6	1	1	2	4	5	7	14
50-64	369	3.8	12	1	1	3	4	7	11	14
65+	583	5.8	44	1	1	4	7	11	15	32
B. *Operated*										
0-19 YRS	47	6.8	60	<1	<1	4	8	18	26	30
20-34	56	5.2	17	1	1	4	7	10	12	23
35-49	107	5.8	21	1	1	4	8	12	14	23
50-64	176	7.4	44	1	2	7	9	14	17	21
65+	468	10.4	130	2	3	7	12	20	27	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1345	2.0	3	<1	1	2	2	3	4	7
B. *Operated*	243	4.2	13	<1	<1	3	6	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	1560	4.2	24	1	1	3	5	8	12	22
B. *Operated*	854	8.7	91	1	2	7	10	17	21	48
1. SINGLE DX	1588	2.4	5	<1	1	2	3	4	6	10
2. MULTIPLE DX	2414	5.8	52	1	1	4	7	12	16	33
A. NOT OPERATED	2905	3.2	15	1	1	2	4	6	8	17
B. OPERATED	1097	7.7	77	1	1	6	9	15	20	45
TOTAL 0-19 YRS	203	3.6	24	<1	<1	2	4	7	13	27
20-34	740	2.6	6	<1	1	2	3	5	7	12
35-49	935	2.9	8	<1	1	2	3	6	7	14
50-64	912	3.9	18	1	1	3	5	8	11	18
65+	1212	7.2	81	1	1	5	9	15	20	47
GRAND TOTAL	**4002**	**4.4**	**36**	**1**	**1**	**3**	**5**	**9**	**13**	**27**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1518	2.0	2	<1	1	2	2	4	5	7
20-34	1454	2.4	8	<1	1	2	3	4	6	8
35-49	709	2.8	4	<1	1	2	4	5	6	11
50-64	379	3.2	6	<1	1	3	4	6	8	12
65+	241	3.6	8	<1	1	3	5	7	9	12
B. *Operated*										
0-19 YRS	144	3.7	5	1	2	3	4	6	7	14
20-34	201	3.7	8	<1	1	3	4	6	9	17
35-49	98	4.2	17	<1	<1	3	5	10	13	21
50-64	45	3.6	6	<1	<1	3	6	7	8	10
65+	21	4.4	17	1	1	2	6	12	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	784	2.6	4	1	1	2	3	5	6	11
20-34	1130	3.3	9	<1	1	2	4	7	9	15
35-49	832	3.8	8	1	1	3	5	7	9	15
50-64	931	4.6	11	1	1	4	6	8	11	17
65+	1548	5.4	22	1	2	4	7	9	12	21
B. *Operated*										
0-19 YRS	85	4.5	11	<1	1	4	6	9	12	18
20-34	265	6.6	33	1	1	5	8	14	16	29
35-49	176	6.8	35	1	2	6	8	13	17	30
50-64	181	8.3	54	1	2	6	10	17	22	40
65+	249	10.3	117	2	2	8	13	18	27	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4301	2.5	5	<1	1	2	3	5	6	10
B. *Operated*	509	3.8	9	<1	1	3	5	7	10	17
2. MULTIPLE DX										
A. *Not Operated*	5225	4.1	13	1	1	3	5	8	10	17
B. *Operated*	956	7.7	60	1	2	6	10	15	20	40
1. SINGLE DX	4810	2.6	6	<1	1	2	3	5	6	11
2. MULTIPLE DX	6181	4.7	22	1	1	3	6	9	12	21
A. NOT OPERATED	9526	3.4	10	1	1	2	4	7	9	15
B. OPERATED	1465	6.4	46	1	1	5	8	13	17	32
TOTAL 0-19 YRS	2531	2.4	3	<1	1	2	3	4	6	9
20-34	3050	3.2	12	<1	1	2	4	6	8	15
35-49	1815	3.7	11	1	1	3	5	7	10	17
50-64	1536	4.7	17	1	1	4	6	9	12	20
65+	2059	5.7	35	1	2	4	7	10	14	27
GRAND TOTAL	**10991**	**3.8**	**16**	**1**	**1**	**3**	**5**	**7**	**10**	**18**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	127	2.5	3	<1	1	2	3	5	6	9
20-34	55	1.8	1	<1	<1	1	2	3	4	5
35-49	58	2.2	5	<1	1	1	2	6	7	13
50-64	35	2.4	5	<1	<1	1	3	5	7	10
65+	29	2.6	4	<1	<1	2	3	6	8	9
B. *Operated*										
0-19 YRS	17	5.4	137	<1	<1	1	5	7	35	50
20-34	12	2.8	5	<1	<1	2	4	7	8	8
35-49	20	3.0	6	1	1	2	4	7	8	8
50-64	24	2.7	7	<1	<1	2	3	6	9	11
65+	18	5.3	21	<1	<1	5	7	12	16	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	300	3.0	12	1	1	2	4	6	7	14
20-34	176	3.6	10	<1	1	3	5	8	10	15
35-49	220	4.8	28	1	1	3	6	10	14	21
50-64	374	6.1	36	1	1	4	8	13	17	30
65+	815	6.5	32	1	2	5	8	13	17	32
B. *Operated*										
0-19 YRS	46	4.4	28	1	1	2	7	12	17	23
20-34	80	6.3	86	<1	1	3	7	16	25	85
35-49	104	6.6	90	1	1	3	8	18	35	76
50-64	159	9.4	102	1	1	6	13	23	34	43
65+	289	9.3	112	1	1	7	13	20	26	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	304	2.3	3	<1	1	2	3	5	6	9
B. *Operated*	91	3.8	34	<1	<1	2	5	8	9	37
2. MULTIPLE DX										
A. *Not Operated*	1885	5.4	29	1	1	4	7	11	15	28
B. *Operated*	678	8.2	100	1	1	5	11	19	27	58
1. SINGLE DX	395	2.6	11	<1	1	2	3	6	7	12
2. MULTIPLE DX	2563	6.1	49	1	1	4	8	13	18	38
A. NOT OPERATED	2189	5.0	27	1	1	3	6	11	14	25
B. OPERATED	769	7.7	94	1	1	5	10	18	26	55
TOTAL 0-19 YRS	490	3.1	15	1	1	2	4	6	8	18
20-34	323	3.9	29	<1	1	2	5	9	12	33
35-49	402	4.8	41	1	1	3	6	10	15	37
50-64	592	6.6	54	1	1	4	8	15	20	37
65+	1151	7.1	53	1	1	5	9	14	18	38
GRAND TOTAL	**2958**	**5.7**	**45**	**1**	**1**	**4**	**7**	**13**	**17**	**37**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	719	3.4	13	<1	1	2	4	7	9	19
20-34	266	2.9	25	1	1	2	4	5	6	8
35-49	326	2.8	4	1	1	2	4	5	6	11
50-64	397	3.2	5	1	1	3	4	6	8	10
65+	536	3.5	11	1	1	3	4	7	8	14
B. *Operated*										
0-19 YRS	68	3.0	14	<1	<1	2	3	5	8	24
20-34	124	2.1	4	<1	<1	2	2	4	6	11
35-49	118	2.4	4	<1	<1	2	3	4	7	12
50-64	110	2.4	5	<1	1	2	2	4	7	13
65+	71	3.6	10	<1	1	2	5	8	11	82
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1035	5.2	33	1	1	3	6	11	16	30
20-34	764	4.3	33	1	1	3	5	8	11	35
35-49	1110	4.7	33	1	1	3	6	9	13	23
50-64	2758	5.7	28	1	2	4	7	12	15	28
65+	8266	7.3	56	1	2	5	9	14	20	40
B. *Operated*										
0-19 YRS	103	12.9	374	<1	1	5	13	40	62	84
20-34	157	5.9	78	1	1	3	7	14	28	96
35-49	262	6.3	73	1	1	3	8	14	20	37
50-64	526	9.7	154	1	2	6	12	26	37	99+
65+	1238	13.6	223	1	2	9	16	33	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2244	3.2	11	1	1	2	4	6	8	14
B. *Operated*	491	2.6	7	<1	<1	2	3	5	7	16
2. MULTIPLE DX										
A. *Not Operated*	13933	6.4	47	1	2	5	8	13	18	35
B. *Operated*	2286	11.3	195	1	2	7	14	28	45	99+
1. SINGLE DX	2735	3.1	11	<1	1	2	4	6	8	14
2. MULTIPLE DX	16219	7.1	71	1	2	5	8	14	21	52
A. NOT OPERATED	16177	6.0	43	1	1	4	7	12	17	33
B. OPERATED	2777	9.7	172	1	1	5	12	24	40	99+
TOTAL 0-19 YRS	1925	4.9	47	1	1	3	5	10	15	34
20-34	1311	4.0	35	<1	1	2	4	7	11	38
35-49	1816	4.5	33	1	1	3	5	9	12	23
50-64	3791	5.9	46	1	1	4	7	12	18	37
65+	10111	7.8	79	1	2	5	9	16	23	59
GRAND TOTAL	**18954**	**6.5**	**64**	**1**	**1**	**4**	**8**	**13**	**20**	**48**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	274	2.1	3	1	1	1	2	4	6	9
20-34	27	3.2	4	<1	1	3	4	6	7	9
35-49	4	8.3	57	1	1	7	14	17	17	17
50-64	3	8.0	91	2	2	3	15	19	19	19
65+	6	3.8	4	2	2	3	5	7	7	7
B. *Operated*										
0-19 YRS	69	5.3	7	2	2	5	7	9	10	13
20-34	20	8.0	19	1	3	7	10	15	16	17
35-49	6	9.3	8	4	4	11	11	11	11	11
50-64	2	6.0	32	2	2	6	10	10	10	10
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	215	3.6	24	1	1	2	4	7	10	37
20-34	59	5.9	18	1	2	5	9	13	15	17
35-49	39	7.1	33	1	2	6	9	13	23	25
50-64	24	8.1	31	2	3	5	13	17	17	17
65+	34	11.6	145	1	2	7	14	23	46	51
B. *Operated*										
0-19 YRS	95	15.8	347	1	2	9	23	54	75	99+
20-34	86	14.7	304	2	2	8	19	39	70	94
35-49	56	16.4	338	1	2	11	18	50	67	99
50-64	17	28.2	909	4	4	17	74	96	99+	99+
65+	27	20.3	378	2	3	17	21	57	64	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	314	2.3	5	1	1	2	3	5	6	13
B. *Operated*	97	6.1	12	2	2	6	8	11	12	17
2. MULTIPLE DX										
A. *Not Operated*	371	5.3	42	1	1	3	6	12	17	45
B. *Operated*	281	16.8	373	1	2	10	21	54	76	99+
1. SINGLE DX	411	3.2	9	1	1	2	4	7	10	15
2. MULTIPLE DX	652	10.3	216	1	1	5	12	27	51	99+
A. NOT OPERATED	685	4.0	27	1	1	2	4	9	14	25
B. OPERATED	378	14.1	302	2	2	8	16	40	71	99+
TOTAL 0-19 YRS	653	4.9	82	1	1	2	5	10	17	74
20-34	192	9.7	165	1	2	5	11	21	36	81
35-49	105	12.2	213	1	2	8	13	27	52	92
50-64	46	15.4	441	2	3	7	17	73	92	99+
65+	67	14.4	250	2	2	9	19	28	52	74
GRAND TOTAL	**1063**	**7.5**	**148**	**1**	**1**	**4**	**8**	**17**	**33**	**83**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	164	2.8	7	1	1	2	3	6	8	15
20-34	56	4.9	34	1	1	4	6	9	11	37
35-49	23	5.2	12	1	2	4	7	10	12	16
50-64	14	7.5	28	2	2	6	11	16	18	19
65+	14	9.4	256	<1	1	3	6	42	50	52
B. *Operated*										
0-19 YRS	27	7.2	60	2	2	5	8	11	22	41
20-34	10	6.7	14	1	1	7	10	11	12	12
35-49	3	6.7	4	5	5	6	8	9	9	9
50-64	5	6.2	18	2	2	5	8	13	13	13
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	187	5.5	39	1	1	3	7	12	18	41
20-34	128	4.9	22	1	1	3	6	8	14	25
35-49	57	7.3	94	<1	1	5	8	13	24	63
50-64	38	7.8	43	1	2	5	11	17	24	26
65+	49	8.7	113	1	2	6	11	16	21	71
B. *Operated*										
0-19 YRS	90	16.9	467	1	2	9	20	59	91	99+
20-34	110	15.2	299	2	3	11	22	68	99+	99+
35-49	46	16.7	364	1	2	11	18	61	88	99+
50-64	29	18.6	270	3	3	14	25	50	70	99+
65+	35	24.6	410	3	5	20	34	68	92	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	271	4.0	29	1	1	2	5	8	11	35
B. *Operated*	45	7.0	40	1	2	6	9	11	14	41
2. MULTIPLE DX										
A. *Not Operated*	459	6.1	50	1	1	4	7	13	18	36
B. *Operated*	310	17.3	370	2	3	12	25	64	99+	99+
1. SINGLE DX	316	4.4	31	1	1	3	6	9	11	39
2. MULTIPLE DX	769	10.6	209	1	2	6	13	27	59	99+
A. NOT OPERATED	730	5.3	43	1	1	3	6	12	16	36
B. OPERATED	355	16.0	340	2	2	10	20	58	95	99+
TOTAL 0-19 YRS	468	6.9	136	1	1	3	7	16	28	97
20-34	304	8.7	147	1	2	5	10	23	52	99+
35-49	129	10.3	195	1	1	6	11	22	58	99+
50-64	86	11.3	140	2	2	8	14	26	43	89
65+	98	14.5	291	1	2	9	19	45	67	99+
GRAND TOTAL	**1085**	**8.8**	**165**	**1**	**1**	**5**	**10**	**21**	**42**	**99+**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	1.9	2	<1	<1	2	3	3	4	7
20-34	48	2.1	2	<1	<1	2	3	4	5	8
35-49	20	1.9	1	<1	<1	1	3	4	4	5
50-64	6	3.0	3	<1	<1	3	5	5	5	5
65+	3	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	662	1.8	2	<1	<1	1	2	3	4	8
20-34	823	2.4	4	<1	<1	2	3	4	6	10
35-49	207	2.7	8	<1	<1	2	3	6	7	14
50-64	79	2.9	11	<1	1	2	3	6	8	21
65+	19	2.3	2	<1	1	2	3	3	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	80	2.6	6	<1	1	2	3	5	7	13
20-34	140	3.2	10	<1	<1	2	4	7	9	20
35-49	66	4.8	111	<1	1	2	5	8	13	74
50-64	46	5.3	23	1	1	4	7	11	15	25
65+	115	6.1	37	1	2	4	8	14	19	99+
B. *Operated*										
0-19 YRS	550	3.6	19	1	1	3	4	7	10	19
20-34	998	4.8	33	1	1	3	6	10	14	22
35-49	375	5.5	58	1	1	3	6	11	15	33
50-64	186	5.6	49	1	1	3	7	11	15	42
65+	140	7.5	59	1	1	5	9	19	22	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	110	2.0	2	<1	<1	2	3	4	5	8
B. *Operated*	1790	2.2	4	<1	<1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	447	4.3	34	<1	1	3	5	10	14	35
B. *Operated*	2249	4.9	37	1	1	3	6	10	14	27
1. SINGLE DX	1900	2.2	4	<1	<1	2	3	4	6	10
2. MULTIPLE DX	2696	4.8	37	1	1	3	6	10	14	27
A. NOT OPERATED	557	3.9	29	<1	1	2	4	8	12	25
B. OPERATED	4039	3.7	24	<1	1	2	4	8	11	21
TOTAL 0-19 YRS	1325	2.6	10	<1	<1	2	3	5	7	14
20-34	2009	3.6	20	<1	1	2	4	8	11	18
35-49	668	4.5	48	<1	1	3	5	9	13	28
50-64	317	4.9	36	1	1	3	6	10	15	33
65+	277	6.5	47	1	1	4	8	15	22	51
GRAND TOTAL	**4596**	**3.7**	**25**	**<1**	**1**	**2**	**4**	**8**	**11**	**22**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	178	4.5	27	1	1	3	5	8	10	25
20-34	328	5.0	13	1	1	4	7	9	11	19
35-49	184	6.1	61	1	2	5	7	11	14	27
50-64	181	7.3	35	2	2	6	9	14	17	33
65+	230	7.7	19	2	2	7	10	13	15	22
B. *Operated*										
0-19 YRS	17	9.6	45	1	2	9	12	18	25	28
20-34	53	10.6	65	2	3	8	14	19	24	40
35-49	18	10.8	108	1	2	7	15	26	33	38
50-64	10	10.6	97	3	3	7	10	28	34	34
65+	4	12.5	47	4	4	13	18	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	160	6.3	53	1	1	4	8	13	18	60
20-34	390	6.4	30	1	1	5	8	12	15	31
35-49	255	7.4	33	1	2	6	9	13	18	31
50-64	415	9.4	65	2	3	7	12	19	25	40
65+	2006	12.3	107	3	4	10	15	24	32	64
B. *Operated*										
0-19 YRS	75	12.4	142	2	3	8	17	27	43	91
20-34	208	14.6	214	3	4	10	18	28	36	78
35-49	91	14.8	182	3	4	11	19	27	46	73
50-64	70	14.6	118	3	4	11	20	30	40	51
65+	243	21.5	297	5	7	17	28	44	73	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1101	6.0	30	1	1	5	8	11	14	24
B. *Operated*	102	10.5	69	2	2	8	14	20	27	39
2. MULTIPLE DX										
A. *Not Operated*	3226	10.6	89	2	3	8	13	21	29	58
B. *Operated*	687	16.8	233	3	4	12	22	34	50	98
1. SINGLE DX	1203	6.4	35	1	2	5	8	12	15	28
2. MULTIPLE DX	3913	11.7	120	2	3	9	14	24	32	68
A. NOT OPERATED	4327	9.4	78	1	2	7	12	18	26	54
B. OPERATED	789	16.0	216	3	4	12	21	33	46	97
TOTAL 0-19 YRS	430	6.7	65	1	1	4	8	14	21	57
20-34	979	7.9	79	1	2	6	9	16	22	44
35-49	548	8.3	78	1	2	6	10	16	23	47
50-64	676	9.4	67	2	3	7	11	19	26	42
65+	2483	12.8	127	3	4	10	15	25	35	76
GRAND TOTAL	**5116**	**10.4**	**105**	**2**	**2**	**8**	**13**	**21**	**29**	**62**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	6.8	41	1	1	6	7	18	19	19
20-34	11	9.1	185	1	1	5	8	29	46	48
35-49	8	5.6	7	2	2	6	7	9	10	10
50-64	9	8.7	18	2	3	9	11	15	15	15
65+	6	8.5	49	2	2	6	13	19	20	20
B. *Operated*										
0-19 YRS	5	21.0	132	3	3	28	29	30	30	30
20-34	11	12.9	156	2	3	10	13	33	45	46
35-49	5	20.6	638	4	4	9	29	65	65	65
50-64	2	12.0	8	10	10	12	14	14	14	14
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	13.8	630	1	1	7	9	53	80	80
20-34	16	10.0	91	2	2	7	10	29	34	35
35-49	8	12.0	78	3	3	9	18	26	27	27
50-64	6	19.8	1226	<1	1	8	71	98	99+	99+
65+	34	12.0	47	3	4	11	16	21	23	32
B. *Operated*										
0-19 YRS	19	24.2	225	9	12	30	99+	99+	99+	99+
20-34	53	33.4	562	9	11	30	56	99+	99+	99+
35-49	20	28.4	317	4	6	30	49	76	99+	99+
50-64	13	23.5	235	6	11	22	41	99+	99+	99+
65+	18	33.5	439	9	9	31	47	62	71	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	7.9	66	1	1	6	9	15	19	48
B. *Operated*	23	16.3	228	2	3	12	22	33	53	65
2. MULTIPLE DX										
A. *Not Operated*	73	12.4	210	1	3	9	15	24	34	98
B. *Operated*	123	30.1	423	8	11	30	55	99+	99+	99+
1. SINGLE DX	63	10.9	139	1	2	7	13	25	36	63
2. MULTIPLE DX	196	23.6	416	3	5	18	40	96	99+	99+
A. NOT OPERATED	113	10.8	163	1	2	8	13	21	32	94
B. OPERATED	146	28.0	417	5	9	27	50	99+	99+	99+
TOTAL 0-19 YRS	39	18.7	302	1	2	19	34	99+	99+	99+
20-34	91	23.9	507	2	3	16	45	91	99+	99+
35-49	41	19.8	318	3	4	14	32	57	78	99+
50-64	30	17.6	357	2	4	13	26	93	99+	99+
65+	58	18.3	269	3	4	12	23	42	59	75
GRAND TOTAL	**259**	**20.5**	**377**	**2**	**3**	**15**	**33**	**67**	**99+**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	2.0	2	<1	<1	2	2	4	5	6
20-34	58	2.8	5	1	1	2	4	5	7	13
35-49	77	2.8	3	1	1	2	3	5	7	8
50-64	102	3.0	3	1	1	3	4	5	6	9
65+	79	4.3	11	1	1	3	5	9	10	19
B. *Operated*										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	1	5.0		5	5	5	5	5	5	5
35-49	4	5.0	29	1	1	3	8	13	13	13
50-64	2	5.0		5	5	5	5	5	5	5
65+	1	1.0		1	1	50	99+	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	2.9	5	1	1	2	4	5	8	11
20-34	275	3.9	8	1	1	3	5	7	9	15
35-49	369	5.0	19	1	1	4	6	9	11	16
50-64	492	6.1	41	1	2	5	8	12	17	26
65+	1151	8.8	80	2	2	7	10	17	24	58
B. *Operated*										
0-19 YRS	25	6.3	9	2	2	6	9	10	11	13
20-34	116	8.3	83	1	2	6	10	16	25	52
35-49	96	10.2	128	2	3	6	11	23	33	60
50-64	108	10.6	94	2	3	7	12	26	36	71
65+	214	15.5	228	2	3	10	19	37	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	337	3.2	6	1	1	3	4	6	7	11
B. *Operated*	9	5.8	27	1	1	5	13	58	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	2352	6.9	56	1	2	5	8	13	19	43
B. *Operated*	559	11.7	154	2	3	8	14	27	39	78
1. SINGLE DX	346	3.2	6	1	1	3	4	6	8	13
2. MULTIPLE DX	2911	7.8	78	1	2	5	9	16	24	53
A. NOT OPERATED	2689	6.4	51	1	2	5	8	12	18	38
B. OPERATED	568	11.7	153	2	3	8	14	27	40	86
TOTAL 0-19 YRS	112	3.6	9	1	1	2	5	9	10	14
20-34	450	4.9	31	1	1	3	6	9	14	30
35-49	546	5.6	41	1	1	4	7	10	14	33
50-64	704	6.3	48	1	2	5	8	12	18	36
65+	1445	9.6	105	2	2	7	11	20	29	74
GRAND TOTAL	**3257**	**7.3**	**72**	**1**	**2**	**5**	**9**	**15**	**22**	**51**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	92	4.9	13	1	1	4	7	11	13	16
20-34	83	7.4	72	1	2	5	9	13	17	48
35-49	48	7.8	33	1	2	6	10	17	19	27
50-64	76	10.2	82	2	3	8	13	19	26	49
65+	260	10.1	45	2	3	9	13	18	22	38
B. *Operated*										
0-19 YRS	6	8.7	132	2	2	4	6	29	32	32
20-34	7	23.3	342	9	10	16	25	55	63	63
35-49	3	34.0	1029	14	14	17	57	71	71	71
50-64	4	15.5	28	10	10	15	20	21	21	21
65+	3	12.3	17	9	9	11	15	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	123	8.4	52	2	3	6	10	15	24	37
20-34	216	11.6	145	2	3	8	14	20	34	66
35-49	92	13.0	150	2	3	10	15	22	46	64
50-64	162	13.2	117	4	5	10	16	24	31	63
65+	1546	15.7	157	4	5	13	20	31	43	94
B. *Operated*										
0-19 YRS	58	21.3	305	3	4	18	31	43	51	95
20-34	149	24.1	403	4	6	18	31	54	71	96
35-49	62	25.4	440	3	5	18	42	73	99+	99+
50-64	62	31.4	435	5	11	26	43	67	78	99
65+	223	27.5	428	6	8	22	39	62	83	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	559	8.7	51	1	2	7	11	16	20	43
B. *Operated*	23	18.1	295	3	4	13	20	38	66	71
2. MULTIPLE DX										
A. *Not Operated*	2139	14.5	150	3	4	11	18	28	41	82
B. *Operated*	554	26.1	415	4	7	20	37	59	79	99+
1. SINGLE DX	582	9.0	64	1	2	7	12	17	21	45
2. MULTIPLE DX	2693	16.9	227	3	5	13	21	37	52	97
A. NOT OPERATED	2698	13.3	135	2	4	10	16	26	37	75
B. OPERATED	577	25.8	412	4	6	19	37	59	78	99+
TOTAL 0-19 YRS	279	9.9	128	1	2	6	12	23	33	52
20-34	455	15.1	261	2	3	10	18	37	54	88
35-49	205	15.9	267	2	3	11	18	43	63	99+
50-64	304	16.2	231	3	4	12	19	35	51	78
65+	2032	16.3	191	4	5	12	20	33	48	94
GRAND TOTAL	**3275**	**15.5**	**207**	**3**	**4**	**11**	**19**	**33**	**49**	**93**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	127	3.0	27	<1	1	1	3	5	13	29
20-34	24	2.4	4	1	1	2	3	4	7	10
35-49	18	3.3	10	<1	<1	2	4	6	11	14
50-64	41	3.0	12	<1	1	2	3	5	8	22
65+	134	4.6	44	1	1	2	5	10	16	58
B. *Operated*										
0-19 YRS	863	3.6	20	1	1	2	4	8	15	23
20-34	103	3.9	18	1	1	3	5	7	10	28
35-49	92	3.9	10	1	1	3	5	7	9	20
50-64	165	4.5	17	1	1	4	5	7	10	26
65+	215	5.7	38	1	1	4	7	10	14	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	3.1	10	<1	1	2	4	7	9	19
20-34	30	6.7	53	<1	1	3	11	17	25	26
35-49	29	4.4	15	1	1	3	5	12	14	14
50-64	123	7.5	88	1	1	5	9	14	18	59
65+	698	10.9	148	1	2	7	14	24	35	88
B. *Operated*										
0-19 YRS	251	7.4	86	1	1	4	9	19	26	43
20-34	184	8.2	117	1	1	5	9	17	35	58
35-49	124	9.7	154	1	1	5	12	23	36	83
50-64	252	9.5	107	1	2	6	11	26	33	49
65+	755	12.7	186	2	2	9	16	29	43	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	344	3.6	30	<1	1	2	4	7	13	37
B. *Operated*	1438	4.1	22	1	1	3	5	9	14	24
2. MULTIPLE DX										
A. *Not Operated*	936	9.7	130	1	2	6	12	22	31	79
B. *Operated*	1566	10.6	151	1	2	7	13	26	35	78
1. SINGLE DX	1782	4.0	24	1	1	2	4	8	14	26
2. MULTIPLE DX	2502	10.2	143	1	2	6	13	24	35	78
A. NOT OPERATED	1280	8.0	110	1	1	4	10	19	28	69
B. OPERATED	3004	7.5	100	1	1	4	9	18	27	60
TOTAL 0-19 YRS	1297	4.3	35	1	1	2	4	11	17	27
20-34	341	6.4	78	1	1	4	7	13	20	53
35-49	263	6.7	87	1	1	4	7	15	23	69
50-64	581	7.2	76	1	1	4	8	15	27	45
65+	1802	10.6	150	1	2	7	13	25	35	94
GRAND TOTAL	**4284**	**7.6**	**103**	**1**	**1**	**4**	**9**	**19**	**27**	**63**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	92	2.5	42	<1	1	1	2	4	5	40
20-34	19	1.9	1	<1	<1	1	3	4	4	4
35-49	15	2.6	6	1	1	2	3	4	9	11
50-64	14	3.1	20	<1	1	2	3	6	15	18
65+	32	2.5	2	1	1	2	4	5	5	6
B. *Operated*										
0-19 YRS	1538	1.7	2	<1	1	1	2	3	4	7
20-34	481	3.0	5	1	1	3	4	6	7	10
35-49	312	2.5	3	1	1	2	3	5	6	9
50-64	479	2.6	4	1	1	2	3	5	6	10
65+	437	3.0	6	1	1	2	4	6	7	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	2.6	5	1	1	2	3	5	6	13
20-34	56	3.9	13	<1	1	3	5	8	11	17
35-49	23	2.6	4	1	1	2	3	6	7	7
50-64	48	5.6	25	1	1	4	7	11	15	28
65+	145	9.7	157	1	1	5	12	22	35	91
B. *Operated*										
0-19 YRS	381	4.4	52	1	1	2	4	9	15	43
20-34	397	6.1	56	1	1	4	7	12	20	44
35-49	268	6.3	51	1	1	4	7	14	18	42
50-64	362	5.9	78	1	1	3	6	12	20	61
65+	764	8.0	116	1	1	5	9	18	26	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	172	2.5	25	<1	1	2	3	4	5	16
B. *Operated*	3247	2.3	3	<1	1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	323	6.4	87	1	1	4	7	15	21	61
B. *Operated*	2172	6.4	81	1	1	4	7	14	22	56
1. SINGLE DX	3419	2.3	5	<1	1	2	3	4	6	9
2. MULTIPLE DX	2495	6.4	82	1	1	4	7	14	22	56
A. NOT OPERATED	495	5.1	69	1	1	3	5	12	18	54
B. OPERATED	5419	3.9	39	1	1	2	4	8	12	36
TOTAL 0-19 YRS	2062	2.3	14	<1	1	1	2	4	5	14
20-34	953	4.3	29	1	1	3	5	8	12	31
35-49	618	4.2	27	1	1	3	4	8	13	31
50-64	903	4.1	38	1	1	3	4	8	12	28
65+	1378	6.4	89	1	1	4	7	14	22	65
GRAND TOTAL	**5914**	**4.0**	**41**	**1**	**1**	**2**	**4**	**8**	**13**	**37**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.8	3	<1	<1	3	4	5	6	6
20-34	28	3.1	7	<1	<1	2	4	7	9	10
35-49	8	4.1	18	<1	<1	3	4	11	14	14
50-64	7	1.9		1	1	2	2	3	3	3
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	467	1.7	2	<1	<1	1	2	3	4	7
20-34	568	1.9	3	<1	<1	1	2	4	5	9
35-49	218	1.9	2	<1	<1	2	2	3	4	8
50-64	109	2.5	19	<1	<1	2	3	4	5	26
65+	47	2.9	9	1	1	2	3	5	7	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	3.0	7	1	1	2	4	8	9	11
20-34	38	2.9	4	<1	1	2	4	6	7	7
35-49	19	4.4	15	<1	<1	3	5	9	13	17
50-64	20	9.0	235	1	1	4	9	16	44	71
65+	38	7.7	64	1	1	5	9	17	18	43
B. *Operated*										
0-19 YRS	181	2.7	6	<1	1	2	3	6	8	13
20-34	383	3.7	27	1	1	2	4	7	10	32
35-49	198	3.7	24	1	1	2	4	7	10	24
50-64	150	3.6	19	1	1	2	4	7	8	18
65+	101	5.9	84	1	1	3	6	15	18	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	3.0	7	<1	<1	2	4	6	8	14
B. *Operated*	1409	1.9	4	<1	<1	1	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*	147	5.2	57	1	1	3	6	11	17	44
B. *Operated*	1013	3.7	28	1	1	2	4	7	11	26
1. SINGLE DX	1466	2.0	4	<1	<1	1	2	3	5	9
2. MULTIPLE DX	1160	3.9	32	1	1	2	4	8	12	26
A. NOT OPERATED	204	4.6	44	<1	1	3	5	9	16	30
B. OPERATED	2422	2.7	15	<1	<1	2	3	5	7	18
TOTAL 0-19 YRS	693	2.0	3	<1	<1	1	2	4	5	10
20-34	1017	2.7	13	<1	<1	2	3	5	7	17
35-49	443	2.8	13	<1	1	2	3	6	8	19
50-64	286	3.5	35	<1	1	2	4	6	9	34
65+	187	5.5	63	1	1	3	6	16	17	38
GRAND TOTAL	**2626**	**2.8**	**17**	**<1**	**1**	**2**	**3**	**5**	**8**	**18**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	10.0	160	1	1	4	13	30	45	48
20-34	11	7.1	35	1	2	5	11	16	20	20
35-49	10	5.1	16	1	1	4	9	11	11	11
50-64	19	7.7	125	<1	<1	5	9	14	35	51
65+	116	8.2	39	1	1	7	10	20	23	99+
B. *Operated*										
0-19 YRS	96	9.3	59	2	3	7	10	23	26	34
20-34	45	9.2	34	2	3	8	12	16	22	29
35-49	76	9.7	32	4	5	9	12	15	17	38
50-64	342	11.6	30	5	6	11	13	18	22	38
65+	1860	16.3	84	7	8	14	19	26	32	60
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	24.8	710	1	1	14	39	63	89	97
20-34	10	7.1	52	<1	<1	4	15	53	96	99+
35-49	11	11.5	66	2	3	11	20	49	93	99+
50-64	76	12.3	112	1	2	10	15	25	37	54
65+	734	16.6	244	2	4	12	21	39	55	99+
B. *Operated*										
0-19 YRS	92	18.2	171	4	5	14	26	33	47	64
20-34	128	17.1	181	6	7	13	19	42	51	99+
35-49	153	18.3	181	6	7	14	22	36	45	69
50-64	891	18.3	171	7	8	15	21	34	49	99+
65+	9912	22.1	223	8	10	18	27	45	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	202	8.3	73	1	1	6	10	20	25	73
B. *Operated*	2419	15.0	78	6	7	13	18	24	30	58
2. MULTIPLE DX										
A. *Not Operated*	861	16.3	248	2	3	12	21	39	55	99+
B. *Operated*	11176	21.6	219	8	9	17	26	44	63	99+
1. SINGLE DX	2621	14.5	81	4	6	13	18	24	30	58
2. MULTIPLE DX	12037	21.2	223	7	9	17	26	43	62	99+
A. NOT OPERATED	1063	14.8	225	1	3	10	19	37	51	99+
B. OPERATED	13595	20.4	200	7	9	17	24	40	58	99+
TOTAL 0-19 YRS	264	14.3	216	2	2	9	20	33	45	74
20-34	194	14.2	148	3	4	11	17	28	47	99+
35-49	250	14.9	143	4	5	11	16	30	42	69
50-64	1328	16.0	140	5	7	13	19	29	41	92
65+	12622	20.8	209	7	9	17	25	41	59	99+
GRAND TOTAL	**14658**	**20.0**	**204**	**6**	**8**	**16**	**24**	**40**	**57**	**99+**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	290	18.1	204	1	2	18	26	37	44	62
20-34	23	19.2	547	1	1	7	37	48	70	88
35-49	6	10.5	326	<1	<1	3	8	43	47	47
50-64	8	23.3	656	<1	1	13	38	65	74	74
65+	42	17.0	414	1	1	8	21	57	70	99+
B. *Operated*										
0-19 YRS	381	14.9	212	1	2	10	22	35	44	69
20-34	109	13.7	194	2	3	10	16	26	36	80
35-49	45	12.8	121	1	2	11	16	24	32	60
50-64	27	16.5	177	5	6	12	20	33	45	65
65+	86	19.9	189	3	6	17	27	35	52	67
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	176	22.3	320	1	2	20	32	48	58	88
20-34	37	21.0	543	1	2	8	48	65	87	99+
35-49	17	16.4	280	2	3	10	22	45	56	60
50-64	37	21.8	291	3	5	23	41	73	99+	99+
65+	251	21.4	490	2	3	14	27	64	84	99+
B. *Operated*										
0-19 YRS	428	20.8	263	2	4	17	28	44	57	93
20-34	369	23.4	370	3	7	18	30	54	74	99+
35-49	112	21.8	408	1	2	16	32	52	65	95
50-64	148	25.0	440	3	6	19	36	70	96	99+
65+	518	25.5	364	5	8	20	37	65	92	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	369	18.1	258	1	1	16	26	40	47	75
B. *Operated*	648	15.3	201	1	2	11	21	33	43	71
2. MULTIPLE DX										
A. *Not Operated*	518	21.5	413	2	3	16	32	58	77	99+
B. *Operated*	1575	23.4	351	3	5	18	32	56	76	99+
1. SINGLE DX	1017	16.3	223	1	2	13	23	36	45	72
2. MULTIPLE DX	2093	23.0	367	2	4	18	32	56	76	99+
A. NOT OPERATED	887	20.1	351	1	2	16	30	48	65	99+
B. OPERATED	2223	21.1	321	2	4	16	28	48	69	99+
TOTAL 0-19 YRS	1275	18.6	249	1	2	16	26	41	49	77
20-34	538	21.1	366	2	4	16	27	51	70	99+
35-49	180	18.7	335	1	2	13	24	46	59	91
50-64	220	23.4	393	3	5	17	35	68	98	99+
65+	897	23.4	390	3	5	18	32	62	84	99+
GRAND TOTAL	**3110**	**20.8**	**329**	**2**	**3**	**16**	**28**	**48**	**68**	**99+**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	251	2.6	7	1	1	2	3	5	6	11
20-34	133	3.1	6	<1	1	2	4	7	9	11
35-49	74	4.4	21	1	1	3	5	9	13	28
50-64	62	8.1	135	1	1	4	10	16	31	70
65+	99	8.0	49	1	2	6	11	14	20	37
B. *Operated*										
0-19 YRS	793	4.0	14	1	1	3	5	8	10	18
20-34	533	5.6	19	1	2	4	7	11	13	21
35-49	378	6.7	39	1	2	5	8	12	16	40
50-64	210	7.9	62	2	2	6	10	16	21	46
65+	142	9.7	70	1	2	8	13	17	20	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	84	4.9	82	1	1	3	5	9	14	60
20-34	88	5.1	18	1	1	4	6	9	16	23
35-49	72	7.0	76	1	2	5	10	12	18	93
50-64	117	8.6	64	1	2	6	10	20	26	37
65+	295	13.1	181	2	3	8	16	32	46	99+
B. *Operated*										
0-19 YRS	387	9.4	113	1	2	6	11	20	32	64
20-34	550	13.4	210	2	3	8	16	33	48	81
35-49	361	13.1	227	2	3	8	16	28	54	99+
50-64	313	15.0	259	3	4	11	17	29	55	99
65+	426	18.8	271	3	4	14	26	43	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	619	4.3	33	1	1	3	5	10	13	33
B. *Operated*	2056	5.7	31	1	1	4	7	11	15	26
2. MULTIPLE DX										
A. *Not Operated*	656	9.5	126	1	2	6	11	22	35	77
B. *Operated*	2037	14.0	224	2	3	9	17	31	50	96
1. SINGLE DX	2675	5.4	32	1	1	4	7	11	14	27
2. MULTIPLE DX	2693	12.9	203	1	2	8	16	30	46	95
A. NOT OPERATED	1275	7.0	87	1	1	4	8	16	26	62
B. OPERATED	4093	9.8	144	1	2	6	11	21	34	73
TOTAL 0-19 YRS	1515	5.2	48	1	1	3	6	11	16	36
20-34	1304	8.6	115	1	2	5	10	17	29	57
35-49	885	9.1	128	1	2	6	11	19	28	86
50-64	702	11.2	168	2	2	7	13	23	35	83
65+	962	14.6	207	2	3	10	19	33	49	99+
GRAND TOTAL	**5368**	**9.1**	**132**	**1**	**1**	**5**	**11**	**20**	**31**	**70**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	113	2.1	2	<1	1	2	3	4	6	8
20-34	117	2.9	8	<1	1	2	4	6	9	15
35-49	104	3.7	13	1	1	3	5	6	7	23
50-64	77	4.1	15	<1	1	3	5	9	10	22
65+	98	5.6	66	1	1	4	6	9	14	54
B. *Operated*										
0-19 YRS	854	3.4	10	1	1	3	4	6	8	12
20-34	1198	4.2	8	1	1	4	5	8	9	14
35-49	910	5.1	17	1	2	4	6	9	11	18
50-64	767	5.7	14	1	2	5	7	10	12	19
65+	459	7.5	43	2	3	6	9	13	17	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	3.5	9	<1	1	3	5	7	10	14
20-34	119	4.1	12	1	1	3	6	8	11	18
35-49	104	7.4	121	1	1	5	8	13	19	68
50-64	173	6.9	38	1	1	5	9	16	20	33
65+	365	9.3	120	2	2	6	11	20	26	74
B. *Operated*										
0-19 YRS	393	5.9	41	1	2	4	7	11	15	40
20-34	875	6.6	40	1	2	5	8	13	17	35
35-49	604	8.0	81	2	2	6	9	14	20	56
50-64	778	9.1	86	2	3	6	11	16	24	63
65+	900	12.5	138	3	4	9	15	24	37	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	509	3.6	21	<1	1	2	4	7	9	19
B. *Operated*	4188	4.9	17	1	1	4	6	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	827	7.4	82	1	1	5	9	15	21	48
B. *Operated*	3550	8.8	88	2	2	6	10	17	25	56
1. SINGLE DX	4697	4.7	17	1	1	4	6	9	11	18
2. MULTIPLE DX	4377	8.5	87	1	2	6	10	17	24	56
A. NOT OPERATED	1336	5.9	62	1	1	4	7	13	17	38
B. OPERATED	7738	6.7	53	1	2	5	8	13	18	42
TOTAL 0-19 YRS	1426	4.0	20	1	1	3	5	7	10	20
20-34	2309	5.0	22	1	1	4	6	9	13	25
35-49	1722	6.2	47	1	2	5	7	11	14	37
50-64	1795	7.2	50	1	2	5	8	13	18	41
65+	1822	10.3	112	2	3	7	12	20	29	69
GRAND TOTAL	**9074**	**6.6**	**55**	**1**	**2**	**5**	**8**	**13**	**18**	**41**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	1.7	2	<1	1	1	2	4	5	5
20-34	20	1.9	1	<1	<1	2	2	4	4	5
35-49	8	2.4	4	<1	<1	1	4	6	6	6
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	3	3.3	5	2	2	2	5	6	6	6
B. *Operated*										
0-19 YRS	34	2.5	1	1	1	2	3	4	5	5
20-34	33	2.5	3	<1	1	2	3	5	6	6
35-49	9	2.3	2	1	1	2	3	4	5	5
50-64	2	5.0	8	3	3	5	7	7	7	7
65+	2	3.0	8	1	1	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	79	2.9	9	1	1	2	3	7	9	17
20-34	126	3.3	6	1	1	3	4	6	9	12
35-49	58	3.7	8	<1	1	3	5	7	9	15
50-64	47	5.0	16	1	1	4	7	11	13	15
65+	129	7.7	32	1	3	6	10	16	20	25
B. *Operated*										
0-19 YRS	36	4.9	30	1	1	3	6	8	20	26
20-34	65	6.9	86	1	1	4	8	21	29	44
35-49	25	6.8	65	1	1	4	9	17	29	31
50-64	20	5.9	20	1	1	5	8	13	16	17
65+	43	15.6	238	1	2	9	23	39	50	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	2.0	2	<1	<1	1	2	4	5	6
B. *Operated*	80	2.6	2	1	1	2	3	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	439	4.8	19	1	1	3	6	10	14	22
B. *Operated*	189	8.4	114	1	1	4	8	24	36	52
1. SINGLE DX	131	2.3	2	<1	1	2	3	5	5	6
2. MULTIPLE DX	628	5.8	51	1	1	4	7	12	20	39
A. NOT OPERATED	490	4.5	18	1	1	3	6	10	13	22
B. OPERATED	269	6.6	88	1	1	3	6	17	27	47
TOTAL 0-19 YRS	167	3.1	12	1	1	2	4	6	8	24
20-34	244	4.0	29	1	1	3	4	8	10	37
35-49	100	4.3	24	<1	1	3	5	8	12	29
50-64	71	5.2	16	1	1	4	7	11	15	17
65+	177	9.5	93	1	2	6	11	22	28	52
GRAND TOTAL	**759**	**5.2**	**44**	**1**	**1**	**3**	**6**	**11**	**17**	**38**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.7		1	1	2	2	2	2	2
20-34	1	5.0		5	5	5	5	5	5	5
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	2	6.0	8	4	4	6	8	8	8	8
B. *Operated*										
0-19 YRS	6	10.2	117	4	4	7	7	30	32	32
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	21.0		21	21	21	21	21	21	21
65+	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	3.2	4	<1	1	3	6	99+	99+	99+
20-34	6	6.7	13	1	1	7	8	12	12	12
35-49	2	4.5	13	2	2	4	7	7	7	7
50-64	1	8.0		8	8	8	8	8	8	8
65+	7	7.7	51	2	2	5	8	20	23	23
B. *Operated*										
0-19 YRS	15	15.8	276	1	2	10	27	54	86	99+
20-34	18	18.4	385	1	3	13	26	67	91	99+
35-49	9	15.8	79	3	5	14	22	28	31	31
50-64	7	16.0	255	3	3	14	36	83	99+	99+
65+	13	37.5	733	4	15	26	51	82	89	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	2.7	5	1	1	2	4	6	8	8
B. *Operated*	9	11.1	99	2	3	7	17	28	32	32
2. MULTIPLE DX										
A. *Not Operated*	25	5.6	21	1	1	6	8	21	99+	99+
B. *Operated*	62	21.1	424	2	3	16	29	71	93	99+
1. SINGLE DX	20	6.5	62	1	1	4	7	18	26	32
2. MULTIPLE DX	87	16.7	356	1	2	10	25	60	99	99+
A. NOT OPERATED	36	4.7	18	1	1	4	7	11	69	99+
B. OPERATED	71	19.8	392	2	3	16	28	57	89	99+
TOTAL 0-19 YRS	37	9.2	163	1	1	5	13	51	99+	99+
20-34	25	15.0	306	1	2	10	16	44	85	99+
35-49	13	11.8	92	1	2	11	20	25	30	31
50-64	9	15.7	203	3	3	14	27	72	99+	99+
65+	23	24.7	637	2	3	19	27	73	84	91
GRAND TOTAL	**107**	**14.8**	**316**	**1**	**2**	**8**	**22**	**46**	**90**	**99+**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	12	1.8	1	1	1	2	2	4	4	4
35-49	3	1.3		<1	<1	1	2	2	2	2
50-64	3	1.0		<1	<1	1	1	1	1	1
65+	3	2.7		2	2	3	3	3	3	3
B. *Operated*										
0-19 YRS	87	3.0	29	1	1	2	3	4	5	35
20-34	288	2.5	2	<1	1	3	3	4	4	6
35-49	94	2.7	4	<1	1	2	3	4	5	12
50-64	44	2.0	1	<1	<1	2	3	4	4	5
65+	34	1.4	1	<1	<1	1	1	2	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.2	3	<1	<1	2	3	5	5	5
20-34	19	3.6	10	<1	<1	2	5	9	12	12
35-49	12	4.0	35	1	1	2	3	11	20	22
50-64	9	2.7	8	1	1	2	3	7	10	10
65+	30	8.6	117	<1	1	5	8	15	38	53
B. *Operated*										
0-19 YRS	18	3.9	10	<1	<1	3	4	10	11	11
20-34	80	4.4	31	1	1	3	5	9	11	36
35-49	38	5.2	58	<1	1	3	5	12	15	45
50-64	33	6.1	48	<1	1	4	7	16	21	32
65+	96	8.8	133	1	1	4	11	28	41	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	2.2	5	<1	<1	2	2	4	7	11
B. *Operated*	547	2.5	6	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	75	5.5	62	<1	1	4	6	11	17	49
B. *Operated*	265	6.3	76	1	1	3	7	14	26	49
1. SINGLE DX	569	2.5	6	<1	1	2	3	4	5	8
2. MULTIPLE DX	340	6.1	72	1	1	3	6	13	22	49
A. NOT OPERATED	97	4.7	50	<1	1	2	5	11	12	46
B. OPERATED	812	3.7	32	<1	1	3	4	6	11	38
TOTAL 0-19 YRS	111	3.2	25	<1	1	2	3	5	8	27
20-34	399	2.9	8	1	1	3	3	5	6	12
35-49	147	3.4	21	<1	1	2	4	5	9	23
50-64	89	3.5	23	<1	1	2	4	7	15	28
65+	163	7.1	108	<1	1	4	7	17	32	60
GRAND TOTAL	**909**	**3.8**	**34**	**<1**	**1**	**3**	**4**	**6**	**11**	**40**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.7	1	1	1	1	2	3	4	4
20-34	10	2.3	1	1	1	2	3	4	5	5
35-49	5	3.4	11	1	1	3	5	9	9	9
50-64	5	6.0	33	<1	<1	4	10	15	15	15
65+	3	6.0	4	4	4	6	7	8	8	8
B. *Operated*										
0-19 YRS	505	2.3	5	<1	<1	2	3	4	5	9
20-34	1142	2.2	3	<1	<1	2	2	4	5	9
35-49	619	2.2	3	<1	<1	2	3	4	5	10
50-64	275	2.2	2	<1	<1	2	3	4	5	8
65+	64	3.0	4	<1	1	2	4	5	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	2.9	18	<1	<1	1	2	9	14	16
20-34	27	2.9	13	<1	<1	1	4	8	12	14
35-49	21	3.1	28	<1	<1	1	2	7	17	24
50-64	10	3.2	6	<1	<1	2	5	7	8	8
65+	17	5.4	19	<1	<1	4	7	11	15	17
B. *Operated*										
0-19 YRS	343	2.7	5	<1	1	2	3	5	6	10
20-34	924	2.6	7	<1	<1	2	3	5	7	13
35-49	574	2.6	5	<1	<1	2	3	5	7	12
50-64	531	2.7	8	<1	<1	2	3	5	7	14
65+	226	3.9	25	<1	1	2	4	7	13	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	3.2	9	1	1	2	4	8	9	15
B. *Operated*	2605	2.2	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	91	3.5	18	<1	<1	1	5	9	12	21
B. *Operated*	2598	2.7	8	<1	<1	2	3	5	7	15
1. SINGLE DX	2638	2.2	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX	2689	2.8	8	<1	<1	2	3	5	7	16
A. NOT OPERATED	124	3.4	15	<1	<1	2	4	8	12	19
B. OPERATED	5203	2.5	6	<1	<1	2	3	4	6	12
TOTAL 0-19 YRS	874	2.4	5	<1	<1	2	3	5	6	10
20-34	2103	2.4	5	<1	<1	2	3	4	6	11
35-49	1219	2.4	4	<1	<1	2	3	4	6	11
50-64	821	2.6	6	<1	<1	2	3	5	7	13
65+	310	3.8	20	<1	1	2	4	7	11	26
GRAND TOTAL	**5327**	**2.5**	**6**	**<1**	**<1**	**2**	**3**	**5**	**6**	**12**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	3.5	18	<1	1	2	4	8	14	20
20-34	57	5.3	15	<1	1	5	6	11	15	17
35-49	38	6.6	14	1	2	6	8	11	15	16
50-64	15	4.7	11	1	1	5	7	12	74	99+
65+	10	5.7	12	1	1	5	8	11	12	12
B. *Operated*										
0-19 YRS	159	3.5	25	<1	1	2	4	8	11	22
20-34	182	3.0	12	<1	1	2	3	6	10	19
35-49	80	2.9	9	<1	<1	2	3	7	9	15
50-64	55	4.0	17	<1	1	3	4	9	11	24
65+	38	4.3	16	1	1	3	6	12	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	5.9	16	1	1	5	7	10	14	22
20-34	385	6.9	12	2	3	7	8	11	13	16
35-49	294	7.7	16	3	4	7	9	12	15	20
50-64	119	8.2	14	3	3	8	11	14	15	17
65+	68	8.9	93	1	2	7	10	16	19	67
B. *Operated*										
0-19 YRS	91	7.3	80	<1	1	4	11	19	21	50
20-34	206	8.2	92	1	1	5	10	20	26	50
35-49	98	7.0	50	1	1	4	9	17	23	33
50-64	80	8.6	98	1	1	5	11	22	35	84
65+	94	11.1	179	1	1	5	14	27	37	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	155	5.2	16	1	1	5	7	11	15	20
B. *Operated*	514	3.3	16	<1	1	2	4	8	11	21
2. MULTIPLE DX										
A. *Not Operated*	933	7.4	20	2	3	7	9	12	14	20
B. *Operated*	569	8.4	99	1	1	5	11	20	27	55
1. SINGLE DX	669	3.8	17	<1	1	2	5	8	12	20
2. MULTIPLE DX	1502	7.8	50	1	2	6	9	14	19	37
A. NOT OPERATED	1088	7.1	20	1	2	7	9	12	14	20
B. OPERATED	1083	6.0	66	<1	1	3	7	15	21	43
TOTAL 0-19 YRS	352	4.9	39	<1	1	3	6	11	17	25
20-34	830	6.2	35	1	1	5	8	12	15	32
35-49	510	6.7	24	1	1	6	9	12	16	26
50-64	269	7.2	42	1	1	6	10	14	17	48
65+	210	8.9	120	1	1	5	11	18	27	66
GRAND TOTAL	**2171**	**6.5**	**43**	**1**	**1**	**5**	**8**	**13**	**17**	**34**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	2.3	5	<1	<1	1	3	5	8	10
20-34	25	2.6	4	<1	<1	2	3	5	7	9
35-49	14	1.6	1	<1	<1	1	2	3	5	5
50-64	14	2.9	2	1	1	3	4	5	5	5
65+	11	4.6	12	<1	<1	4	6	10	12	12
B. *Operated*										
0-19 YRS	269	3.0	5	<1	<1	2	4	6	7	11
20-34	424	3.4	5	<1	1	3	5	6	8	10
35-49	119	3.6	8	<1	1	3	4	7	9	17
50-64	37	5.6	61	<1	1	4	6	10	21	43
65+	10	5.9	8	<1	2	5	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	2.8	2	<1	<1	3	4	5	5	6
20-34	38	3.1	10	<1	<1	2	4	8	9	14
35-49	24	5.0	18	<1	1	4	7	11	15	16
50-64	24	5.1	15	1	1	4	7	9	13	18
65+	95	9.2	125	2	3	6	9	16	26	66
B. *Operated*										
0-19 YRS	294	3.7	5	<1	1	4	5	6	7	13
20-34	509	4.4	10	<1	1	4	6	8	10	16
35-49	170	4.7	16	<1	1	4	6	8	12	23
50-64	73	6.2	37	1	1	4	8	14	19	30
65+	71	10.5	105	2	2	7	13	21	30	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	2.6	5	<1	<1	2	3	5	8	11
B. *Operated*	859	3.4	8	<1	1	3	5	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	212	6.2	69	1	1	4	7	12	16	59
B. *Operated*	1117	4.8	20	<1	1	4	6	8	13	24
1. SINGLE DX	952	3.4	8	<1	1	3	5	6	8	12
2. MULTIPLE DX	1329	5.0	28	<1	1	4	6	9	13	25
A. NOT OPERATED	305	5.1	52	<1	1	3	6	9	15	43
B. OPERATED	1976	4.2	15	<1	1	4	5	8	10	19
TOTAL 0-19 YRS	623	3.3	5	<1	1	3	5	6	7	11
20-34	996	3.9	8	<1	1	4	5	7	9	14
35-49	327	4.2	13	<1	1	3	5	8	10	20
50-64	148	5.6	36	1	1	4	6	11	17	31
65+	187	9.2	106	2	2	6	10	16	27	63
GRAND TOTAL	**2281**	**4.3**	**20**	**<1**	**1**	**4**	**5**	**8**	**10**	**21**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	5.0	11	1	1	5	7	9	11	15
20-34	481	5.3	11	1	2	5	7	10	11	16
35-49	460	6.0	13	2	2	5	8	11	13	19
50-64	189	6.6	14	2	2	6	9	12	14	17
65+	34	6.1	11	2	3	5	8	11	12	17
B. *Operated*										
0-19 YRS	5	11.6	89	1	1	8	21	23	23	23
20-34	74	5.8	51	1	1	3	8	13	17	40
35-49	51	6.3	29	1	1	4	10	13	18	23
50-64	13	5.4	25	1	1	3	8	14	16	16
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	6.0	17	1	2	5	8	12	15	18
20-34	591	6.8	17	2	3	6	8	12	14	21
35-49	729	7.2	20	2	3	7	9	12	16	24
50-64	545	7.5	32	2	3	6	9	13	16	30
65+	498	8.9	68	2	3	7	11	16	21	71
B. *Operated*										
0-19 YRS	4	5.3	14	2	2	5	8	9	9	9
20-34	91	8.4	46	1	2	7	11	17	21	33
35-49	103	8.8	48	1	2	8	13	18	22	33
50-64	66	10.7	69	1	1	9	17	24	25	34
65+	43	17.0	220	4	6	14	26	39	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1205	5.8	13	1	2	5	8	11	12	17
B. *Operated*	143	6.1	42	1	1	4	9	14	18	38
2. MULTIPLE DX										
A. *Not Operated*	2437	7.5	32	2	3	6	9	13	16	29
B. *Operated*	307	10.2	83	1	2	8	14	22	27	94
1. SINGLE DX	1348	5.8	16	1	2	5	8	11	13	18
2. MULTIPLE DX	2744	7.8	39	2	3	7	10	14	18	34
A. NOT OPERATED	3642	6.9	26	2	2	6	9	12	15	24
B. OPERATED	450	8.9	74	1	1	7	12	19	25	42
TOTAL 0-19 YRS	124	5.9	18	1	1	5	8	11	15	21
20-34	1237	6.2	20	1	2	5	8	11	14	22
35-49	1343	6.9	21	2	2	6	9	12	15	23
50-64	813	7.5	31	2	3	6	9	13	17	29
65+	575	9.3	81	2	3	7	11	18	24	97
GRAND TOTAL	**4092**	**7.1**	**32**	**2**	**2**	**6**	**9**	**13**	**16**	**29**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	122	2.9	8	<1	1	2	3	7	9	14
20-34	365	4.9	14	<1	1	4	7	11	12	16
35-49	276	5.5	15	1	1	5	7	10	14	18
50-64	101	4.8	10	1	1	4	7	9	10	13
65+	42	4.6	19	1	1	3	6	9	11	25
B. *Operated*										
0-19 YRS	7	2.3	4	1	1	1	3	6	6	6
20-34	97	4.5	19	1	1	2	7	10	14	22
35-49	89	3.7	12	1	1	2	5	8	12	18
50-64	20	3.0	6	1	1	2	4	7	8	9
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	235	4.9	13	1	1	4	7	8	11	15
20-34	1366	6.2	13	1	2	6	8	10	13	19
35-49	1050	7.0	19	2	3	7	9	11	14	21
50-64	606	6.8	18	2	2	6	9	12	14	21
65+	318	7.4	41	2	2	6	9	13	17	47
B. *Operated*										
0-19 YRS	11	3.1	5	1	1	3	5	6	6	6
20-34	114	5.2	19	1	1	3	8	12	14	19
35-49	139	7.3	64	1	1	5	9	15	21	50
50-64	54	6.7	25	1	2	5	10	14	17	21
65+	29	15.1	117	3	3	12	20	33	39	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	906	4.8	14	1	1	4	7	10	12	16
B. *Operated*	214	3.9	15	1	1	2	5	9	12	20
2. MULTIPLE DX										
A. *Not Operated*	3575	6.6	18	1	2	6	8	11	14	21
B. *Operated*	347	7.0	53	1	1	5	9	15	20	39
1. SINGLE DX	1120	4.6	14	1	1	3	7	10	12	17
2. MULTIPLE DX	3922	6.6	21	1	2	6	8	11	14	22
A. NOT OPERATED	4481	6.2	18	1	2	6	8	11	14	20
B. OPERATED	561	5.8	40	1	1	3	8	13	17	30
TOTAL 0-19 YRS	375	4.1	12	1	1	3	6	8	10	15
20-34	1942	5.8	14	1	2	5	7	10	13	19
35-49	1554	6.6	23	1	2	6	8	11	15	22
50-64	781	6.4	18	1	2	6	9	12	14	20
65+	390	7.7	49	1	2	6	10	15	20	45
GRAND TOTAL	**5042**	**6.2**	**20**	**1**	**2**	**5**	**8**	**11**	**14**	**21**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	2.6	5	<1	1	2	3	6	8	10
20-34	77	2.8	7	1	1	2	3	5	7	16
35-49	44	2.5	2	<1	1	2	3	4	6	7
50-64	27	3.0	5	1	1	2	4	7	8	9
65+	33	3.9	7	<1	<1	3	6	8	8	11
B. *Operated*										
0-19 YRS	102	2.1	1	<1	1	2	3	4	4	6
20-34	393	2.9	3	1	1	3	4	5	6	8
35-49	398	2.8	3	1	1	3	4	5	6	8
50-64	335	3.8	5	1	1	3	5	6	8	12
65+	107	4.7	19	2	2	4	5	8	9	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	2.8	4	<1	<1	2	4	6	8	9
20-34	81	3.5	6	<1	1	3	4	7	9	13
35-49	77	3.4	7	<1	1	3	4	7	9	14
50-64	115	4.1	9	1	1	3	6	8	9	15
65+	205	7.8	54	1	2	6	10	17	25	99+
B. *Operated*										
0-19 YRS	41	2.9	4	<1	1	2	3	5	7	12
20-34	136	3.2	11	<1	1	3	4	5	7	23
35-49	146	4.0	8	1	1	3	5	7	9	16
50-64	270	5.3	27	2	2	4	6	9	14	28
65+	165	8.8	92	2	3	6	9	15	35	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	233	2.9	5	<1	1	2	4	6	8	11
B. *Operated*	1335	3.2	5	1	1	3	4	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	529	5.2	30	1	1	4	6	11	15	34
B. *Operated*	758	5.3	37	1	1	4	6	9	14	41
1. SINGLE DX	1568	3.1	5	1	1	3	4	5	7	10
2. MULTIPLE DX	1287	5.3	34	1	1	4	6	10	14	39
A. NOT OPERATED	762	4.5	23	1	1	3	5	9	14	29
B. OPERATED	2093	3.9	18	1	1	3	5	7	9	22
TOTAL 0-19 YRS	246	2.5	3	<1	1	2	3	5	6	9
20-34	687	3.0	5	<1	1	3	4	5	6	11
35-49	665	3.1	4	1	1	3	4	5	7	11
50-64	747	4.4	14	1	1	4	5	8	10	18
65+	510	7.3	59	1	2	5	8	14	24	57
GRAND TOTAL	**2855**	**4.1**	**19**	**1**	**1**	**3**	**5**	**8**	**10**	**25**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1899	1.4	1	<1	1	1	2	2	3	4
20-34	598	1.9	2	<1	1	1	2	3	5	7
35-49	159	2.0	2	<1	<1	2	3	4	5	7
50-64	80	1.9	2	<1	1	1	2	4	5	6
65+	62	2.5	4	1	1	2	3	6	7	10
B. *Operated*										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	5	9.0	38	3	3	8	13	18	18	18
35-49	5	12.0	391	1	1	3	18	47	47	47
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2265	2.1	4	1	1	1	2	4	5	11
20-34	1950	3.4	12	<1	1	2	4	7	9	15
35-49	918	4.0	11	1	1	3	5	8	10	16
50-64	568	4.6	22	1	1	3	6	10	12	24
65+	774	6.5	54	1	1	5	8	14	21	51
B. *Operated*										
0-19 YRS	608	3.0	23	<1	1	2	3	6	9	24
20-34	773	4.2	43	1	1	3	5	8	11	30
35-49	316	4.4	26	1	1	3	5	9	14	30
50-64	165	5.5	75	1	1	3	7	10	14	54
65+	280	8.8	135	1	1	5	10	21	31	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2798	1.5	1	<1	1	1	2	3	3	6
B. *Operated*	13	8.4	161	<1	1	3	9	24	43	47
2. MULTIPLE DX										
A. *Not Operated*	6475	3.5	17	1	1	2	4	7	10	20
B. *Operated*	2142	4.6	52	1	1	3	5	9	14	41
1. SINGLE DX	2811	1.6	2	<1	1	1	2	3	4	6
2. MULTIPLE DX	8617	3.8	26	1	1	2	4	8	11	26
A. NOT OPERATED	9273	2.9	13	1	1	2	3	6	9	17
B. OPERATED	2155	4.6	53	1	1	3	5	9	14	41
TOTAL 0-19 YRS	4775	1.9	5	<1	1	1	2	3	5	10
20-34	3326	3.3	18	<1	1	2	4	6	9	18
35-49	1398	3.9	15	1	1	3	5	8	10	18
50-64	813	4.5	32	1	1	3	6	9	12	26
65+	1116	6.9	74	1	1	4	8	15	24	58
GRAND TOTAL	**11428**	**3.2**	**21**	**1**	**1**	**2**	**4**	**7**	**10**	**22**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	650	1.9	6	<1	1	1	2	3	5	16
20-34	177	3.1	9	<1	1	2	4	7	10	20
35-49	63	2.7	7	<1	1	2	4	6	7	15
50-64	30	6.4	300	1	1	2	5	9	11	97
65+	25	5.6	62	<1	1	3	6	8	30	31
B. *Operated*										
0-19 YRS	29	7.1	31	1	2	6	8	14	21	26
20-34	17	9.0	109	1	1	8	12	79	99+	99+
35-49	14	12.8	86	1	4	9	16	31	33	33
50-64	19	9.8	71	2	3	8	9	19	32	39
65+	29	15.9	328	2	4	10	20	30	35	99
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	695	3.6	54	1	1	2	3	7	13	55
20-34	483	4.6	37	<1	1	3	6	10	16	28
35-49	229	6.0	140	<1	1	3	6	11	18	87
50-64	185	7.3	107	1	1	4	8	14	25	51
65+	497	10.3	139	1	1	7	14	28	38	99+
B. *Operated*										
0-19 YRS	250	11.4	288	1	1	5	14	38	65	99+
20-34	270	15.8	389	1	1	9	25	59	94	99+
35-49	103	19.8	464	1	1	13	36	74	99+	99+
50-64	98	17.7	356	1	1	13	28	56	99+	99+
65+	290	21.2	402	2	3	16	33	61	96	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	945	2.4	18	<1	1	1	2	5	7	18
B. *Operated*	108	11.0	145	2	2	8	12	27	33	99+
2. MULTIPLE DX										
A. *Not Operated*	2089	6.0	91	1	1	3	7	15	23	75
B. *Operated*	1011	16.9	385	1	1	10	26	58	90	99+
1. SINGLE DX	1053	3.3	38	<1	1	1	3	7	11	31
2. MULTIPLE DX	3100	9.6	213	1	1	4	11	28	52	99+
A. NOT OPERATED	3034	4.9	71	<1	1	2	5	11	19	60
B. OPERATED	1119	16.3	365	1	1	10	24	55	88	99+
TOTAL 0-19 YRS	1624	4.2	81	<1	1	1	3	9	18	66
20-34	947	7.6	160	<1	1	3	8	22	44	99+
35-49	409	9.2	239	<1	1	4	9	28	51	99+
50-64	332	10.4	216	1	1	5	12	29	49	99+
65+	841	14.1	262	1	2	8	19	38	63	99+
GRAND TOTAL	**4153**	**8.0**	**176**	**1**	**1**	**3**	**8**	**23**	**42**	**99+**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	2.5	6	<1	<1	2	3	4	5	14
20-34	45	2.7	5	<1	<1	2	3	6	7	12
35-49	19	4.1	5	1	2	3	6	8	8	8
50-64	10	2.9	3	<1	<1	3	5	5	5	5
65+	9	4.7	6	2	2	4	7	8	9	9
B. *Operated*										
0-19 YRS	37	6.4	12	2	3	5	8	11	13	18
20-34	67	6.5	32	2	2	5	7	11	17	36
35-49	25	5.1	8	1	2	4	7	9	10	11
50-64	8	4.0	5	1	1	4	5	7	8	8
65+	4	6.3	14	3	3	6	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	4.1	16	1	1	3	5	8	10	25
20-34	125	4.9	68	1	1	3	6	8	10	53
35-49	70	5.0	13	1	2	4	6	9	10	21
50-64	65	6.5	24	2	2	5	8	13	16	26
65+	114	8.1	43	1	2	6	10	18	22	31
B. *Operated*										
0-19 YRS	117	9.8	70	2	3	7	12	20	27	44
20-34	287	10.3	128	2	3	7	11	19	34	82
35-49	130	11.2	91	3	4	8	13	22	30	55
50-64	87	8.4	53	2	2	7	10	14	23	40
65+	96	15.8	142	4	5	13	22	32	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	114	3.1	6	<1	1	2	4	6	8	13
B. *Operated*	141	6.1	21	2	2	5	7	10	13	24
2. MULTIPLE DX										
A. *Not Operated*	437	5.9	41	1	1	4	7	11	16	27
B. *Operated*	717	10.9	109	2	3	8	13	22	33	73
1. SINGLE DX	255	4.7	16	1	1	4	6	9	11	20
2. MULTIPLE DX	1154	9.0	89	1	2	6	11	18	27	63
A. NOT OPERATED	551	5.3	35	1	1	4	6	10	15	27
B. OPERATED	858	10.1	97	2	3	7	12	20	31	69
TOTAL 0-19 YRS	248	7.0	48	1	1	5	9	13	21	36
20-34	524	7.9	99	1	2	5	9	15	23	72
35-49	244	8.3	63	2	2	6	9	16	22	39
50-64	170	7.1	39	1	2	5	9	13	19	36
65+	223	11.2	99	2	3	8	15	27	31	99+
GRAND TOTAL	**1409**	**8.2**	**78**	**1**	**2**	**6**	**10**	**17**	**26**	**56**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	249	4.5	16	1	1	3	7	10	11	20
20-34	126	3.3	10	<1	1	2	4	8	10	16
35-49	33	3.1	7	1	1	2	4	7	10	11
50-64	10	3.7	26	1	1	2	3	11	18	18
65+	6	2.7		2	2	3	3	3	3	3
B. *Operated*										
0-19 YRS	90	7.1	16	1	3	7	8	10	12	26
20-34	96	7.4	20	2	3	6	9	12	17	27
35-49	40	6.7	15	1	2	7	9	11	12	21
50-64	11	7.1	20	2	2	7	7	12	18	19
65+	2	5.0	8	3	3	5	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	345	4.0	10	1	1	3	5	9	11	14
20-34	300	4.3	15	1	1	3	6	9	12	19
35-49	105	4.1	10	1	1	3	5	8	10	16
50-64	73	6.2	61	1	2	4	8	12	16	52
65+	69	7.1	25	2	2	6	10	14	19	23
B. *Operated*										
0-19 YRS	314	12.1	140	2	4	8	13	22	37	67
20-34	487	12.5	124	3	4	9	14	25	38	62
35-49	193	14.3	174	3	5	10	17	28	38	73
50-64	109	17.6	214	4	6	12	23	41	55	99+
65+	92	17.5	324	3	4	11	21	43	60	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	424	4.0	14	1	1	3	5	9	11	19
B. *Operated*	239	7.1	17	1	2	7	8	11	14	24
2. MULTIPLE DX										
A. *Not Operated*	892	4.5	18	1	1	3	6	10	12	19
B. *Operated*	1195	13.6	163	3	5	9	16	28	42	75
1. SINGLE DX	663	5.1	17	1	1	4	7	10	12	20
2. MULTIPLE DX	2087	9.7	121	1	2	7	11	20	32	65
A. NOT OPERATED	1316	4.4	17	1	1	3	6	9	12	19
B. OPERATED	1434	12.5	144	2	4	9	14	25	38	72
TOTAL 0-19 YRS	998	6.9	66	1	1	5	8	13	19	44
20-34	1009	8.5	84	1	2	6	10	18	25	54
35-49	371	9.6	120	1	2	7	11	19	30	69
50-64	203	12.3	173	2	2	8	15	33	44	83
65+	169	12.6	216	2	3	9	14	28	49	88
GRAND TOTAL	**2750**	**8.6**	**100**	**1**	**1**	**6**	**10**	**18**	**26**	**60**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	2.5	2	<1	<1	2	3	5	6	6
20-34	5	4.8	1	4	4	4	6	6	6	6
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	140	2.4	4	<1	1	2	3	6	6	8
20-34	102	3.0	5	1	1	2	4	6	8	10
35-49	35	2.9	3	1	1	3	4	6	6	7
50-64	14	2.0	2	<1	1	2	3	4	5	5
65+	13	3.6	10	<1	1	2	5	8	11	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	4.2	6	<1	1	4	5	7	9	10
20-34	13	3.2	1	1	2	3	4	4	5	5
35-49	8	6.8	28	1	2	5	8	16	18	18
50-64	4	5.5	15	1	1	7	32	99+	99+	99+
65+	4	3.8	2	3	3	3	5	6	6	6
B. *Operated*										
0-19 YRS	142	3.6	7	1	1	3	5	7	9	12
20-34	123	4.4	20	1	1	4	6	8	10	31
35-49	76	4.3	16	1	1	4	5	8	11	24
50-64	48	3.5	10	1	1	3	5	7	9	19
65+	66	5.8	53	1	1	4	6	15	20	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	3.1	3	<1	<1	3	4	6	6	6
B. *Operated*	304	2.7	4	<1	1	2	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	43	4.4	10	1	1	4	6	10	13	99+
B. *Operated*	455	4.2	19	1	1	3	5	8	11	26
1. SINGLE DX	322	2.7	4	<1	1	2	4	6	7	10
2. MULTIPLE DX	498	4.3	18	1	1	3	5	8	11	28
A. NOT OPERATED	61	4.0	8	<1	1	4	5	7	10	90
B. OPERATED	759	3.6	14	1	1	3	5	7	9	19
TOTAL 0-19 YRS	308	3.0	5	<1	1	2	4	6	8	11
20-34	243	3.7	12	1	1	3	5	7	9	18
35-49	120	4.1	13	1	1	3	5	7	11	20
50-64	66	3.3	9	<1	1	2	5	7	10	86
65+	83	5.3	44	1	1	3	6	12	19	38
GRAND TOTAL	**820**	**3.6**	**13**	**1**	**1**	**3**	**5**	**7**	**9**	**19**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	92	2.3	2	<1	1	2	3	5	5	7
20-34	50	2.2	4	<1	<1	2	3	4	5	14
35-49	19	2.1	2	<1	<1	2	3	5	5	5
50-64	9	2.0	1	1	1	2	3	3	3	3
65+	7	1.6	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-19 YRS	244	1.9	4	<1	<1	1	2	4	5	11
20-34	131	2.6	15	<1	<1	2	3	5	7	17
35-49	54	2.2	9	<1	<1	1	2	3	5	19
50-64	17	2.6	5	1	1	2	4	4	8	10
65+	16	2.4	5	<1	1	2	3	5	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	119	2.7	6	<1	1	2	3	6	7	14
20-34	184	3.8	40	<1	1	2	4	7	10	18
35-49	74	3.8	35	<1	<1	2	4	7	9	39
50-64	56	4.1	38	<1	1	3	5	7	8	44
65+	127	6.4	92	1	1	4	8	13	19	55
B. *Operated*										
0-19 YRS	451	2.6	9	<1	1	2	3	5	7	20
20-34	537	3.8	22	<1	1	2	4	8	10	23
35-49	225	4.5	51	1	1	2	4	10	15	36
50-64	145	4.5	37	1	1	3	5	9	11	31
65+	273	7.2	92	1	1	4	8	14	24	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	177	2.2	3	<1	<1	2	3	4	5	8
B. *Operated*	462	2.2	8	<1	<1	1	2	4	6	13
2. MULTIPLE DX										
A. *Not Operated*	560	4.2	45	<1	1	3	5	8	12	30
B. *Operated*	1631	4.2	38	<1	1	2	5	8	13	32
1. SINGLE DX	639	2.2	6	<1	<1	1	2	4	5	12
2. MULTIPLE DX	2191	4.2	40	<1	1	2	5	8	13	32
A. NOT OPERATED	737	3.7	36	<1	1	2	4	7	10	22
B. OPERATED	2093	3.7	32	<1	1	2	4	8	11	29
TOTAL 0-19 YRS	906	2.4	7	<1	1	2	3	5	6	14
20-34	902	3.5	24	<1	1	2	4	7	10	19
35-49	372	3.9	40	<1	1	2	4	8	13	32
50-64	227	4.2	34	1	1	3	5	8	10	33
65+	423	6.7	88	1	1	4	8	14	22	62
GRAND TOTAL	**2830**	**3.7**	**33**	**<1**	**1**	**2**	**4**	**8**	**11**	**28**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	117	1.8	1	<1	1	2	2	3	4	6
20-34	196	2.0	2	<1	<1	2	2	4	4	9
35-49	53	2.3	4	<1	<1	2	3	4	7	11
50-64	12	2.1	2	<1	<1	2	3	4	5	5
65+	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	144	2.3	4	<1	1	1	3	6	6	8
20-34	154	3.3	7	<1	1	2	5	7	9	12
35-49	44	3.5	7	<1	1	3	5	7	8	13
50-64	14	4.7	11	1	1	4	8	9	11	11
65+	2	5.5	5	4	4	5	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	3.5	15	<1	1	2	4	7	13	19
20-34	167	2.8	4	<1	1	2	4	5	7	10
35-49	54	2.8	4	1	1	2	4	5	6	11
50-64	20	5.0	19	1	1	4	7	12	15	15
65+	14	8.4	95	1	2	5	8	27	32	33
B. *Operated*										
0-19 YRS	112	4.7	26	<1	1	3	6	10	16	25
20-34	272	7.0	69	1	1	5	8	13	16	53
35-49	102	6.7	58	1	1	4	8	18	22	44
50-64	35	6.1	18	1	1	5	9	12	14	18
65+	24	8.6	71	<1	1	6	9	27	29	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	380	2.0	2	<1	<1	2	2	3	4	9
B. *Operated*	358	3.0	6	<1	1	2	4	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	318	3.3	12	1	1	2	4	6	9	17
B. *Operated*	545	6.5	56	1	1	5	8	13	18	42
1. SINGLE DX	738	2.5	4	<1	1	2	3	5	7	10
2. MULTIPLE DX	863	5.3	42	1	1	3	7	11	15	36
A. NOT OPERATED	698	2.6	7	<1	1	2	3	5	7	15
B. OPERATED	903	5.1	39	<1	1	3	6	10	14	34
TOTAL 0-19 YRS	436	3.0	11	<1	1	2	3	6	8	20
20-34	789	4.1	31	<1	1	2	5	9	12	22
35-49	253	4.4	30	1	1	3	5	8	14	25
50-64	81	5.0	16	1	1	4	7	11	13	17
65+	42	8.1	72	1	1	5	9	26	29	33
GRAND TOTAL	**1601**	**4.0**	**27**	**<1**	**1**	**2**	**5**	**8**	**12**	**24**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	158	3.1	5	<1	1	3	4	6	7	13
20-34	204	3.0	4	<1	1	2	4	5	7	11
35-49	86	3.0	4	<1	1	3	4	5	7	11
50-64	24	3.9	6	<1	1	3	6	8	8	8
65+	9	2.6	1	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	715	2.0	3	<1	<1	1	2	4	5	9
20-34	1065	2.2	3	<1	<1	2	3	4	6	10
35-49	478	2.3	21	<1	1	2	2	4	6	12
50-64	223	2.1	4	<1	<1	1	2	4	6	11
65+	80	2.4	5	<1	<1	1	3	5	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	108	3.7	8	<1	1	3	4	7	9	16
20-34	205	3.5	8	<1	1	3	4	7	10	15
35-49	87	4.3	6	1	1	4	6	8	9	11
50-64	46	5.1	14	1	2	4	6	8	11	23
65+	48	7.5	39	2	2	6	8	18	23	26
B. *Operated*										
0-19 YRS	533	3.0	10	<1	1	2	3	6	9	18
20-34	1034	3.6	34	<1	1	2	4	7	11	31
35-49	451	4.3	45	1	1	2	5	10	15	27
50-64	242	3.7	22	<1	1	2	4	9	12	25
65+	172	6.1	102	1	1	3	7	12	20	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	481	3.1	4	<1	1	3	4	6	7	12
B. *Operated*	2561	2.2	7	<1	<1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	494	4.2	13	<1	1	3	5	8	10	22
B. *Operated*	2432	3.8	35	<1	1	2	4	8	11	28
1. SINGLE DX	3042	2.3	6	<1	<1	2	3	4	6	10
2. MULTIPLE DX	2926	3.9	31	<1	1	2	4	8	11	25
A. NOT OPERATED	975	3.6	9	<1	1	3	5	7	9	15
B. OPERATED	4993	3.0	21	<1	1	2	3	6	8	20
TOTAL 0-19 YRS	1514	2.6	6	<1	1	2	3	5	7	13
20-34	2508	3.0	17	<1	1	2	3	6	8	16
35-49	1102	3.4	29	<1	1	2	4	7	10	22
50-64	535	3.2	14	<1	1	2	4	7	10	20
65+	309	5.3	67	1	1	3	6	11	19	38
GRAND TOTAL	**5968**	**3.1**	**19**	**<1**	**1**	**2**	**3**	**6**	**8**	**19**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	129	3.4	7	1	1	3	4	6	10	13
20-34	138	3.1	5	<1	1	2	4	6	8	10
35-49	43	3.5	6	1	1	3	6	7	8	9
50-64	15	3.6	9	<1	<1	2	5	8	10	11
65+	7	4.3	15	1	1	2	7	10	11	11
B. *Operated*										
0-19 YRS	440	3.5	17	<1	1	2	4	7	11	26
20-34	342	4.0	21	1	1	3	5	8	12	26
35-49	134	3.5	10	1	1	2	4	7	9	19
50-64	52	4.2	12	1	1	3	5	7	10	19
65+	37	6.7	60	<1	1	3	8	17	26	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	87	4.1	19	1	1	3	5	7	10	73
20-34	103	4.4	15	1	1	3	5	9	12	21
35-49	45	6.4	84	1	2	4	7	10	11	63
50-64	38	8.4	39	1	3	7	11	16	24	29
65+	59	10.4	99	2	3	7	14	17	33	60
B. *Operated*										
0-19 YRS	266	6.5	59	1	1	4	7	16	22	41
20-34	281	7.8	98	1	1	5	8	18	25	55
35-49	138	10.2	228	1	2	6	10	21	45	97
50-64	75	12.6	181	2	2	8	18	40	52	99+
65+	119	15.1	216	2	3	11	18	33	53	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	332	3.3	6	1	1	3	4	7	9	12
B. *Operated*	1005	3.8	19	<1	1	3	4	8	12	25
2. MULTIPLE DX										
A. *Not Operated*	332	6.1	48	1	1	4	7	12	15	40
B. *Operated*	879	9.2	137	1	2	5	11	22	35	67
1. SINGLE DX	1337	3.7	16	1	1	3	4	7	10	22
2. MULTIPLE DX	1211	8.3	115	1	2	5	9	19	29	63
A. NOT OPERATED	664	4.7	29	1	1	3	6	10	13	29
B. OPERATED	1884	6.3	81	1	1	3	7	15	22	53
TOTAL 0-19 YRS	922	4.4	30	1	1	3	5	9	15	31
20-34	864	5.1	46	1	1	3	6	10	16	33
35-49	360	6.4	112	1	1	4	7	11	19	63
50-64	180	8.5	102	1	2	5	10	22	36	85
65+	222	12.1	164	1	2	8	15	28	36	72
GRAND TOTAL	**2548**	**5.9**	**68**	**1**	**1**	**3**	**6**	**13**	**20**	**49**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	5.7	4	4	4	5	7	8	8	8
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	15	3.0	6	<1	<1	3	3	8	9	9
20-34	27	3.8	8	1	1	4	5	6	9	14
35-49	6	3.3	15	1	1	2	3	10	11	11
50-64	5	2.6	7	1	1	1	4	7	7	7
65+	3	3.7	2	2	2	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	4.8	14	2	2	4	7	10	10	10
35-49	6	10.5	88	2	2	7	15	26	27	27
50-64	1	3.0		3	3	3	3	3	3	3
65+	7	6.1	16	3	3	5	6	13	15	15
B. *Operated*										
0-19 YRS	50	10.3	218	1	1	4	11	34	38	66
20-34	96	9.3	181	<1	1	5	12	23	39	93
35-49	39	6.7	71	1	1	4	7	16	22	45
50-64	15	13.7	165	<1	1	8	28	34	35	35
65+	18	6.2	15	2	3	5	8	12	15	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	4.0	8	<1	<1	4	6	8	8	8
B. *Operated*	56	3.4	7	<1	1	3	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	18	7.1	41	2	2	5	10	15	22	27
B. *Operated*	218	9.1	156	1	1	5	11	23	36	72
1. SINGLE DX	61	3.5	7	<1	1	3	5	7	9	14
2. MULTIPLE DX	236	9.0	147	1	1	5	10	23	36	68
A. NOT OPERATED	23	6.4	35	1	2	5	7	15	19	27
B. OPERATED	274	8.0	131	1	1	4	9	21	35	65
TOTAL 0-19 YRS	68	8.5	170	<1	1	3	9	23	37	65
20-34	128	8.0	143	<1	1	4	9	21	35	88
35-49	52	6.7	66	1	1	4	8	15	24	45
50-64	21	10.6	143	<1	1	6	13	33	34	35
65+	28	5.9	14	2	3	5	6	12	15	16
GRAND TOTAL	**297**	**7.8**	**124**	**1**	**1**	**4**	**9**	**19**	**33**	**64**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	6.0	75	1	1	1	12	16	16	16
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	2	10.0	8	8	8	10	12	12	12	12
50-64	3	3.3	1	2	2	4	4	4	4	4
65+	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*										
0-19 YRS	34	2.0	4	<1	<1	1	2	4	5	11
20-34	58	3.9	38	<1	1	2	3	8	11	41
35-49	30	2.9	7	<1	<1	2	3	6	8	13
50-64	18	2.9	9	<1	<1	2	3	9	11	11
65+	4	7.8	58	1	1	6	13	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	8.4	355	<1	<1	2	3	39	55	55
20-34	10	6.2	28	1	1	5	12	50	96	99+
35-49	7	8.9	70	1	2	6	11	23	26	26
50-64	4	10.3	11	7	7	10	13	14	14	14
65+	9	7.1	23	1	2	6	10	15	16	16
B. *Operated*										
0-19 YRS	22	4.2	10	1	1	3	6	9	11	12
20-34	43	4.3	28	1	1	2	4	13	17	26
35-49	26	4.4	25	1	1	3	5	8	13	26
50-64	15	11.3	277	1	1	3	10	40	51	55
65+	20	13.3	142	1	2	9	20	29	39	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	5.0	22	1	1	4	7	13	16	16
B. *Operated*	144	3.2	21	<1	<1	2	3	7	11	22
2. MULTIPLE DX										
A. *Not Operated*	38	7.8	93	<1	1	5	11	17	42	99+
B. *Operated*	126	6.6	82	1	1	3	7	16	27	50
1. SINGLE DX	156	3.4	21	<1	<1	2	3	8	11	21
2. MULTIPLE DX	164	6.8	84	1	1	3	8	16	27	55
A. NOT OPERATED	50	7.1	77	1	1	5	9	16	26	99+
B. OPERATED	270	4.8	52	<1	1	2	5	10	18	42
TOTAL 0-19 YRS	67	3.7	50	<1	<1	2	3	8	11	48
20-34	113	4.3	33	1	1	2	5	10	17	63
35-49	65	4.3	24	<1	1	3	5	9	12	26
50-64	40	6.8	122	<1	<1	3	7	13	35	55
65+	35	10.5	102	1	1	7	13	22	30	48
GRAND TOTAL	**320**	**5.2**	**57**	**<1**	**1**	**3**	**6**	**12**	**19**	**50**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	184	3.6	5	1	1	3	5	6	7	10
20-34	55	3.4	5	<1	1	3	5	6	7	12
35-49	33	3.4	3	1	2	3	4	5	5	11
50-64	6	3.2	1	2	2	3	4	5	5	5
65+	4	3.0	3	<1	<1	3	4	5	5	5
B. *Operated*										
0-19 YRS	8	6.0	10	2	2	5	8	10	11	11
20-34	2	6.5	5	5	5	6	8	8	8	8
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	93	4.1	20	1	1	4	5	6	9	29
20-34	54	3.5	9	1	1	3	4	6	8	20
35-49	24	4.3	6	1	2	4	6	7	10	11
50-64	18	4.3	10	1	1	4	5	10	12	13
65+	31	8.5	122	2	2	5	9	28	53	99+
B. *Operated*										
0-19 YRS	16	4.4	13	1	1	3	6	11	12	12
20-34	25	3.6	6	1	1	3	5	7	8	11
35-49	6	4.2	5	1	1	5	6	6	6	6
50-64	5	5.6	15	2	2	5	7	12	12	12
65+	5	5.6	61	1	1	1	9	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	282	3.5	5	1	1	3	5	6	7	11
B. *Operated*	12	5.5	9	2	2	5	8	10	11	11
2. MULTIPLE DX										
A. *Not Operated*	220	4.6	32	1	1	3	5	8	12	45
B. *Operated*	57	4.2	13	1	1	3	6	9	12	19
1. SINGLE DX	294	3.6	5	1	1	3	5	6	7	11
2. MULTIPLE DX	277	4.5	28	1	1	3	5	8	12	38
A. NOT OPERATED	502	4.0	17	1	1	3	5	6	9	24
B. OPERATED	69	4.4	12	1	1	4	6	9	11	18
TOTAL 0-19 YRS	301	3.9	10	1	1	4	5	6	8	13
20-34	136	3.5	7	1	1	3	5	6	8	13
35-49	64	3.8	4	1	2	3	5	6	7	11
50-64	29	4.3	9	1	1	3	5	9	12	13
65+	41	7.5	102	1	1	4	8	21	40	99+
GRAND TOTAL	**571**	**4.0**	**16**	**1**	**1**	**3**	**5**	**6**	**9**	**22**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	452	2.0	6	<1	1	1	2	4	5	8
20-34	369	2.4	5	<1	<1	2	3	5	6	11
35-49	153	2.6	5	<1	1	2	3	5	7	12
50-64	89	3.7	7	1	1	3	5	8	8	13
65+	112	4.4	15	1	1	3	6	10	12	20
B. *Operated*										
0-19 YRS	89	2.3	2	<1	<1	2	3	4	5	7
20-34	84	2.7	4	<1	<1	2	4	5	7	10
35-49	39	3.9	19	<1	<1	2	6	7	9	26
50-64	31	4.6	28	<1	<1	3	5	8	11	30
65+	22	5.0	21	<1	1	3	7	11	16	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	702	2.4	4	<1	1	2	3	5	6	11
20-34	750	3.0	7	<1	1	2	4	7	8	14
35-49	412	4.1	20	1	1	3	5	8	11	17
50-64	444	4.8	24	1	1	4	6	9	12	22
65+	1530	8.1	77	1	2	6	10	16	24	58
B. *Operated*										
0-19 YRS	106	4.4	35	1	1	2	5	9	17	34
20-34	138	4.7	27	1	1	3	6	10	17	25
35-49	84	7.3	58	1	1	5	8	18	27	34
50-64	104	7.5	71	1	2	5	10	16	21	47
65+	208	12.1	111	2	2	9	18	28	44	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1175	2.6	7	<1	1	2	3	5	7	12
B. *Operated*	265	3.2	11	<1	<1	2	4	6	8	18
2. MULTIPLE DX										
A. *Not Operated*	3838	5.3	44	1	1	3	6	11	15	41
B. *Operated*	640	7.9	77	1	1	5	10	19	28	54
1. SINGLE DX	1440	2.7	8	<1	1	2	3	5	7	12
2. MULTIPLE DX	4478	5.6	49	1	1	3	7	12	18	45
A. NOT OPERATED	5013	4.6	36	1	1	3	6	10	14	33
B. OPERATED	905	6.5	62	<1	1	4	8	17	24	47
TOTAL 0-19 YRS	1349	2.4	7	<1	1	2	3	5	6	13
20-34	1341	3.0	9	<1	1	2	4	6	8	16
35-49	688	4.1	23	<1	1	3	5	9	12	26
50-64	668	5.0	31	1	1	4	6	10	13	29
65+	1872	8.3	79	1	2	6	10	18	25	60
GRAND TOTAL	**5918**	**4.9**	**41**	**1**	**1**	**3**	**6**	**11**	**15**	**37**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	2.6	7	<1	1	2	3	5	7	16
20-34	31	2.3	2	1	1	2	3	4	5	8
35-49	17	3.1	6	1	1	2	5	7	8	8
50-64	6	3.0	5	1	1	2	4	7	7	7
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	23	4.4	25	<1	1	2	5	15	17	17
20-34	48	3.6	10	<1	1	2	5	8	12	14
35-49	19	4.2	22	<1	1	2	6	9	15	20
50-64	17	5.5	116	<1	<1	2	3	26	35	36
65+	3	5.3	44	1	1	2	10	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	2.6	4	1	1	2	4	5	7	9
20-34	34	3.8	9	1	1	3	5	9	12	12
35-49	22	3.1	3	1	1	3	4	6	7	7
50-64	16	3.4	4	1	1	3	4	7	8	8
65+	8	8.1	33	3	3	7	15	68	99+	99+
B. *Operated*										
0-19 YRS	38	7.1	74	1	1	4	9	16	33	34
20-34	110	7.8	141	1	1	3	7	17	31	64
35-49	50	5.9	27	1	1	4	9	14	20	99
50-64	32	9.7	259	1	1	3	8	29	59	68
65+	15	10.7	54	1	2	12	15	17	26	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	92	2.6	5	1	1	2	3	5	7	13
B. *Operated*	110	4.2	31	<1	1	2	4	10	15	34
2. MULTIPLE DX										
A. *Not Operated*	100	3.7	10	1	1	3	5	7	11	59
B. *Operated*	245	7.7	117	1	1	4	9	17	30	68
1. SINGLE DX	202	3.5	20	<1	1	2	4	7	12	26
2. MULTIPLE DX	345	6.5	89	1	1	3	7	14	25	68
A. NOT OPERATED	192	3.2	8	1	1	2	4	6	8	18
B. OPERATED	355	6.6	93	1	1	3	7	15	26	62
TOTAL 0-19 YRS	118	4.4	35	1	1	2	5	10	16	33
20-34	223	5.5	78	1	1	3	5	12	17	58
35-49	108	4.6	19	1	1	3	6	11	14	55
50-64	71	6.7	151	1	1	3	5	14	32	67
65+	27	9.0	47	1	1	8	14	19	36	99+
GRAND TOTAL	**547**	**5.4**	**66**	**1**	**1**	**3**	**6**	**12**	**17**	**60**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	2.0	5	<1	<1	<1	1	6	8	8
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	8	1.6	2	<1	<1	1	2	4	5	5
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	5	1.8	1	<1	<1	1	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	5	1.0		1	1	1	1	1	1	1
35-49	2	7.5	25	4	4	7	11	11	11	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	2.0	5	<1	<1	<1	1	6	8	8
B. *Operated*	16	1.6	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	2	1.0		1	1	1	1	1	1	1
B. *Operated*	9	2.6	11	1	1	1	2	8	11	11
1. SINGLE DX	27	1.7	3	<1	<1	1	1	4	6	8
2. MULTIPLE DX	11	2.3	9	1	1	1	2	7	11	11
A. NOT OPERATED	13	1.8	5	<1	<1	<1	1	6	8	8
B. OPERATED	25	1.9	5	<1	<1	1	2	4	6	11
TOTAL 0-19 YRS	21	1.8	3	<1	<1	1	2	5	6	8
20-34	8	1.0		<1	<1	1	1	1	1	1
35-49	8	3.1	12	<1	<1	2	4	9	11	11
50-64	1	1.0		1	1	1	1	1	1	1
65+										
GRAND TOTAL	**38**	**1.9**	**5**	**<1**	**<1**	**1**	**1**	**5**	**7**	**11**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	480	1.3	1	<1	<1	1	1	2	3	6
20-34	116	1.5	2	<1	<1	1	1	3	4	8
35-49	102	1.5	2	<1	<1	1	2	3	3	9
50-64	126	1.4	1	<1	<1	1	2	2	3	6
65+	101	1.4	1	<1	<1	1	1	2	4	5
B. *Operated*										
0-19 YRS	89	1.6	2	<1	<1	1	2	3	5	8
20-34	20	2.9	5	<1	<1	2	4	6	7	8
35-49	21	3.0	11	<1	<1	1	3	9	11	12
50-64	19	2.4	6	1	1	2	2	6	9	10
65+	22	2.1	5	<1	1	1	2	6	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	136	2.4	10	<1	1	2	3	4	5	16
20-34	51	2.7	6	<1	<1	2	3	6	8	12
35-49	73	2.5	5	<1	1	2	3	5	8	12
50-64	141	2.8	22	<1	<1	1	3	6	8	29
65+	258	3.2	12	1	1	2	4	7	12	17
B. *Operated*										
0-19 YRS	49	4.2	41	<1	1	2	4	11	14	37
20-34	43	9.0	123	<1	1	5	10	25	32	52
35-49	35	5.0	22	<1	1	3	8	10	15	19
50-64	82	6.3	59	1	1	2	9	17	23	37
65+	143	6.6	73	1	1	3	9	16	25	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	925	1.4	1	<1	<1	1	1	2	3	6
B. *Operated*	171	2.1	4	<1	<1	1	2	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	659	2.8	13	<1	1	2	3	6	9	15
B. *Operated*	352	6.3	67	1	1	3	9	16	24	41
1. SINGLE DX	1096	1.5	2	<1	<1	1	1	2	3	8
2. MULTIPLE DX	1011	4.1	34	<1	1	2	4	9	14	32
A. NOT OPERATED	1584	2.0	6	<1	<1	1	2	4	6	13
B. OPERATED	523	4.9	51	<1	1	2	6	12	20	36
TOTAL 0-19 YRS	754	1.7	6	<1	<1	1	2	3	4	10
20-34	230	3.3	33	<1	<1	1	3	6	11	32
35-49	231	2.5	8	<1	<1	1	3	7	9	14
50-64	368	3.1	25	<1	1	1	2	8	11	26
65+	524	3.8	30	<1	1	2	4	9	13	30
GRAND TOTAL	**2107**	**2.7**	**19**	**<1**	**<1**	**1**	**2**	**6**	**10**	**24**

380: Third degree burns (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	4.9	17	1	1	4	7	10	14	16
20-34	13	5.5	24	<1	1	3	10	14	14	14
35-49	6	6.0	14	2	2	5	8	12	12	12
50-64	2	3.0	8	1	1	3	5	5	5	5
65+	4	15.5	48	9	9	14	20	25	25	25
B. *Operated*										
0-19 YRS	41	8.2	37	<1	1	7	12	16	18	31
20-34	45	7.4	47	<1	1	6	10	17	20	35
35-49	21	8.5	27	2	3	8	14	16	17	18
50-64	20	15.0	98	1	2	11	23	26	33	38
65+	9	12.4	181	1	1	8	18	34	44	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	8.7	53	1	1	6	13	20	25	26
20-34	42	7.0	77	1	1	3	10	17	24	47
35-49	26	7.1	48	1	2	5	11	16	20	32
50-64	22	11.7	158	1	2	6	14	36	42	43
65+	36	12.9	135	2	2	8	19	30	42	42
B. *Operated*										
0-19 YRS	145	19.1	267	2	3	15	25	44	52	78
20-34	183	20.1	302	3	4	15	28	51	60	92
35-49	108	18.4	255	2	3	15	24	37	56	99
50-64	93	16.8	193	2	4	13	22	48	62	99+
65+	108	22.5	286	4	6	20	33	68	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	6.2	28	1	1	4	9	14	16	25
B. *Operated*	136	9.2	62	1	2	7	13	18	24	39
2. MULTIPLE DX										
A. *Not Operated*	170	9.3	92	1	1	6	13	21	31	43
B. *Operated*	637	19.5	269	2	4	16	27	48	63	99+
1. SINGLE DX	179	8.5	55	1	1	7	12	18	24	37
2. MULTIPLE DX	807	17.4	249	2	3	13	24	43	58	99+
A. NOT OPERATED	213	8.7	81	1	1	5	11	20	26	43
B. OPERATED	773	17.7	248	2	3	13	24	44	58	99+
TOTAL 0-19 YRS	248	14.4	204	1	2	10	19	31	46	72
20-34	283	15.4	254	1	2	10	20	38	53	76
35-49	161	14.8	209	2	2	11	19	33	42	96
50-64	137	15.5	175	2	3	12	21	40	52	99+
65+	157	19.5	256	2	4	17	28	51	83	99+
GRAND TOTAL	**986**	**15.7**	**225**	**1**	**2**	**11**	**21**	**38**	**53**	**99+**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	254	4.9	24	1	1	3	6	11	14	27
20-34	101	4.1	18	<1	1	2	5	9	11	23
35-49	50	5.5	65	1	1	3	6	12	18	51
50-64	22	6.4	44	<1	1	5	8	13	22	30
65+	12	8.7	25	2	3	8	13	15	18	18
B. *Operated*										
0-19 YRS	66	8.0	90	1	1	6	9	15	18	64
20-34	32	8.8	106	1	1	5	11	29	35	39
35-49	22	6.7	40	1	1	5	8	17	23	25
50-64	10	6.3	15	2	2	5	9	12	15	15
65+	6	14.5	171	1	1	10	22	35	37	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	512	5.3	28	1	1	4	7	11	14	27
20-34	288	4.9	24	1	1	3	6	11	14	26
35-49	129	5.3	30	1	1	4	7	12	14	27
50-64	98	6.5	42	1	1	4	9	14	20	33
65+	104	7.9	46	1	1	6	10	18	22	66
B. *Operated*										
0-19 YRS	163	9.6	79	1	2	7	13	23	27	39
20-34	141	9.3	131	1	1	6	11	19	25	71
35-49	88	14.9	220	2	3	10	19	36	47	96
50-64	56	17.1	325	1	3	11	22	41	65	99+
65+	54	20.0	292	2	3	16	27	40	61	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	439	5.0	29	1	1	3	7	11	14	27
B. *Operated*	136	8.1	84	1	1	5	10	16	27	43
2. MULTIPLE DX										
A. *Not Operated*	1131	5.5	31	1	1	4	7	12	17	28
B. *Operated*	502	12.4	182	1	2	8	16	28	39	89
1. SINGLE DX	575	5.7	43	1	1	4	7	12	16	35
2. MULTIPLE DX	1633	7.6	87	1	1	5	9	17	25	54
A. NOT OPERATED	1570	5.4	30	1	1	4	7	12	15	28
B. OPERATED	638	11.5	164	1	2	7	14	27	37	77
TOTAL 0-19 YRS	995	6.1	42	1	1	4	8	13	17	32
20-34	562	6.1	59	1	1	4	8	13	18	39
35-49	289	8.3	112	1	1	5	10	20	31	59
50-64	186	9.7	148	1	1	6	12	22	34	87
65+	176	11.9	153	1	2	8	16	27	38	97
GRAND TOTAL	**2208**	**7.1**	**76**	**1**	**1**	**5**	**9**	**16**	**23**	**46**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	2.3	2	<1	1	2	3	4	5	7
20-34	25	3.0	4	<1	<1	3	4	6	7	7
35-49	15	4.5	73	<1	<1	2	4	5	28	35
50-64	9	4.1	19	1	1	2	6	11	14	14
65+	6	3.8	6	2	2	3	5	8	8	8
B. *Operated*										
0-19 YRS	65	2.3	12	<1	<1	2	2	3	9	23
20-34	127	2.2	6	<1	<1	1	2	5	7	15
35-49	53	2.3	3	<1	<1	2	3	5	6	8
50-64	21	2.5	7	<1	<1	1	3	6	9	11
65+	6	3.7	5	1	1	3	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	4.3	29	<1	1	3	5	9	15	27
20-34	42	6.5	93	1	1	4	6	14	21	58
35-49	37	5.5	28	<1	1	4	7	13	17	25
50-64	27	8.4	85	1	1	6	10	14	25	48
65+	31	8.9	41	2	2	8	14	24	89	99+
B. *Operated*										
0-19 YRS	95	2.3	11	<1	1	2	2	3	6	22
20-34	181	5.0	81	<1	1	2	4	14	22	63
35-49	71	3.8	27	<1	1	2	4	8	15	29
50-64	41	3.0	8	<1	1	2	3	7	8	16
65+	22	10.2	207	<1	1	3	18	42	72	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	3.3	18	<1	<1	2	4	6	7	29
B. *Operated*	272	2.3	7	<1	<1	2	2	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	163	6.7	58	1	1	5	8	15	22	93
B. *Operated*	410	4.2	57	<1	1	2	4	9	19	53
1. SINGLE DX	350	2.5	9	<1	<1	2	3	5	7	15
2. MULTIPLE DX	573	4.9	59	<1	1	2	5	12	21	58
A. NOT OPERATED	241	5.6	48	<1	1	3	7	14	20	61
B. OPERATED	682	3.5	38	<1	<1	2	3	7	13	37
TOTAL 0-19 YRS	209	2.6	13	<1	1	2	2	4	8	26
20-34	375	4.1	54	<1	<1	2	4	8	16	50
35-49	176	3.8	25	<1	<1	2	4	7	13	29
50-64	98	4.5	35	<1	1	2	6	10	14	35
65+	65	8.4	93	1	1	6	11	25	61	99+
GRAND TOTAL	**923**	**4.0**	**41**	**<1**	**1**	**2**	**4**	**8**	**15**	**47**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	203	2.2	4	<1	1	2	3	4	6	11
20-34	186	2.4	3	<1	1	2	3	4	6	8
35-49	69	2.9	5	1	1	2	4	6	8	11
50-64	35	3.1	6	1	1	2	4	7	8	10
65+	19	3.4	6	1	1	3	5	8	9	9
B. *Operated*										
0-19 YRS	49	3.9	15	<1	<1	2	5	8	11	20
20-34	59	4.7	28	<1	1	3	6	11	14	31
35-49	27	9.7	223	<1	<1	4	11	23	51	64
50-64	27	4.9	32	<1	<1	2	6	15	18	22
65+	6	8.8	105	1	1	6	10	26	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	237	3.1	14	<1	1	2	4	7	8	19
20-34	304	3.4	8	<1	1	3	4	7	8	16
35-49	154	5.5	36	1	1	4	7	11	15	37
50-64	134	5.8	24	1	1	5	7	11	15	28
65+	254	9.0	131	1	2	6	11	16	29	81
B. *Operated*										
0-19 YRS	90	9.9	134	1	2	6	11	24	37	55
20-34	139	9.7	135	1	1	5	12	26	42	57
35-49	70	8.9	113	1	1	5	11	21	25	63
50-64	46	12.8	219	1	2	7	14	35	45	71
65+	62	15.2	244	1	2	10	23	44	68	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	512	2.5	4	<1	1	2	3	5	7	9
B. *Operated*	168	5.4	61	<1	1	3	6	11	18	46
2. MULTIPLE DX										
A. *Not Operated*	1083	5.3	49	1	1	3	6	11	15	39
B. *Operated*	407	10.8	160	1	1	6	14	29	43	71
1. SINGLE DX	680	3.2	20	<1	1	2	4	6	9	20
2. MULTIPLE DX	1490	6.8	86	1	1	4	7	15	24	53
A. NOT OPERATED	1595	4.4	36	1	1	3	5	9	13	30
B. OPERATED	575	9.2	137	<1	1	5	11	24	38	68
TOTAL 0-19 YRS	579	3.9	36	<1	1	2	4	8	12	36
20-34	688	4.5	41	<1	1	3	5	9	16	42
35-49	320	6.0	66	1	1	4	7	12	21	43
50-64	242	6.6	68	1	1	4	8	13	19	45
65+	341	9.8	151	1	2	6	12	22	40	94
GRAND TOTAL	**2170**	**5.6**	**68**	**1**	**1**	**3**	**6**	**12**	**20**	**47**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1377	1.8	3	<1	1	1	2	3	4	8
20-34	547	1.9	5	<1	<1	1	2	3	4	9
35-49	203	2.0	4	<1	<1	1	2	4	6	11
50-64	61	2.3	2	<1	1	2	3	4	5	7
65+	36	6.6	169	1	1	2	5	10	43	59
B. *Operated*										
0-19 YRS	4	1.5	1	1	1	1	2	3	3	3
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	1	6.0		6	6	6	6	6	6	6
50-64	1	15.0		15	15	15	15	15	15	15
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1956	4.0	55	<1	1	2	4	8	14	37
20-34	2594	4.4	48	<1	1	2	4	9	18	41
35-49	1360	4.8	44	<1	1	3	5	11	18	35
50-64	741	7.1	95	1	1	4	8	17	27	48
65+	1062	8.4	94	1	2	6	10	17	23	58
B. *Operated*										
0-19 YRS	18	20.6	347	2	2	17	34	51	58	61
20-34	77	9.6	158	1	1	5	11	27	41	90
35-49	50	15.0	250	1	2	9	19	40	54	65
50-64	60	13.9	180	2	2	9	21	38	57	99+
65+	82	15.7	302	2	4	10	21	30	56	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2224	1.9	6	<1	<1	1	2	3	5	9
B. *Operated*	8	3.6	24	<1	<1	1	4	12	15	15
2. MULTIPLE DX										
A. *Not Operated*	7713	5.2	62	<1	1	3	5	11	19	44
B. *Operated*	287	13.9	237	1	2	8	20	33	54	99+
1. SINGLE DX	2232	1.9	6	<1	<1	1	2	3	5	10
2. MULTIPLE DX	8000	5.5	71	<1	1	3	6	13	21	48
A. NOT OPERATED	9937	4.4	52	<1	1	2	4	10	16	39
B. OPERATED	295	13.6	234	1	2	8	19	33	54	99+
TOTAL 0-19 YRS	3355	3.2	38	<1	1	2	3	6	10	29
20-34	3220	4.1	45	<1	1	2	4	8	16	39
35-49	1614	4.8	49	<1	1	2	5	11	18	39
50-64	863	7.2	99	1	1	4	8	19	28	57
65+	1180	8.8	114	1	2	6	10	18	25	70
GRAND TOTAL	**10232**	**4.7**	**59**	**<1**	**1**	**2**	**5**	**10**	**18**	**43**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	805	2.5	7	<1	<1	1	3	6	7	12
20-34	212	1.7	3	<1	<1	1	2	2	4	9
35-49	137	1.5	1	<1	1	1	2	3	4	6
50-64	87	1.6	1	1	1	1	2	3	4	6
65+	28	1.5	1	1	1	1	2	3	4	4
B. *Operated*										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	2	1.0		1	1	1	1	1	1	1
35-49	3	3.7	14	1	1	2	6	8	8	8
50-64										
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	377	3.6	32	<1	1	2	5	7	10	23
20-34	289	3.6	35	<1	1	2	3	7	12	34
35-49	204	3.5	28	1	1	2	4	7	10	21
50-64	180	3.4	13	1	1	2	4	8	12	16
65+	174	5.6	67	1	1	3	6	12	18	46
B. *Operated*										
0-19 YRS	12	6.3	23	1	1	6	11	33	87	99+
20-34	19	12.9	294	1	1	5	17	44	56	59
35-49	11	13.3	271	2	2	3	17	44	49	49
50-64	10	13.4	178	1	1	7	20	34	42	42
65+	14	14.0	160	1	3	10	21	34	43	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1269	2.2	6	<1	1	1	2	5	6	11
B. *Operated*	9	2.1	5	<1	<1	1	2	6	8	8
2. MULTIPLE DX										
A. *Not Operated*	1224	3.8	35	<1	1	2	4	8	12	30
B. *Operated*	66	12.1	191	1	1	6	17	39	49	93
1. SINGLE DX	1278	2.2	6	<1	1	1	2	5	6	11
2. MULTIPLE DX	1290	4.3	46	<1	1	2	4	9	15	40
A. NOT OPERATED	2493	3.0	21	<1	1	2	3	6	9	22
B. OPERATED	75	10.9	179	1	1	5	13	33	48	89
TOTAL 0-19 YRS	1197	2.9	16	<1	1	1	4	6	8	19
20-34	522	3.1	36	<1	1	1	2	6	10	33
35-49	355	3.0	28	<1	1	2	3	5	9	22
50-64	277	3.2	19	1	1	2	3	7	12	21
65+	217	5.6	70	1	1	3	6	12	22	46
GRAND TOTAL	**2568**	**3.2**	**27**	**<1**	**1**	**2**	**3**	**6**	**10**	**28**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	300	3.2	34	<1	1	2	4	6	8	17
20-34	156	2.1	4	<1	1	1	3	4	6	11
35-49	127	2.3	13	<1	<1	1	2	4	6	26
50-64	80	2.7	4	1	1	2	4	6	7	10
65+	60	3.0	6	1	1	2	4	7	8	12
B. *Operated*										
0-19 YRS	4	7.0	100	2	2	2	12	22	22	22
20-34	3	1.7		1	1	2	2	2	2	2
35-49	5	10.2	124	1	1	8	15	29	29	29
50-64	3	4.3	16	2	2	2	7	9	9	9
65+	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	345	4.3	47	1	1	3	5	8	12	66
20-34	247	3.5	19	1	1	2	4	7	10	24
35-49	255	4.9	68	1	1	3	5	9	13	59
50-64	416	4.8	23	1	1	4	6	9	13	23
65+	953	7.5	57	1	2	5	9	15	21	42
B. *Operated*										
0-19 YRS	19	13.0	489	1	1	2	17	70	89	99+
20-34	43	12.2	395	<1	1	4	13	38	77	99+
35-49	28	13.1	379	1	1	4	21	68	99+	99+
50-64	53	12.7	260	1	1	8	13	34	45	80
65+	141	13.6	185	1	2	9	17	37	46	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	723	2.7	18	<1	1	2	3	6	7	14
B. *Operated*	17	5.9	64	1	1	2	8	20	27	29
2. MULTIPLE DX										
A. *Not Operated*	2216	5.7	48	1	1	4	7	12	17	38
B. *Operated*	284	13.1	265	1	1	8	17	38	61	99+
1. SINGLE DX	740	2.8	20	<1	1	2	3	6	8	16
2. MULTIPLE DX	2500	6.6	78	1	1	4	8	14	21	63
A. NOT OPERATED	2939	5.0	43	1	1	3	6	11	15	34
B. OPERATED	301	12.7	256	1	1	8	16	37	58	99+
TOTAL 0-19 YRS	668	4.1	56	<1	1	2	4	8	11	65
20-34	449	3.8	56	<1	1	2	4	7	12	41
35-49	415	4.7	79	<1	1	2	5	10	17	72
50-64	552	5.3	49	1	1	3	6	10	15	40
65+	1156	8.0	75	1	2	6	10	16	24	50
GRAND TOTAL	**3240**	**5.7**	**68**	**1**	**1**	**3**	**7**	**12**	**19**	**53**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	5.3	21	1	1	3	9	13	13	17
20-34	52	3.9	13	<1	<1	3	5	9	11	17
35-49	44	6.7	69	1	1	4	8	18	21	45
50-64	41	5.1	43	<1	<1	2	5	17	22	23
65+	61	7.4	75	<1	1	4	8	20	29	40
B. *Operated*										
0-19 YRS	140	4.8	36	<1	1	3	5	9	13	36
20-34	337	3.8	25	<1	<1	2	4	9	13	27
35-49	250	5.2	44	<1	1	3	6	11	23	36
50-64	382	6.1	46	<1	1	4	8	14	17	39
65+	711	6.9	57	1	1	4	9	16	22	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	115	5.9	47	1	1	3	8	12	17	36
20-34	122	6.4	76	<1	1	4	8	11	14	55
35-49	111	6.2	37	<1	1	4	8	14	17	32
50-64	231	7.3	65	1	1	5	9	15	23	42
65+	491	8.2	68	1	1	6	11	18	24	49
B. *Operated*										
0-19 YRS	648	7.8	65	1	2	5	10	18	22	37
20-34	632	8.4	136	<1	1	4	9	21	31	67
35-49	917	8.1	104	1	1	5	10	19	29	51
50-64	1999	9.9	125	1	2	7	13	22	31	61
65+	3485	11.9	182	1	2	8	16	28	42	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	232	5.8	47	<1	1	3	7	14	21	35
B. *Operated*	1820	5.8	46	<1	1	3	7	14	19	34
2. MULTIPLE DX										
A. *Not Operated*	1070	7.4	63	1	1	5	9	15	22	47
B. *Operated*	7681	10.3	147	1	2	6	13	24	35	73
1. SINGLE DX	2052	5.8	46	<1	1	3	7	14	19	34
2. MULTIPLE DX	8751	10.0	137	1	2	6	13	23	33	70
A. NOT OPERATED	1302	7.1	61	1	1	5	9	15	21	44
B. OPERATED	9501	9.4	131	1	1	5	12	22	32	66
TOTAL 0-19 YRS	937	7.0	58	1	1	4	9	16	21	35
20-34	1143	6.6	95	<1	1	3	8	15	25	60
35-49	1322	7.4	87	1	1	4	9	17	27	47
50-64	2653	9.1	109	1	1	6	12	20	29	55
65+	4748	10.7	154	1	2	7	14	25	37	80
GRAND TOTAL	**10803**	**9.2**	**123**	**1**	**1**	**5**	**12**	**22**	**31**	**64**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	158	1.5	1	<1	<1	1	2	3	3	6
20-34	141	2.3	5	<1	1	2	3	4	6	12
35-49	89	3.3	13	1	1	3	4	6	7	24
50-64	114	3.4	7	1	1	3	4	6	9	16
65+	180	3.4	5	1	1	3	4	6	7	13
B. *Operated*										
0-19 YRS	160	1.7	2	<1	1	1	2	3	4	8
20-34	183	2.6	7	<1	1	2	3	5	9	15
35-49	90	3.2	10	1	1	2	4	8	10	15
50-64	73	3.1	9	1	1	2	4	7	9	17
65+	59	4.3	10	1	1	3	6	9	11	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	2.3	3	1	1	2	3	4	6	9
20-34	76	3.4	15	1	1	2	4	7	9	24
35-49	84	4.1	11	1	1	3	5	8	12	15
50-64	164	4.1	8	1	1	3	5	8	9	14
65+	353	5.2	53	1	1	4	6	8	12	36
B. *Operated*										
0-19 YRS	52	2.9	8	1	1	2	4	6	7	18
20-34	108	3.7	20	1	1	2	5	8	10	26
35-49	98	4.2	30	1	1	2	5	8	12	33
50-64	123	5.4	40	1	1	3	7	12	16	61
65+	296	7.2	93	1	1	4	9	14	24	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	682	2.7	6	1	1	2	3	5	7	12
B. *Operated*	565	2.7	7	<1	1	2	3	6	9	13
2. MULTIPLE DX										
A. *Not Operated*	721	4.4	31	1	1	3	5	8	11	24
B. *Operated*	677	5.5	59	1	1	3	7	11	18	45
1. SINGLE DX	1247	2.7	7	<1	1	2	3	6	7	13
2. MULTIPLE DX	1398	5.0	45	1	1	3	6	10	14	38
A. NOT OPERATED	1403	3.6	20	1	1	3	4	7	9	19
B. OPERATED	1242	4.3	37	1	1	2	5	9	13	31
TOTAL 0-19 YRS	414	1.9	2	<1	1	1	2	3	5	8
20-34	508	2.9	11	1	1	2	3	6	8	18
35-49	361	3.7	16	1	1	2	5	7	11	20
50-64	474	4.1	17	1	1	3	5	8	11	21
65+	888	5.4	56	1	1	4	6	10	14	40
GRAND TOTAL	**2645**	**3.9**	**28**	**1**	**1**	**3**	**5**	**8**	**11**	**25**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	75	6.2	27	1	2	5	8	11	15	30
20-34	116	5.5	25	1	2	4	7	11	13	26
35-49	110	5.4	10	1	2	5	7	10	12	14
50-64	88	6.3	13	2	2	5	8	11	13	18
65+	44	9.3	84	2	2	8	11	17	27	48
B. *Operated*										
0-19 YRS	59	8.2	26	1	2	8	11	14	15	30
20-34	92	7.8	74	1	2	5	10	14	19	52
35-49	82	8.6	61	1	2	6	10	19	28	36
50-64	72	8.4	48	1	2	6	12	18	22	32
65+	61	10.6	103	2	3	7	11	26	31	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	6.5	28	2	2	5	8	12	17	31
20-34	126	6.7	27	2	2	5	8	13	16	28
35-49	178	7.7	27	2	3	6	10	14	18	25
50-64	208	8.5	34	2	3	8	11	15	18	40
65+	300	10.2	66	2	4	8	13	20	26	99+
B. *Operated*										
0-19 YRS	70	9.8	58	1	3	8	13	18	26	39
20-34	153	11.5	122	2	2	8	14	28	38	59
35-49	177	12.4	114	2	3	9	16	28	35	52
50-64	287	15.2	173	3	4	11	20	33	42	64
65+	347	19.3	253	4	5	15	26	42	49	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	433	6.2	26	1	2	5	8	11	14	29
B. *Operated*	366	8.6	63	1	2	7	11	17	25	37
2. MULTIPLE DX										
A. *Not Operated*	876	8.5	44	2	3	7	11	17	21	40
B. *Operated*	1034	15.2	185	2	3	11	19	34	45	69
1. SINGLE DX	799	7.3	44	1	2	5	9	14	18	34
2. MULTIPLE DX	1910	12.1	131	2	3	9	15	26	36	64
A. NOT OPERATED	1309	7.7	39	2	2	6	10	15	19	35
B. OPERATED	1400	13.5	161	2	3	10	17	30	40	64
TOTAL 0-19 YRS	268	7.6	37	2	2	6	10	14	17	31
20-34	487	8.1	71	1	2	6	10	16	25	47
35-49	547	8.9	63	2	2	7	11	18	26	40
50-64	655	11.1	107	2	3	8	14	21	32	53
65+	752	14.4	177	3	4	10	18	33	45	96
GRAND TOTAL	**2709**	**10.7**	**110**	**2**	**3**	**8**	**13**	**22**	**32**	**56**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	1.9	3	1	1	1	2	4	7	7
20-34	93	3.4	9	<1	1	2	4	7	10	16
35-49	65	4.0	13	1	1	3	5	10	11	16
50-64	66	4.2	15	<1	1	3	6	10	13	16
65+	57	4.3	12	1	1	4	5	8	9	18
B. *Operated*										
0-19 YRS	50	3.8	38	<1	<1	2	4	8	9	42
20-34	127	4.4	33	<1	<1	2	5	9	16	33
35-49	105	6.2	38	<1	1	4	9	12	23	28
50-64	116	6.6	71	<1	1	4	9	13	19	46
65+	108	6.5	42	1	1	4	9	15	23	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	82	3.1	12	1	1	2	4	7	9	21
20-34	172	4.1	17	1	1	3	5	9	10	22
35-49	186	5.6	41	1	1	4	7	11	13	39
50-64	276	6.5	38	1	1	5	9	13	17	37
65+	470	7.3	91	1	1	5	9	15	20	68
B. *Operated*										
0-19 YRS	177	5.5	66	1	1	2	7	16	23	36
20-34	311	5.6	56	1	1	2	7	16	22	39
35-49	352	8.0	90	1	1	5	11	18	30	56
50-64	591	10.7	158	1	1	7	14	27	38	84
65+	965	10.7	177	1	1	7	14	27	39	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	312	3.7	11	1	1	3	5	8	11	17
B. *Operated*	506	5.7	46	<1	1	3	7	13	19	32
2. MULTIPLE DX										
A. *Not Operated*	1186	6.1	56	1	1	4	8	12	17	45
B. *Operated*	2396	9.3	140	1	1	5	13	23	34	83
1. SINGLE DX	818	4.9	34	<1	1	3	6	11	15	29
2. MULTIPLE DX	3582	8.2	114	1	1	5	10	19	30	72
A. NOT OPERATED	1498	5.6	48	1	1	4	7	11	16	39
B. OPERATED	2902	8.6	125	1	1	5	11	22	32	73
TOTAL 0-19 YRS	340	4.3	45	1	1	2	4	11	18	35
20-34	703	4.7	37	1	1	2	6	11	17	34
35-49	708	6.8	64	1	1	4	9	15	21	48
50-64	1049	8.8	113	1	1	6	11	20	31	71
65+	1600	9.2	140	1	1	6	12	22	32	87
GRAND TOTAL	**4400**	**7.6**	**101**	**1**	**1**	**4**	**10**	**18**	**27**	**63**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	2.1	2	<1	<1	2	3	4	6	7
20-34	11	3.8	13	1	1	3	4	9	14	14
35-49	11	3.1	9	<1	<1	1	5	8	9	9
50-64	6	3.7	4	1	1	4	5	6	6	6
65+	2	6.5	25	3	3	6	10	10	10	10
B. *Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	3	3.7	4	2	2	3	5	6	6	6
50-64	2	5.5	5	4	4	5	7	7	7	7
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	3.6	9	1	1	3	4	7	10	17
20-34	19	4.5	14	<1	1	3	6	11	14	14
35-49	17	6.5	26	1	2	5	8	15	18	20
50-64	41	5.7	49	1	1	3	6	14	25	30
65+	46	3.9	10	1	1	3	6	8	10	13
B. *Operated*										
0-19 YRS	3	1.0		<1	<1	<1	1	1	1	1
20-34	7	14.1	255	2	3	7	14	42	49	49
35-49	15	10.1	71	1	2	10	13	15	30	35
50-64	8	10.9	52	2	3	9	18	20	21	21
65+	19	10.5	69	1	2	11	15	20	28	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	2.9	6	<1	1	2	4	6	8	13
B. *Operated*	9	3.0	5	<1	<1	2	4	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	173	4.6	22	1	1	3	6	9	13	27
B. *Operated*	52	10.4	88	1	2	9	14	20	32	49
1. SINGLE DX	73	2.9	6	<1	<1	2	4	6	7	13
2. MULTIPLE DX	225	5.9	43	1	1	4	7	13	19	33
A. NOT OPERATED	237	4.1	18	1	1	3	5	9	13	22
B. OPERATED	61	9.3	83	<1	1	7	13	19	27	47
TOTAL 0-19 YRS	89	2.9	7	<1	<1	2	3	6	7	15
20-34	38	6.0	68	<1	1	4	6	14	15	49
35-49	46	6.7	41	1	1	5	9	15	16	35
50-64	57	6.2	46	1	1	4	7	18	21	30
65+	68	5.8	35	1	1	3	8	13	18	31
GRAND TOTAL	**298**	**5.2**	**35**	**1**	**1**	**3**	**6**	**12**	**16**	**32**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	1.2		<1	<1	<1	1	2	2	2
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	10	2.4	2	<1	<1	2	4	4	4	4
20-34	2622	1.7	1	<1	<1	1	2	3	4	5
35-49	1265	1.7	1	<1	<1	1	2	3	3	5
50-64	7	1.0		<1	<1	<1	<1	1	1	1
65+	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	82	1.0		<1	<1	1	1	1	1	3
35-49	49	1.3	1	<1	<1	1	1	2	2	8
50-64										
65+										
B. *Operated*										
0-19 YRS	11	2.1	3	<1	<1	1	3	5	7	7
20-34	1910	2.0	2	<1	<1	1	3	4	4	6
35-49	1241	2.1	2	<1	<1	2	3	4	5	7
50-64	6	3.2	6	<1	<1	2	5	7	7	7
65+	3	2.7	1	2	2	2	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.3		<1	<1	1	2	2	2	2
B. *Operated*	3906	1.7	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	132	1.1		<1	<1	1	1	1	2	4
B. *Operated*	3171	2.0	2	<1	<1	1	3	4	5	7
1. SINGLE DX	3913	1.7	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX	3303	2.0	2	<1	<1	1	3	4	5	7
A. NOT OPERATED	139	1.1		<1	<1	1	1	1	2	4
B. OPERATED	7077	1.8	1	<1	<1	1	2	3	4	6
TOTAL 0-19 YRS	22	2.2	2	<1	<1	2	3	4	5	7
20-34	4619	1.8	1	<1	<1	1	2	3	4	6
35-49	2557	1.9	1	<1	<1	1	2	3	4	6
50-64	13	2.0	4	<1	<1	<1	2	5	7	7
65+	5	2.0	2	1	1	2	3	4	4	4
GRAND TOTAL	**7216**	**1.8**	**1**	**<1**	**<1**	**1**	**2**	**3**	**4**	**6**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	708	3.3	3	2	2	3	4	5	6	9
2500+	61745	3.1	2	1	2	3	3	5	5	7
B. *Operated*										
1-999 G	1	88.0		88	88	88	88	88	88	88
1000-1499										
1500-1749										
1750-2499	1	8.0		8	8	8	8	8	8	8
2500+	12	5.3	10	2	2	4	6	10	13	13
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	19	74.6	398	40	51	88	99+	99+	99+	99+
1000-1499	126	41.9	249	22	24	41	53	62	69	88
1500-1749	148	26.4	105	13	16	25	32	40	46	55
1750-2499	2795	7.5	49	2	2	5	9	16	20	34
2500+	40531	3.9	4	2	2	3	5	6	7	10
B. *Operated*										
1-999 G	37	74.1	192	55	62	90	99+	99+	99+	99+
1000-1499	118	54.1	259	29	36	53	66	84	99+	99+
1500-1749	62	40.4	229	20	24	39	48	65	82	99+
1750-2499	254	19.4	139	5	6	18	26	34	46	99+
2500+	708	8.3	70	2	3	6	9	15	23	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62453	3.1	2	1	2	3	3	5	5	7
B. *Operated*	14	11.4	495	2	3	5	8	20	73	88
2. MULTIPLE DX										
A. *Not Operated*	43619	4.3	17	2	2	3	5	6	8	20
B. *Operated*	1179	19.0	427	3	3	10	29	61	83	99+
1. SINGLE DX	62467	3.1	2	1	2	3	3	5	5	7
2. MULTIPLE DX	44798	4.7	33	2	2	3	5	6	9	34
A. NOT OPERATED	106072	3.6	8	2	2	3	4	5	6	12
B. OPERATED	1193	18.9	428	3	3	10	28	61	84	99+
TOTAL 1-999 G	57	74.5	255	51	60	90	99+	99+	99+	99+
1000-1499	244	47.8	290	23	27	46	60	73	86	99+
1500-1749	210	30.6	182	15	16	28	38	49	58	94
1750-2499	3758	7.5	59	2	2	5	9	17	23	40
2500+	102996	3.4	3	2	2	3	4	5	6	9
GRAND TOTAL	**107265**	**3.8**	**16**	**2**	**2**	**3**	**4**	**6**	**6**	**16**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	1	9.0		9	9	9	9	9	9	9
1500-1749										
1750-2499	122	4.9	5	2	3	5	6	7	9	13
2500+	547	4.4	3	2	3	4	5	6	7	9
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	9	75.6	299	56	56	79	95	99	99+	99+
1000-1499	20	42.8	310	21	26	41	59	73	86	99+
1500-1749	41	26.8	116	14	16	23	33	45	47	54
1750-2499	511	9.5	50	3	4	7	13	18	23	35
2500+	502	5.3	5	3	3	5	6	7	8	15
B. *Operated*										
1-999 G	7	85.3	41	76	78	86	95	99+	99+	99+
1000-1499	36	56.2	340	37	38	52	71	95	99+	99+
1500-1749	16	34.7	41	23	25	35	39	43	44	45
1750-2499	40	25.4	253	7	9	23	29	45	67	71
2500+	7	6.6	5	5	5	5	8	10	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	670	4.5	3	2	3	4	6	6	7	10
B. *Operated*	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	1083	9.4	114	3	3	6	10	18	28	68
B. *Operated*	106	40.0	603	6	10	38	58	83	97	99+
1. SINGLE DX	671	4.5	3	2	3	4	6	6	7	10
2. MULTIPLE DX	1189	12.1	233	3	3	6	13	29	47	92
A. NOT OPERATED	1753	7.5	77	3	3	5	7	15	21	54
B. OPERATED	107	39.6	609	5	9	38	58	83	97	99+
TOTAL 1-999 G	16	79.8	200	56	58	86	95	99+	99+	99+
1000-1499	57	50.7	390	25	28	48	68	86	99	99+
1500-1749	57	29.0	107	15	17	28	37	44	46	54
1750-2499	673	9.6	72	3	3	6	13	20	24	39
2500+	1057	4.8	4	2	3	5	6	7	8	10
GRAND TOTAL	**1860**	**9.4**	**163**	**3**	**3**	**5**	**8**	**20**	**37**	**82**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	5	4.8	33	1	1	3	6	15	15	15
2500+	169	2.5	1	1	1	2	3	4	4	8
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	1	69.0		69	69	69	69	69	69	69
1500-1749	1	15.0		15	15	15	15	15	15	15
1750-2499	15	11.9	181	1	3	6	17	23	46	53
2500+	87	3.6	7	1	1	3	4	6	7	18
B. *Operated*										
1-999 G										
1000-1499	1	69.0		69	69	84	99+	99+	99+	99+
1500-1749										
1750-2499	2	39.5	2245	6	6	39	73	73	73	73
2500+	2	39.5	2521	4	4	39	75	75	75	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	174	2.5	2	1	1	2	3	4	4	9
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	104	5.5	80	1	2	3	5	8	19	60
B. *Operated*	5	45.4	1365	4	4	71	75	97	99+	99+
1. SINGLE DX	174	2.5	2	1	1	2	3	4	4	9
2. MULTIPLE DX	109	7.3	197	1	2	3	6	14	53	85
A. NOT OPERATED	278	3.6	33	1	1	3	3	6	8	23
B. OPERATED	5	45.4	1365	4	4	71	75	97	99+	99+
TOTAL 1-999 G										
1000-1499	2	69.0		69	69	69	92	99+	99+	99+
1500-1749	1	15.0		15	15	15	15	15	15	15
1750-2499	22	12.8	318	1	2	6	15	32	61	73
2500+	258	3.1	24	1	1	3	3	4	6	9
GRAND TOTAL	**283**	**4.4**	**82**	**1**	**1**	**3**	**3**	**6**	**10**	**72**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.3	5	<1	<1	1	2	7	7	7
20-34	9	1.7	1	<1	<1	1	2	3	3	3
35-49	5	1.8	1	<1	<1	2	2	3	3	3
50-64	3	1.7		1	1	2	2	2	2	2
65+	4	2.3	2	<1	<1	2	3	4	4	4
B. *Operated*										
0-19 YRS	533	2.1	3	<1	<1	2	3	4	5	7
20-34	768	2.3	2	<1	<1	2	3	4	5	8
35-49	366	2.4	4	<1	<1	2	3	5	6	11
50-64	314	2.4	3	<1	<1	2	3	4	5	9
65+	184	3.6	9	<1	1	3	4	7	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	1.8	1	<1	<1	1	3	4	4	4
20-34	15	1.2		<1	<1	1	1	2	3	3
35-49	4	1.0		<1	<1	<1	1	1	1	1
50-64	6	3.5	18	<1	<1	2	3	11	12	12
65+	13	5.5	25	<1	1	3	9	12	16	17
B. *Operated*										
0-19 YRS	317	2.9	5	<1	<1	2	3	5	7	10
20-34	273	4.1	38	<1	1	3	4	7	10	41
35-49	157	3.8	12	<1	1	3	5	8	11	18
50-64	173	4.2	29	<1	1	3	4	8	13	37
65+	188	6.3	73	1	2	4	7	13	20	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	1.9	2	<1	<1	2	2	3	4	7
B. *Operated*	2165	2.4	4	<1	<1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	54	2.6	11	<1	<1	1	3	8	11	17
B. *Operated*	1108	4.1	30	<1	1	3	4	7	11	27
1. SINGLE DX	2192	2.4	4	<1	<1	2	3	4	6	10
2. MULTIPLE DX	1162	4.0	30	<1	1	3	4	7	11	26
A. NOT OPERATED	81	2.4	8	<1	<1	1	3	5	9	15
B. OPERATED	3273	3.0	13	<1	<1	2	3	5	7	16
TOTAL 0-19 YRS	872	2.4	4	<1	<1	2	3	4	6	8
20-34	1065	2.7	12	<1	<1	2	3	5	6	13
35-49	532	2.8	7	<1	<1	2	3	5	8	16
50-64	496	3.1	13	<1	<1	2	4	5	8	17
65+	389	4.9	42	<1	1	3	6	10	14	26
GRAND TOTAL	**3354**	**3.0**	**13**	**<1**	**<1**	**2**	**3**	**5**	**7**	**16**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	4	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS										
20-34										
35-49	4	1.0		<1	<1	<1	1	1	1	1
50-64										
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	82	1.1		<1	<1	<1	<1	1	2	3
20-34	15	3.7	9	1	1	3	4	10	11	11
35-49	30	2.1	1	1	1	2	2	3	4	4
50-64	23	2.6	3	1	1	2	3	4	6	9
65+	53	2.4	2	1	1	2	3	4	5	7
B. *Operated*										
0-19 YRS	7	5.1	14	<1	<1	5	7	11	12	12
20-34	5	6.6	45	<1	<1	5	11	17	17	17
35-49	20	5.7	54	<1	<1	3	6	12	23	33
50-64	17	8.3	199	<1	1	3	6	19	45	59
65+	17	7.2	27	2	2	5	10	16	17	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.3	1	2	2	2	2	4	4	4
B. *Operated*	5	1.2		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	203	1.9	2	<1	<1	2	2	3	4	9
B. *Operated*	66	6.7	77	<1	<1	4	8	16	18	55
1. SINGLE DX	12	1.8	1	<1	<1	2	2	3	4	4
2. MULTIPLE DX	269	3.1	24	<1	<1	2	3	6	10	19
A. NOT OPERATED	210	2.0	2	<1	<1	2	2	3	4	9
B. OPERATED	71	6.4	74	<1	<1	3	7	15	18	54
TOTAL 0-19 YRS	90	1.4	2	<1	<1	<1	<1	2	4	10
20-34	21	4.3	17	<1	1	3	4	10	14	17
35-49	54	3.4	23	<1	<1	2	3	6	11	32
50-64	41	5.0	89	1	1	3	4	8	18	59
65+	75	3.4	11	1	1	2	4	7	11	17
GRAND TOTAL	**281**	**3.1**	**24**	**<1**	**<1**	**2**	**3**	**6**	**10**	**19**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	715	2.3	16	<1	<1	1	3	4	6	13
20-34	727	1.9	3	<1	<1	1	2	3	5	8
35-49	402	2.1	5	<1	<1	1	2	4	6	12
50-64	485	1.8	4	<1	<1	1	2	4	5	10
65+	444	2.3	17	<1	<1	1	2	4	6	18
B. *Operated*										
0-19 YRS	232	2.5	6	<1	<1	2	3	6	8	11
20-34	616	3.3	10	<1	<1	2	5	7	9	13
35-49	470	3.4	9	<1	<1	2	5	8	10	13
50-64	367	4.7	15	<1	<1	3	8	10	11	13
65+	268	6.4	77	<1	<1	5	9	12	14	67
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1911	4.0	61	<1	<1	2	4	7	18	44
20-34	2014	5.3	79	<1	<1	2	5	15	28	38
35-49	3305	3.9	34	<1	1	2	4	6	12	29
50-64	8716	3.5	26	<1	1	2	4	6	9	28
65+	8399	4.9	62	1	1	2	5	10	20	45
B. *Operated*										
0-19 YRS	463	4.8	66	<1	<1	2	5	10	17	48
20-34	1091	4.4	52	<1	<1	2	5	9	15	46
35-49	1439	4.5	41	<1	<1	2	6	10	13	42
50-64	2170	5.8	51	1	1	3	8	12	17	43
65+	2788	7.0	94	1	1	3	9	15	22	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2773	2.1	9	<1	<1	1	2	4	6	12
B. *Operated*	1953	3.9	21	<1	<1	2	6	9	11	14
2. MULTIPLE DX										
A. *Not Operated*	24345	4.2	47	<1	1	2	4	7	16	35
B. *Operated*	7951	5.7	66	<1	1	3	7	12	18	49
1. SINGLE DX	4726	2.8	15	<1	<1	2	3	7	9	14
2. MULTIPLE DX	32296	4.6	52	<1	1	2	5	9	17	38
A. NOT OPERATED	27118	4.0	44	<1	1	2	4	7	15	34
B. OPERATED	9904	5.4	58	<1	<1	3	7	11	16	44
TOTAL 0-19 YRS	3321	3.6	49	<1	<1	2	3	7	13	34
20-34	4448	4.2	52	<1	<1	2	4	8	19	34
35-49	5616	3.9	32	<1	<1	2	4	7	11	29
50-64	11738	3.9	31	<1	1	2	5	8	12	30
65+	11899	5.4	69	<1	1	3	5	12	20	48
GRAND TOTAL	**37022**	**4.4**	**48**	**<1**	**1**	**2**	**5**	**9**	**15**	**36**

Appendix

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 2, Diseases: Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease — *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis — *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer – *see Neoplasm, malignant*
	Carcinoma – *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs – *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital — *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular — *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer — *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer – *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve — *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
123	Iridocyclitis
123	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes — *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease – *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease – *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer – *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma — *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve – *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer – *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever

R 3850-1.6U
11/86

LOS

LENGTH OF STAY

CPHA PUBLICATIONS

Length of Stay by Operation, Northeastern Region, 1985

A Companion Volume To Length of Stay by Diagnosis, Northeastern Region, 1985

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1986

LENGTH OF STAY

Copyright 1986 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1985
. . . by Diagnosis, United States, North Central Region, 1985
. . . by Diagnosis, United States, Northeastern Region, 1985
. . . by Diagnosis, United States, Southern Region, 1985
. . . by Diagnosis, United States, Western Region, 1985
. . . by Diagnosis, Canada, 1985

. . . by Operation, United States, 1985
. . . by Operation, United States, North Central Region, 1985
. . . by Operation, United States, Northeastern Region, 1985
. . . by Operation, United States, Southern Region, 1985
. . . by Operation, United States, Western Region, 1985
. . . by Operation, Canada, 1985

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1985
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1985

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1985 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1985 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1985 LENGTH OF STAY BOOKS

Peg Eby, Research Assistant, Research Services
Carol A. Prevost, Research Associate
Jeanine DeLay, Assistant Director
Edward J. Kobrinski, Director

CONTENTS

Preface iii

Discussion of the Data 1

  Source of the Data. 1

  Data Quality. 2

  Coverage 3

  Organization of Length of Stay Tables. 5

    Definition of Multiple Diagnosis Patients 5

    Definition of Operated Patients 6

  Explanation of Statistics. 6

  Defining the Extended Stay Case 7

Length of Stay Tables 15

  Summary of All Patients. 16

  Operation Groups 501-764 17

Appendix: *ICD-9-CM* Codes for Selected Operation Groups 83

Index to Length of Stay Tables 87

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, non-federal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Alabama Hospital Association, Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South
** Includes Alaska and Hawaii

Census Divisions and Regions in the United States